

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



# CITY OF PORTLAND BUILDING PERMIT



**This is to certify that**

HAYWARD JOSEPH J & REBECCA A HAYWARD JTS

**Located at**

58 TORREY ST

**PERMIT ID:** 2016-01206

**ISSUE DATE:** 08/08/2016

**CBL:** 155 D005001

has permission to **Construct 28' rear dormer and add bathroom**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.	A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.
---	--

N/A

/s/ Jonathan Rioux

**Fire Official**

**Building Official**

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY  
THERE IS A PENALTY FOR REMOVING THIS CARD**

*Approved Property Use - Zoning*

*Building Inspections*

*Fire Department*

single family

BUILDING PERMIT INSPECTION PROCEDURES  
Please call 874-8703 (ONLY)  
or email: [buildinginspections@portlandmaine.gov](mailto:buildinginspections@portlandmaine.gov)

**Check the Status or Schedule an Inspection On-Line at  
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit! Contact this office if you have any questions.**
- **Permits expire in 6 months. If the project is not started or ceases 6 months.**
- **If the inspection requirements are not followed as stated below, additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**

### **REQUIRED INSPECTIONS:**

Footings

Close-in Plumbing/Framing

Electrical - Residential

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

<b>City of Portland, Maine - Building or Use Permit</b>		<b>Permit No:</b> 2016-01206	<b>Date Applied For:</b> 05/11/2016	<b>CBL:</b> 155 D005001					
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716									
<b>Proposed Use:</b> Single Family	<b>Proposed Project Description:</b> Construct 28' rear dormer and add bathroom								
<table style="width:100%; border:none;"> <tr> <td style="width:15%;"><b>Dept:</b> Zoning</td> <td style="width:25%;"><b>Status:</b> Approved w/Conditions</td> <td style="width:25%;"><b>Reviewer:</b> Christina Stacey</td> <td style="width:20%;"><b>Approval Date:</b> 07/06/2016</td> <td style="width:15%;"><b>Ok to Issue:</b> <input checked="" type="checkbox"/></td> </tr> </table> <p style="margin-top: 5px;"><b>Note:</b> R-3 Zone  Lot size 7,280 sf, meets 6,500 sf minimum  Existing house side setback 4'  Use §14-436(b) - allowed 80% upper story expansion on 860 sf = 688 sf max allowed. Proposed dormer expansion 168 sf - OK</p> <p><b>Conditions:</b></p> <ol style="list-style-type: none"> <li>1) This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.</li> <li>2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.</li> </ol>					<b>Dept:</b> Zoning	<b>Status:</b> Approved w/Conditions	<b>Reviewer:</b> Christina Stacey	<b>Approval Date:</b> 07/06/2016	<b>Ok to Issue:</b> <input checked="" type="checkbox"/>
<b>Dept:</b> Zoning	<b>Status:</b> Approved w/Conditions	<b>Reviewer:</b> Christina Stacey	<b>Approval Date:</b> 07/06/2016	<b>Ok to Issue:</b> <input checked="" type="checkbox"/>					
<table style="width:100%; border:none;"> <tr> <td style="width:15%;"><b>Dept:</b> Building Inspecti</td> <td style="width:25%;"><b>Status:</b> Approved w/Conditions</td> <td style="width:25%;"><b>Reviewer:</b> Jonathan Rioux</td> <td style="width:20%;"><b>Approval Date:</b> 08/05/2016</td> <td style="width:15%;"><b>Ok to Issue:</b> <input checked="" type="checkbox"/></td> </tr> </table> <p style="margin-top: 5px;"><b>Note:</b></p> <p><b>Conditions:</b></p> <ol style="list-style-type: none"> <li>1) Mechanical or natural ventilation is required in the bathroom.</li> </ol> <p style="margin-top: 10px;">See attached documentation for bathroom fixtures clearance and headroom requirements. Glazing in enclosures is required for or walls facing hot tubs, whirlpools, saunas, steam rooms, bathtubs and showers where the bottom exposed edge of the glazing is less than 60 inches measured vertically above any standing or walking surface. Exception: Glazing that is more than 60 inches, measured horizontally and in a straight line, from the waters edge of a hot tub, whirlpool or bathtub.</p> <p>Bathrooms shall have a minimum ceiling height of 6 feet 8 inches at the center of the front clearance area for fixtures as shown in Figure R307.1. The ceiling height above fixtures shall be such that the fixture is capable of being used for its intended purpose. A shower or tub equipped with a showerhead shall have a minimum ceiling height of 6 feet 8 inches above a minimum area 30 inches by 30 inches at the showerhead.</p> <p style="margin-top: 10px;">R307.2 Bathtub and shower spaces. Bathtub and shower floors and walls above bathtubs with installed shower heads and in shower compartments shall be finished with a nonabsorbent surface. Such wall surfaces shall extend to a height of not less than 6 feet (1829 mm) above the floor.</p> <p style="margin-top: 10px;">The clear space in front of any water closet or bidet shall be not less than twenty-four (24) inches (610 mm).</p> <p style="margin-top: 10px;">Fireblocking is required to provide a cut off of all concealed draft openings (both vertical and horizontal) in combustible construction, see Sec. R302.11.</p> <ol style="list-style-type: none"> <li>2) Roof Rafter framing and Connection shall comply with Section R802.3 &amp; R802.3.1 of MUBEC. Note: Field modifications may be required.</li> <li>3) A field inspection will verify your current Smoke and Carbon Monoxide alarm arrangement and the City's minimal code requirements.</li> <li>4) Ventilation of this space is required per ASRAE 62.2 , 2007 edition.</li> </ol> <p style="margin-top: 10px;">For conditioned space- insulation shall comply with the IECC, 2009 (Maine State Energy Codes).</p> <ol style="list-style-type: none"> <li>5) Section R317 Protection of Wood and Wood Based Products against decay. All wood framing members that rest on concrete or masonry exterior foundation walls and are less than 8 inches from the exposed ground.</li> </ol>					<b>Dept:</b> Building Inspecti	<b>Status:</b> Approved w/Conditions	<b>Reviewer:</b> Jonathan Rioux	<b>Approval Date:</b> 08/05/2016	<b>Ok to Issue:</b> <input checked="" type="checkbox"/>
<b>Dept:</b> Building Inspecti	<b>Status:</b> Approved w/Conditions	<b>Reviewer:</b> Jonathan Rioux	<b>Approval Date:</b> 08/05/2016	<b>Ok to Issue:</b> <input checked="" type="checkbox"/>					

- 6) Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.
- 7) Headers and required number of jack studs must comply with Table R502.5(1) or exterior bearing walls.