

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK

CITY OF PORTLAND

BUILDING DEPARTMENT

PERMIT

Permit Number: 081413

Please Read
Application And
Notes, If Any,
Attached

This is to certify that ST IGNATIUS RESIDENCE 2 E SOCIETY SUS/Scorehas permission to install a baseball Score board 2 x 8'AT 267 OCEAN AVE

CITY OF PORTLAND 156 F001001

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

Notification of inspection must be given and written permission procured before this building or part thereof is lath or other work is set-in. 2 HOURLY NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS

Fire Dept. _____

Health Dept. _____

Appeal Board _____

Other _____

Department Name

11/7/08 *Chf. I.R.*
Director - Building & Inspection Services

PENALTY FOR REMOVING THIS CARD

City of Portland, Maine - Building or Use Permit Application
 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716


Permit No: 08-1413	Issue Date: 11/7/08	CBL: 156 F001001
-----------------------	------------------------	---------------------

Location of Construction: 267 OCEAN AVE	Owner Name: ST IGNATIUS RESIDENCE THE	Owner Address: 271 OCEAN AVE	Phone:
Business Name:	Contractor Name: Scoreboard Enterprises	Contractor Address: PO Box 272 North Easton	Phone: 2077746238
Lessee/Buyer's Name	Phone:	Permit Type: Signs - Permanent	Zone: R-3

Past Use: Cheverus High School	Proposed Use: Cheverus High School - install a baseball Score board 20' x 8' on the wall of the building	Permit Fee: \$350.00	Cost of Work: \$350.00	CEO District: 4
Proposed Project Description: install a baseball Score board 20' x 8' on the wall of the building		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group: E/A-3 Type: Sign IBC-2003	
		Signature:	Signature: 11/7/08 CL	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		
		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied		
		Signature: _____ Date: _____		

Permit Taken By: ldobson	Date Applied For: 11/04/2008
-----------------------------	---------------------------------

Zoning Approval

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules. 2. Building permits do not include plumbing, septic or electrical work. 3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..	Special Zone or Reviews <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input checked="" type="checkbox"/> Site Plan 2008-0049 Maj <input type="checkbox"/> Minor <input type="checkbox"/> MM <input type="checkbox"/> OK Date: 11/5/08	Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	Historic Preservation <input checked="" type="checkbox"/> Not in District or Landmark <input type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied ABM Date:
			

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT

ADDRESS

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

DATE

PHONE

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

A Pre-construction Meeting will take place upon receipt of your building permit.

 X Final inspection required at completion of work.


Certificate of Occupancy is not required for certain projects. Your inspector can advise you if your project requires a Certificate of Occupancy. All projects DO require a final inspection.

If any of the inspections do not occur, the project cannot go on to the next phase, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

CERIFICATE OF OCCUPANICES MUST BE ISSUED AND PAID FOR, BEFORE THE SPACE MAY BE OCCUPIED.




Signature of Applicant/Designee



Date



Signature of Inspections Official



Date

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 08-1413	Date Applied For: 11/04/2008	CBL: 156 F001001
------------------------------	--	----------------------------

Location of Construction: 267 OCEAN AVE	Owner Name: ST IGNATIUS RESIDENCE THE	Owner Address: 271 OCEAN AVE	Phone:
Business Name:	Contractor Name: Scoreboard Enterprises	Contractor Address: PO Box 272 North Easton	Phone (207) 774-6238
Lessee/Buyer's Name	Phone:	Permit Type: Signs - Permanent	

Proposed Use: Cheverus High School - install a baseball Score board 20' x 8' on the wall of the building	Proposed Project Description: install a baseball Score board 20' x 8' on the wall of the building
--	---

Dept: Zoning	Status: Approved	Reviewer: Ann Machado	Approval Date: 11/04/2008
Note: Ordinance says the size should correspond to the size & type of facility where it is located. Reviewed by Planning Board.			Ok to Issue: <input checked="" type="checkbox"/>
Dept: Building	Status: Approved with Conditions	Reviewer: Chris Hanson	Approval Date: 11/07/2008
Note:			Ok to Issue: <input checked="" type="checkbox"/>
1) UL listing and electrical labeling required prior to final inspection			
2) Separate permits are required for any electrical, plumbing, or HVAC systems. Separate plans may need to be submitted for approval as a part of this process.			
Dept: Planning	Status: Approved	Reviewer: Molly Casto	Approval Date: 11/05/2008
Note:			Ok to Issue: <input checked="" type="checkbox"/>

Comments: 11/4/2008-amachado: Gave permit to Molly to make sure that the size & location is what was approved on the site plan.

Signage/Awning Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 267 Ocean Avenue Portland, ME 04103		
Tax Assessor's Chart, Block & Lot Chart# Block# Lot# 156 7 1	Owner: Cheverus High School 267 Ocean Avenue Portland, ME 04103	Telephone: 207-774-6238
Lessee/Buyer's Name (If Applicable) NA	Contractor name, address & telephone: Scoreboard Enterprises PO. Box 272 North Easton, MA 02356	Total s.f. of signage x \$2.00 Per s.f. plus \$30.00/\$65.00 For H.D. signage= Total Fee: \$ _____ Awning Fee= cost of work _____ Total Fee: \$ _____
Who should we contact when the permit is ready: Michael S Konich (207) 774-6238 ext. 29		
Tenant/allocated building space frontage (feet): Length: _____ Height: _____ Lot Frontage (feet) _____ Single Tenant or Multi Tenant Lot _____		
Current Specific use: Baseball Scoreboard If vacant, what was prior use: _____ Proposed Use: _____		
Information on proposed sign(s): Freestanding (e.g., pole) sign? Yes _____ No <input checked="" type="checkbox"/> Dimensions proposed: 20' Height from grade: 13' Bldg. wall sign? (attached to bldg) Yes <input checked="" type="checkbox"/> No _____ Dimensions proposed: 8'		
Proposed awning? Yes _____ No <input checked="" type="checkbox"/> Is awning backlit? Yes _____ No _____ Height of awning: _____ Length of awning: _____ Depth: _____ Is there any communication, message, trademark or symbol on it? Yes _____ No _____ If yes, total s.f. of panels w/communications, message, trademark or symbol: _____ s.f.		
Information on existing and previously permitted sign(s): Freestanding (e.g., pole) sign? Yes _____ No _____ Dimensions: _____ Bldg. wall sign? (attached to bldg) Yes _____ No _____ Dimensions: _____ Awning? Yes _____ No _____ Sq. ft. area of awning w/communication: _____		
A site sketch and building sketch showing exactly where existing and new signage is located must be provided. Sketches and/or pictures of proposed signage and existing building are also required.		

160 x 2 + 30 = 350

Please submit all of the information outlined in the Sign/Awning Application Checklist. Failure to do so may result in the automatic denial of your permit.

In order to be sure the City fully understands the full scope of the project, the Planning and Development Department may request additional information prior to the issuance of a permit. For further information visit us on-line at www.portlandmaine.gov, stop by the Building Inspections office, room 315 City Hall or call 874-8703.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: 	Date: 11/4/08
--	----------------------

This is not a permit; you may not commence ANY work until the permit is issued.

TIGERS

Optional programmable Team
Name Message Center
(TNMC)

AT BAT	BALL	STRIKE	OUT	H/E						RUNS	HITS	ERR
21	2	1	1	3								
	1	2	3	4	5	6	7	8	9	10		
GUEST	1	0	0	0	2	0	1	0	0	4	7	1
HOME	0	3	1	0	2	0	3	0		9	19	0

BA-2019 BASEBALL/SOFTBALL SCOREBOARD SPECIFICATIONS

This baseball/softball scoreboard displays HOME and GUEST scores for each inning up to 10 innings, BALL to three, STRIKE to two, OUT to two, AT BAT to 99, H/E (hit or error) with the corresponding initial and field position number, total RUNS and HITS to 99 and ERR (error) to nine for each team. Scoreboard shown with optional 1" border striping.

BA-2019:

Model	Digit Technology	Digit Description	Max Power	Volts	Amps	Weight
BA-2019-11/21	LED	7 segments (1)	900 W	120 V AC	7.5 A	500 lb (227 kg)

BA-2019 with 8x32 programmable team name message centers:

Model	Digit Technology	Digit Description	Max Power	Volts	Amps	Weight
BA-2019-11/21	LED	7 segments (1)	1,200 W	120 V AC	10 A	580 lb (263 kg)

PRODUCT SPECIFICATIONS

PRODUCT SAFETY APPROVAL:

ETL listed to UL Standards 48 and 1433. Tested to CSA standards and CE labeled for outdoor use.

DIMENSIONS:

Height 6'-0", Width 20'-0", Depth 6" (1829 mm, 6096 mm, 152 mm)

CONSTRUCTION:

Alcoa aluminum alloy 5052 for excellent corrosion resistance

DIGITS/INDICATORS:

AT BAT, BALL, STRIKE, OUT, and H/E have a nominal digit size of 15" (381 mm) high. Inning scores, RUNS, HITS, and ERR have a nominal digits size of 10" (254 mm) high. Digits can dimmed for night viewing.

Notes:

- Seven bar segments per digit; red (-11) or amber (-21) PanaView® LED digits.
- TNMC LEDs are the same color as the LED digits on the scoreboard.

BA-2019 PRODUCT SPECIFICATIONS (CONTINUED)

CAPTIONS:

Inning scores, RUNS, HITS, and ERR captions are 6" (152 mm) high. AT BAT, BALL, STRIKE, OUT and H/E captions are 8" (203 mm) high. HOME and GUEST captions are 12" (305 mm) high. Captions are white vinyl, applied directly to the display face. Other caption colors are available upon request.

CABINET COLOR:

More than 150 colors (from Martin Senour® paint book) are available at no additional cost.

OPERATING TEMPERATURES:

Display: -22 to 122 degrees Fahrenheit (-30 to 50 degrees Celsius)
Console: 32 to 122 degrees Fahrenheit (0 to 50 degrees Celsius).

ALL SPORT® 5010 CONTROL CONSOLE:

Control console electronics are housed in a rugged aluminum case. Console has a large 32-character backlit liquid crystal prompting display to verify entries and recall information currently displayed. Case and sealed membrane keyboard make console face water-resistant. Console is capable of controlling other sports through the use of keyboard inserts. A 20' (6096 mm) control cable and a 6' (1829 mm) power cord are supplied. The power cord plugs into a standard grounded 120 V AC outlet. Maximum power demand is 6 watts. All 230 V AC scoreboards use All Sport 5020 control consoles.

CONTROL CABLE:

One-pair shielded cable of 22 AWG minimum is required.

JUNCTION BOX:

A cover plate with mounted connector and standard 2" x 2" x 4" (51 mm, 51 mm, 102 mm) outlet box is provided. Connector mates with connector from control console.

SERVICE ACCESS:

Digit panels and electronics can be serviced from the front of the scoreboard.

MOUNTING:

The scoreboard is typically mounted on two vertical beams. Maximum beam width is 12" (305 mm).

GENERAL INFORMATION:

Scoreboard provides scoring capability for two teams. 100% solid state electronics housed in an all aluminum cabinet. This scoreboard is built and shipped in two sections and includes hardware for mounting on three vertical poles. Hardware for additional poles is available at additional cost. Heavy-duty 6 amp solid-state switching device is located on the driver to reduce display failure rate. Specifications and pricing are subject to change without notice.

WARRANT/SERVICE PLAN:

Exclusive Daktronics Gold® plan in the U.S. and Canada (see SP10093 for more information).

OPTIONS:

1. Durable carrying case for control console
2. Logo/sponsor panels
3. Scoreboard border striping
- *4. Team name in place of HOME
- *5. Changeable team name panels
6. Electronic message display
7. Protective netting
8. 2.4 GHz spread spectrum radio control
9. Alternative caption colors available (see SL06409)
10. Programable team name message centers (8x32)

BA-2019 PRODUCT SPECIFICATIONS (CONTINUED)

*Options only available for BA-2019 without programmable team name message centers.

OPTIONAL LOGO/SPONSOR PANELS:

Backlit:		Non-Backlit:	
Height	Width	Height	Width
1'-6" (457 mm)	20'-0" (6096 mm)	1'-6" (457 mm)	20'-0" (6096 mm)
2'-0" (588 mm)	20'-0" (6096 mm)	2'-0" (610 mm)	20'-0" (6096 mm)
3'-0" (882 mm)	20'-0" (6096 mm)	2'-6" (762 mm)	20'-0" (6096 mm)
3'-8" (1118 mm)	20'-0" (6096 mm)	3'-0" (914 mm)	20'-0" (6096 mm)
4'-0" (1219 mm)	20'-0" (6096 mm)	4'-0" (1219 mm)	20'-0" (6096 mm)
4'-6" (1372 mm)	20'-0" (6096 mm)	4'-6" (1372 mm)	20'-0" (6096 mm)
5'-0" (1524 mm)	20'-0" (6096 mm)		
9'-0" (2743 mm)	20'-0" (6096 mm)		

* For additional information on ordering logo/sponsor panels, see SL04014.

FOR ADDITIONAL INFORMATION REFER TO:

1. Installation Specifications Drawing #1192-R10A-233487
2. Scoreboard Mounting Drawing #1091-R10A-44412
3. System Layout Drawing #1091-R10A-54952 and #1196-R04A-124690
4. Single-Section Outdoor Generation III LED Scoreboards, Display Manual ED-13770

For additional information on Daktronics scoring/timing products, call 605-697-4300 or 800-325-8766.

All Sport®, Gold® and PanaView® are trademarks of Daktronics, Inc. Martin Senour® is a registered trademark of its owner.

SL051606-07438 Page 3 of 3 Copyright © 2003-2006 Daktronics, Inc.

For faster service call the appropriate sales group toll-free:

800-DAKTRONICS (800-325-8766) General Sales
888-DAK SCORE (888-325-7267) High School/Park & Rec Sales
888-DAK SIGN (888-325-7446) Commercial Sales
800-558-9526 Business Communications Sales
888-DAK TIME (888-325-8463) College/University Sales
888-CHRONDEK (888-247-6633) Auto Racing Sports



MEMORANDUM

To: FILE

From: Marge Schmuckal

Dept: Zoning

Subject: Application ID: 2008-0049

Date: 7/3/2008

311 Oak Kn Ave

156-F-002

I have been asked to respond to the new scoreboard for Cheverus. I have previously used Table 2.4 of the sign ordinance that refers to open space zones and more specifically to scoreboards as they relate to schools in residential zones. The guidance offered within this section refers to the size of a scoreboard corresponding to the size and type of facility in which it is to be located. The given scoreboard appears to correspond appropriately to the size and type of facility (school). That regulation goes on to state that any commercial sign associated with the scoreboard shall be limited in size. The Cheverus proposal does not show any commercial signs attached to this scoreboard. I would propose a consideration of approval that if any future commercial signs are desired in conjunction with the scoreboard, that there be a planning and zoning review of the specific proposal for compliance. Therefore, I believe that the proposed scoreboard meets the requirements of the ordinance.

Marge Schmuckal
Zoning Administrator

DAKTRONICS


CHEVERUS HIGH SCHOOL BA 2004 PORTLAND, ME

Overall Dimensions:
8'-0" high x 20'-0" wide

20'

Base Scoreboard Dimensions:
BA 2004
6'-6" high x 20'-0" wide

Top Ad Panel Dimensions:
1'-6" high x 20'-0" wide




02-24-07 Copyright © 2007 Daktronics, Inc.

Do not use this rendering for ad copy approval. The mascots and fonts depicted here are for conception only. They do not meet the requirement needed by our copy management.

THE DETAILS AND DIMENSIONS SHOWN ARE CONFIDENTIAL AND PROPRIETARY. DO NOT REPRODUCE BY ANY MEANS WITHOUT THE EXPRESS WRITTEN CONSENT OF DAKTRONICS, INC.



BA-2004



ELECTRICAL

POWER CABLE MUST HAVE A SEPARATE GROUND CONDUCTOR. SCOREBOARD MUST BE CONNECTED TO A GROUND ROD AT SCOREBOARD LOCATION.

BA-2004, BA-2005, & BA-2007

VERTICAL DIMENSION (ft)	NO. OF BEAMS	CONCRETE HEIGHT (ft)		DESIGN WIND VELOCITY			
				75 MPH	80 MPH	90 MPH	100 MPH
10 FT	NONE	16'-6"	BEAM	WBX18	WBX21	W10X22	WBX24
			FOOTING	2.5'x6.6'	2.5'x7.3'	2.5'x8.0'	2.5'x8.7'
	4 FT	20'-0"	BEAM	W12X26	W14X30	W16X33	W12X35
			FOOTING	2.5'x8.3'	2.5'x9.1'	2.5'x9.9'	2.5'x10.6'
12 FT	NONE	18'-6"	BEAM	WBX21	W10X22	W12X26	W12X28
			FOOTING	2.5'x7.0'	2.5'x7.7'	2.5'x8.4'	2.5'x9.1'
	4 FT	22'-6"	BEAM	W14X30	W16X33	W14X36	W12X39
			FOOTING	3.0'x8.0'	3.0'x8.8'	3.0'x9.6'	3.0'x10.4'
14 FT	NONE	20'-6"	BEAM	W10X22	W12X26	W12X35	W14X30
			FOOTING	3.0'x6.8'	3.0'x7.5'	3.0'x8.2'	3.0'x8.9'
	4 FT	24'-6"	BEAM	W10X33	W14X36	W12X40	W14X43
			FOOTING	3.0'x8.3'	3.0'x9.1'	3.0'x9.9'	3.0'x10.6'
16 FT	NONE	22'-6"	BEAM	W12X26	W14X30	W16X33	W12X36
			FOOTING	3.0'x7.1'	3.0'x7.8'	3.0'x8.5'	3.0'x9.2'
	4 FT	26'-6"	BEAM	W14X36	W16X39	W14X43	W16X46
			FOOTING	3.0'x8.6'	3.0'x9.4'	3.0'x10.1'	3.0'x10.8'
18 FT	NONE	24'-6"	BEAM	W14X36	W16X39	W12X43	W16X46
			FOOTING	3.0'x7.3'	3.0'x8.1'	3.0'x8.8'	3.0'x9.5'
	4 FT	28'-6"	BEAM	W12X48	W14X43	W14X48	W14X53
			FOOTING	3.0'x8.9'	3.0'x9.7'	3.0'x10.4'	3.0'x11.1'
20 FT	NONE	25'-6"	BEAM	W16X33	W12X35	W16X46	W12X48
			FOOTING	3.0'x7.5'	3.0'x8.2'	3.0'x8.9'	3.0'x9.6'
	4 FT	30'-6"	BEAM	W12X48	W12X48	W14X53	W14X56
			FOOTING	3.0'x9.2'	3.0'x10.0'	3.0'x10.7'	3.0'x11.4'

FOOTING = DIAMETER X DEPTH

FOOTING DIMENSIONS ARE SUGGESTIONS ONLY, PROVIDED TO ASSIST WITH ESTIMATING INSTALLATION COSTS, AND ARE NOT INTENDED FOR CONSTRUCTION PURPOSES.

COLUMNS AND FOOTINGS MUST BE DESIGNED BY A STATE LICENSED ENGINEER. DAKTRONICS DOES NOT ASSUME ANY LIABILITY FOR ANY INSTALLATIONS DERIVED FROM THIS INFORMATION OR DESIGNED AND INSTALLED BY OTHERS.

A NOTE ABOUT BEAM NOMENCLATURE

For a typical beam, W12x30 for example, "W" stands for "Wide-Flange Beam". The first number (12) is the approximate front to rear dimension of the beam in inches. The second number (30) is the weight per foot in pounds. This numbering is standard in the steel industry. Widths vary from 8 to 14 inches in this chart.

03	9 NOV 05	CHANGED POLE SPACING TO 10' - 12'	JKU	DAKTRONICS, INC. BROOKINGS, SD 57006
07	REVISION	REVISED BY: [NAME]	WCOPL	FILE: OUTDOOR INCANDESCENT SCOREBOARDS
01	DESIGNED	REVISED BY: [NAME]	WCOPL	FILE: INCANDESCENT SPECIFICATIONS, BA-2004/2005/2007
RD	DATE	DESCRIPTION	BY	DATE: 03 JUL 2007
			03	SCALE: 1=96
				1091-R10A-152777

