

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 267 Ocean Ave		Owner: St Ignatius		Phone:	Permit No: 971043
Owner Address:		Lessee/Buyer's Name: Cheverus High School		Phone:	BusinessName:
Contractor Name: Scoreboards & More		Address: Mike Komich/774-6238		Phone:	
Past Use: School	Proposed Use: Same	COST OF WORK: \$	PERMIT FEE: \$ 64.60	FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	
Proposed Project Description: Erect Signage (198 Sq Ft)		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		INSPECTION: <input checked="" type="checkbox"/> Y Use Group: Type: Signature: Date:	
Permit Taken By: Mary Gresik		Date Applied For: 18 September 1997			

PERMIT ISSUED
Permit Issued:
SEP 25 1997
CITY OF PORTLAND

Zone: **R-3** CBL: 156-F-001
Zoning Approval:
OK with conditions
Special Zone or Reviews:
 Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Zoning Appeal
 Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied
Date: 9/19/97

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: Mike Komich ADDRESS: DATE: 18 September 1997 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

CEO DISTRICT **6**
m. Conry

COMMENTS

10-24-97 Contacted the contractor on this date. They never called the office for an inspection of any kind! All the responsibility is of the installer.

	Type	Inspection Record	Date
Foundation:	_____	_____	_____
Framing:	_____	_____	_____
Plumbing:	_____	_____	_____
Final:	_____	_____	_____
Other:	_____	_____	_____

Location of Construction: 267 Ocean Ave		Owner: St Ignatius		Phone:		Permit No: 971043 PERMIT ISSUED Permit Issued: SEP 25 1997 CITY OF PORTLAND	
Owner Address:		Lessee/Buyer's Name: Cheverus High School		Phone:			Business Name:
Contractor Name: Scoreboards & More		Address: Mike Komich/774-6238		Phone:			Permit Issued:
Past Use: School		Proposed Use: Same		COST OF WORK: \$ _____ PERMIT FEE: \$ 64.60			FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied INSPECTION: <input checked="" type="checkbox"/> Use Group: Type:
Proposed Project Description: Erect Signage (198 Sq Ft)				Signature: _____ PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied Signature: _____ Date: _____		Zone: R-3 CBL: 156-F-001 Zoning Approval: <i>[Signature]</i> Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm	
Permit Taken By: Mary Gresik		Date Applied For: 18 September 1997				Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	

- This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
- Building permits do not include plumbing, septic or electrical work.
- Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: *[Signature]* Mike Komich ADDRESS: _____ DATE: 18 September 1997 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

PERMIT ISSUED WITH REQUIREMENTS

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied
 Date: 9/18/97
[Signature]

CEO DISTRICT 6
m. Leary

LAND USE - ZONING REPORT

ADDRESS: 267 Ocean Avenue

DATE: September 24, 1997

REASON FOR PERMIT: To erect Scoreboard with Commercial Advertising

BUILDING OWNER: St. Ignatius

C-B-L: 156-F-1- R-3 zone

PERMIT APPLICANT: Mike Komish, Cheverus H.S

APPROVED WITH CONDITIONS: See following

CONDITIONS OF APPROVAL:

1. The sign ordinance states: " Commercial sign content shall not exceed 15% of surface area of scoreboard." Your proposal shows an 11' x 18' scoreboard which is 198 sq. ft of which 15% would allow for 29.7 sq. ft. of commercial signage. As best I can interpret your plans, the Coke advertising is 3' x 9' or 27 sq. ft which is just under the allowable amount. You will be restricted to only the remainder of 2.7 sq. ft. for any future commercial signage.
2. Any future signage shall require a separate permit for review.

Very Truly Yours,



Marge Schmuckal
Zoning Administrator

cc to: Rick Knowland, Senior Planner
Mark Adelson, Housing & Community Dev.
Joseph Gray, Jr., Dir. of Planning & Urban Dev.
Merle Leary, Code Enf. Officer

Note: 10/10/97 Coke is sold on the
Athletic field (5yr contract)
And in vending machines on St
per Mike Komish

BUILDING PERMIT REPORT


DATE: 24 Sept. 97 ADDRESS: 267 Ocean Ave.
REASON FOR PERMIT: Scoreboard
BUILDING OWNER: St. Ignatius
CONTRACTOR: Scoreboards & More
PERMIT APPLICANT: Mike Komich APPROVAL: *1,*2 ~~DENIED~~
USE GROUP U BOCA 1996 CONSTRUCTION TYPE 1A

CONDITION(S) OF APPROVAL

- *1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- X 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3. Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
8. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42" , except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
9. Headroom in habitable space is a minimum of 7'6".
10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's.
15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. **No construction or demolition work shall begin until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met.**
- 22. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 23. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- 25. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code.
- 26. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade.
- 27. All requirements must be met before a final Certificate of Occupancy is issued.
- 28. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 29. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
- 30. *Please read and implement attached Landuse Zoning Report requirements.*
- 31. _____
- 32. _____
- 33. _____
- 34. _____



P. Samuel Hoffes, Code Enforcement

cc: Lt. McDougall, PFD
Marge Schmuckal

Applicant: Mike Komich
Address: 267 Ocean Ave

Date: 9/24/97
C-B-L: 156-F-1

CHECK-LIST AGAINST ZONING ORDINANCE

Date - Existing use of property

Zone Location - R-3

Interior or corner lot -

Proposed Use/Work - erect scoreboard

Sewage Disposal - N/A

Lot Street Frontage -

Front Yard -

Rear Yard -

Side Yard - states

Projections - Facility in which it is to be located, as determined by

Width of Lot - The Recreation Director, Commercial Sign content shall not exceed 15% of surface area of scoreboard"

Height -

Lot Area -

Lot Coverage/ Impervious Surface -

Area per Family -

Off-street Parking -

Loading Bays -

Site Plan -

Shoreland Zoning/ Stream Protection -

Flood Plains -

Sign "Scoreboard" requirements are under Table 2.4 pg 24 under The Sign ordinance.

"Scoreboards shall correspond to the size and type of facility in which it is to be located, as determined by the Recreation Director, Commercial Sign content shall not exceed 15% of surface area of scoreboard"

See memo from Recreation Director, Dana Souza, who said the scoreboard is an appropriate size.

Scoreboard is

$11' \times 19' = 198\# \times 15\% = 29.7\#$ Allowed for commercial sign content.

They are showing $3' \times 9' =$ Coke Advertising sign (rest of sign is non-commercial)

27#
Right near limit

From: Dana Souza, *Director of Recreation*
To: mes
Date: 9/23/97 5:25pm
Subject: Scoreboard for Cheverus High School -Reply

Yes, the size given is appropriate for a high school field. Let me know if you need me to do further review.

From: Marge Schmuckal
To: DAS
Date: 9/23/97 4:28pm
Subject: Scoreboard for Cheverus High School

Dana,
I know this might be an odd request, but sometimes ordinances are created without realizing what impacts they might have. Recently Cheverus High School requested a sign permit for their new scoreboard. Under the sign ordinance it states: "Scoreboard size shall correspond to the size and type of facility in which it is to be located, as determined by the Recreation Director". I realize that most of the schools in the City are City schools. Obviously, this one falls under a private school. I'm not given an alternative for those schools. Could you tell me if an 18' x 11' scoreboard would be considered appropriate under normal circumstances? I'm not sure you actually have to go to the site. Please let me know as soon as possible. Thanks for your help. Marge X8695.

50' > 250'
18' x 11' = 8' high
198' x 15' = 29.7' or 30'
5' Set back
not use in Res. Zone

pg 13 Special Activities Sign

pg 24 Score Boards:
shall correspond to the size & type of facility in which it is to be located
Commercial sign content shall not exceed 15% of the surface area covered

SIGNAGE

PLEASE ANSWER ALL QUESTIONS


Address: 267 Ocean Avenue Zone: R3
Owner: Cheverus High School Assessors #: Map 44, Block H, Lot 1
Applicant: Cheverus High School

Single Tenant Lot?: Yes No
Multi Tenant Lot?: Yes No
Freestanding (Ext pole sign)? Yes No Dimensions _____
More than (1) one sign?: Yes No Dimensions _____
Bldg Wall Sign (att to bldg)? Yes No Dimensions _____

*24' long x
10' high
(Sponsor panel on
side and
bottom excluded)*

List all existing signage and their dimensions:

1 Multi purpose scoreboard



Lot Frontage(feet): 707.16 on Tenant Frontage(feet): _____
Ocean Avenue

AWNINGS

Awning?: Yes No Is Awning Backlit?: Yes No
Is there any communication, message, trademark or symbol on awning? NA
Height of Awning?: NA

PLEASE NOTE: Approvals for signs on the Public Sidewalk and temporary signs come under different requirements and regulations.

ALSO: See reverse side for additional information, requirements and materials needed for signage application submittal.

INFORMATIONAL REQUIREMENTS

1. Proof of Insurance: Current, single page certificate showing a minimum of \$300,000.00 liability coverage of owner of sign.
2. Letter of permission from owner. Exemption: If applicant and property owner are one and the same.
3. A sketch plan of the lot, indicating location of buildings, driveways, and any abutting streets or right of ways. Lengths of building and street frontages should be noted.
4. Indicate on the plan all existing and proposed signs.
5. Computation of the following:
 - a) Sign area of each existing and proposed building sign.
 - b) Sign area height and setback of each existing and proposed freestanding sign.
6. A sketch of any proposed sign(s), indicating dimensions, materials, source of illumination and construction method.

PERMIT FEES

Signage: \$25.00 + .20 per square foot of signage.

Awning: Based on cost of work - labor/materials
\$25.00 1st \$1,000.00 worth of work
\$5.00 each additional 1,000.00 worth of work

Note: Once a sketch plan has been filed for a property, the Code Enforcement Office will keep a record of the plan so that a new sketch plan will not be required for later changes to signage on the property. In such an instance, applicants will only be required to submit information applicable to the new signs.

The Jesuit College Preparatory School of Maine

CHEVERUS

267 Ocean Avenue Portland Maine 04103-5798

September 18, 1997

Ms. Marge Schmuckal
Asst. Chief, Inspection Services Div.
389 Congress Street
Portland, ME 04101

Dear Marge,


As per the City's request, enclosed please find a sign permit application for the scoreboard we are installing for our athletic field. Also enclosed is the required permit fee of \$64.60.

The structural steel is 27'8" by 18 lb. wide flange. It is set 6' in the ground in 6' x 30" footings of 3,000 lb. concrete. The scoreboard will be clamped onto the steel 11' above the ground.

Also enclosed are the specifications for the scoreboard which is 18' long by 11' high. I have also included a site plan and a certificate of insurance. Since we are the owner of the property, I understand that we do not need a letter of permission.

Please call me if you have further questions.

Sincerely,



Michael S. Komich
Business Manager

Sam

/s
encs.

Construction Plans

207-774-6238

Scoreboard Enterprises Inc.

SALES - INSTALLATION - SERVICE

P.O. BOX 272 • NO. EASTON, MA 02356 • (508) 238-1817

339-8113

April 18, 1997

Mr. Michael Komich
Business Manager
Cheverus High School
267 Ocean Ave
Portland, ME 04103-5798

RE: Football/track Scoreboard

Dear Mr. Komich,

Enclosed please find a brochure describing the various Daktronics football Scoreboards. As per your request, the following quotation is based on your criterias I recieved.

EQUIPMENT

1. Daktronics Model FB-1524 football/track scoreboard
2. Additional 1/10th of second digit for track timing
3. All-Sport 2510 control console
4. 1/10ths of seconds in the last minute feature
5. Handheld clock on/off switch
6. One (1) 24" x 18' privilege panel for field identification with one color lettering on a white background. *Shows 36" x 18'*
7. One (1) 24" x 18' blank privilege panel for future sponsor use. *Not Allowed -*
8. Painted to color of choice with white captions
9. Shipping *Right Near Limit now*

FEATURES*

1. 25 watt lamps
2. Protective sunscreens
3. Water proof electronic enclosure

*All three of the features mentioned above are unique to Daktronics scoreboards and come standard on every Daktronics outdoor scoreboard. The electronics of the scoreboard are protected by a waterproof enclosure which is highly recommended especially when the scoreboard is located near salt water.

WARRANTY

Five years. The first year includes parts, labor and travel. The following four years cover all parts.

ECONOMICS

For all equipment, furnished, and delivered

TOTAL PRICE.....\$7,935.00

INSTALLATION

Installation and/or installation consultation are directly available from Scoreboard Enterprises. The cost of installation is determined by what responsibilities the purchaser assumes.

EXCLUSIONS

1. control cable, trenching and or piping of cable
2. Power to scoreboard if required

Daktronics offers a fully featured track timing and scoring system which can be used with the Daktronics FB-1524 scoreboard that this quote is based on. If you have a question or if you require additional information, please do not hesitate to call me. Thank you for your consideration.

Sincerely,




Scott Holmes
Sales

encl.

STANDARD FOOTBALL SCOREBOARD

FB-1524 SPECIFICATIONS



The FB-1524 football, track and soccer scoreboard displays period time or race time to 59:59.9. HOME and GUEST scores are displayed to 99. DOWN, TO GO, BALL ON, and QUARTER information also displayed. An arrangement of lamps indicates possession. When period time is less than one minute, scoreboard displays time to tenths-of-a-second. Remote start/stop console is included. Scoreboard shown with optional striping. Optional captions are available for scoring track.

PRODUCT SPECIFICATIONS

DIMENSIONS:	Height 8'0", Width 18'0", Depth 6" (2438mm, 5486mm, 152mm)
WEIGHT:	500 lbs. (227kg)
POWER:	7,650 watts maximum; 120/240 VAC 40 amp circuit required
CONSTRUCTION:	All aluminum
DIGITS:	All digits are 24" (610mm) high, 4 x 7 lamp matrices. All digits and indicators use 25 watt lamps. Digit sunscreens increase visibility and protect lamps. Digits and indicators can be dimmed for night viewing.
CAPTIONS:	All captions are 12" (305mm) high. Optional team names and track captions are on changeable panels. Captions are die-cut white vinyl, applied directly to the display face. Other caption colors are available upon request.
COLOR:	Over 250 colors (from Martin Senour® paint book) are available at no additional cost.
OPERATING TEMPERATURES:	Scoreboard: -22 to 122 degrees Fahrenheit (-30 to 50 degrees Celsius) Console: 32 to 122 degrees Fahrenheit (0 to 50 degrees Celsius)

SL062896-2261 PAGE 1 OF 2

DAKTRONICS, INC. 331 Thirty-Second Ave. P.O. Box 5128 Brookings, South Dakota 57006-5128
 Phone: (605) 697-4300 Fax: (605) 697-4700

For faster service call the appropriate Sales group toll free:
 888-DAKTRONICS (888-325-8766) General Sales
 888-DAK SIGN (888-325-7446) Commercial Sales
 800-558-9526 Industrial Sales

888-DAK SCORE (888-325-7267) School/Park & Rec/Jr. College Sales
 888-DAK TIME (888-325-8463) Sr. College/University Sales
 888-CHRONDEK (888-247-6633) Auto Racing Sales

PRODUCT SPECIFICATIONS FB-1524 (CONTINUED)

CONTROL CONSOLE:

Control console electronics are housed in a rugged, molded, ABS case. Console has a 16-character liquid crystal prompting display to verify entries and recall information currently displayed. Case and sealed membrane keyboard make console face water-resistant. Console is capable of controlling other All Sport® scoreboards through the use of keyboard overlays. A 20' control cable and a 6' power cord are supplied. The power cord shall plug into a standard grounded 120 VAC outlet. Maximum power demand shall be approximately 6 watts.

CONTROL CABLE:

One-pair shielded cable of 22 AWG minimum shall be required.

JUNCTION BOX:

A cover plate with mounted connector and standard 2" x 2" x 4" outlet box shall be provided. Connector shall mate with connector from control console.

GENERAL INFORMATION:

Scoreboard provides timing and scoring capability for two teams. 100% solid state electronics housed in an all aluminum cabinet. This scoreboard is shipped in two sections and includes hardware to mount it on two poles. Hardware for additional poles is available at additional cost.

OPTIONAL ACCESSORIES:

1. Durable carrying case for console.
2. Advertisement/Sponsor panels; School logo panels.
3. Horn.
4. Scoreboard striping.
5. Team name in place of HOME.
6. Baseball captions.
7. Track captions.
8. Semi-automatic track timing with the OmniSport® console
9. Electronic message board.

For additional information on Daktronics scoring/timing products, call 605-697-4300 or 888-325-8766.

Enjoy
Coca-Cola

REV. JOSEPH L. SHEA, S.J.
MEMORIAL FIELD
CHARLES M. MALIA TRACK

↑
3'
↓

PANEL SIZE: 36.0" X 216.0" ^{18'}
COCA-COLA IS 24.0" HIGH AND WHITE
BACKGROUND IS COKE RED
REV. JOSEPH ... IS 6.0" HIGH AND DARK GREEN 99L8750
BACKGROUND IS WHITE
FILE NAME: S32875

PLEASE APPROVE BY - - IN ORDER TO MEET MANUFACTURING & SHIPPING REQUIREMENTS.


D DAKTRONICS INC.	SUBMITTAL REVIEW
	<input type="checkbox"/> APPROVED <input type="checkbox"/> APPROVED AS NOTED <input type="checkbox"/> REVISE AS NOTED & REWORK COMPANY: _____ SIGNED: _____ TITLE: _____ DATE: _____

Failure to meet above deadline could result in penalties as described in your contractual agreement.

on side If half (Although it looks like less than 1/2)
Then $3 \times 9 = 27\#$ only 30# would be allowed

Approved
by [Signature]
Date 9/8/97

note insert of middle initial above



ACORD. CERTIFICATE OF INSURANCE

ISSUE DATE (MM/DD/YY)

9/17/97

PRODUCER

Morse, Payson & Noyes
100 Middle Street
Portland, ME

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND DOES NOT CONSTITUTE AN OFFER OF INSURANCE. THE POLICY OR POLICIES UNDER WHICH THIS CERTIFICATE IS ISSUED IS/ARE SUBJECT TO THE TERMS, COVERAGES AND EXCLUSIONS SET FORTH IN THE POLICY OR POLICIES AND THE COVERAGE AFFORDED BY THE POLICY OR POLICIES.

INSURED

Cheverus High School
267 Ocean Avenue
Portland, ME

COVERAGE

THIS CERTIFICATE INDICATES THE COVERAGE PROVIDED BY THIS CERTIFICATE AND EXCLUSIONS.

CO LTR

GENERAL

A CLASS
 OWN

AUTOMOBILE

ANY AUTO
 ALL OWNED
 BOBTAILED
 HIRED AUTO
 NON-OWNED
 GARAGE

EXCESS LIABILITY

UMBRELLA
 OTHER

WORKER

EMPLOYER

OTHER

DESCRIPTION OF OPERATIONS COVERED BY THIS CERTIFICATE:
Insured for the school year

Re: Sign Family

CERTIFICATE HOLDER

City of Portland
389 Congress Street
Portland, ME 04101

AUTHORIZED REPRESENTATIVE

Daniel G. Hall
Daniel G. Hall, Morse, Payson & Noyes

© ACORD CORPORATION 1997

DO NOT SIGN AND WE
ARE NOT BEING INSURED