DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

MAJCO PROPERTY SERVICES LLC

Located at

CBL:

544 OCEAN AVE

163 A007001

PERMIT ID: 2013-02649 **ISSUE DATE:** 12/31/2013

has permission to Enlarge cased opening in non-load bearing wall between living & dining rooms in 5 apartment units. Remove 2 unsafe basement stair ways and create small closets.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED. A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger

/s/ Tammy Munson

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning Six Dwelling units **Building Inspections**

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY) or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing w/Fire & Draft Stopping Electrical Close-in w/Fire & Draftstopping Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit			Permit No:	Date Applied For:	CBL:
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874		4-8716	2013-02649	12/03/2013	163 A007001
Proposed Use: Multi family		Proposed Project Description: Enlarge cased opening in non-load bearing wall between living & dining rooms in 5 apartment units. Remove 2 unsafe basement stai ways and create small closets.			
Dept: Zoning Status: Approved w/Conditions Reviewer: Tammy Munson Approval Date: 12/12/2013					
Note: Ok to Issue:					
Conditions:1) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.					
2) Separate permits shall be required for future decks, sheds, pools, and/or garages.					
3) This is NOT an approval for an additional dwelling unit. You SHALL NOT add any additional kitchen equipment including, but not limited to items such as stoves, microwaves, refrigerators, or kitchen sinks, etc. Without special approvals.					
De No		viewer:	Tammy Munson	Approval Da	te: 12/16/2013 Ok to Issue: ☑
 Conditions: 1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process. 					
2)	All penetrations between dwelling units and dwelling units and co and recessed lighting/vent fixtures shall not reduce the (1 hour) re-				
3)	This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.				
De No		viewer:	Craig Messinger	Approval Da	te: 12/30/2013 Ok to Issue: ☑
Conditions:					
1)	Methods of egress shall be maintained during renovations				
2)	 Single-station Carbon Monoxide (CO) alarms are required. They shall be powered by the building's electrical service with battery backup and shall be interconnected. CO alarms shall be installed in the following locations: Outside each separate dwelling unit sleeping area in the immediate vicinity of the bedrooms On every occupiable level of the dwelling unit, including basements, excluding attics and crawl spaces 				
3)	3) Shall Comply with 2009 NFPA 101 Chapter 31 Existing Apartment Building Occupancy.				
4)) All smoke alarms shall be photoelectric.				
5)) Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.				
6)	All outstanding code violations shall be corrected prior to final ins	spection.			