

Location of Construction: 9 Silvia Rd o 55 Ternald St.		Owner: Rita Caterina	Phone: 774-2043	Permit No: 960572
Owner Address: 55A Portland, ME 04103	Leasee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED JUN 21 1996 CITY OF PORTLAND
Contractor Name:	Address:	Phone:		
Past Use: 1-fam	Proposed Use: Same	COST OF WORK: \$ 2,000.00	PERMIT FEE: \$ 30.00	Zone: R-3 CBL: 163-0-010
		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied	INSPECTION: Use Group A3 Type 503 BOCA 93	
Proposed Project Description: Enclose existing Deck (10 x 18)		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		
Permit Taken By: Maya Cresik	Date Applied For: 14 June 1996	Signature: _____ Date: _____		Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: Rita Caterina ADDRESS: _____ DATE: 14 June 1996 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

- Zoning Appeal**
- Variance
 - Miscellaneous
 - Conditional Use
 - Interpretation
 - Approved
 - Denied

- Historic Preservation**
- Not in District or Landmark
 - Does Not Require Review
 - Requires Review

Action:
 Approved
 Approved with Conditions
 Denied
Date: 6/17/96

CEO DISTRICT 6
A.C.W.

COMMENTS

7/29/94 Completed
E. R.
X

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 9 Sylvia Rd		Owner: Rita Caterina		Phone: 774-2043		Permit No: 960572 PERMIT ISSUED Permit Issued: JUN 21 1996 CITY OF PORTLAND		
Owner Address: SAA Ptld, ME 04103		Leasee/Buyer's Name:		Phone:			BusinessName:	
Contractor Name:		Address:		Phone:			Permit Issued: JUN 21 1996 CITY OF PORTLAND	
Past Use: 1-fam		Proposed Use: Same		COST OF WORK: \$ 2,000.00 PERMIT FEE: \$ 30.00			INSPECTION: Use Group <i>R-3</i> Type: <i>50</i> Signature: <i>[Signature]</i>	
Proposed Project Description: Enclose existing Deck (10 x 18)				PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied: <input type="checkbox"/> Signature: _____ Date: _____		Zone: <i>R-3</i> CBL: 163-0-010 Zoning Approval: _____ Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>		
Permit Taken By: Mary Gresik		Date Applied For: 14 June 1996				Zoning Appeal <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied		

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

Rita Caterina 14 June 1996
 SIGNATURE OF APPLICANT Rita Caterina ADDRESS: _____ DATE: 14 June 1996 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

Historic Preservation
 Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:
 Approved
 Approved with Conditions
 Denied
 Date: *6/17/96*

D. Andrews
CEO DISTRICT 6
A. Rowe

Applicant: Rita Cateima
Address: 9 Sylvia Rd
Assessors No.: 163-0-10

Date: 6/19/96

CHECK LIST AGAINST ZONING ORDINANCE

Date - ~~ENSL~~ 1944

Zone Location - R-3

Interior or corner lot -

Use -

Sewage Disposal -

Rear Yards - 25' req. 25'+ given per phone 6/19/96

Side Yards - 8' req. - 8' given

Front Yards - N/A

Projections -

Height -

Lot Area -

4,805#

Building Area - no change in Area

Area per Family -

Width of Lot -

Lot Frontage -

Off-street Parking -

Loading Bays -

Site Plan -


Shoreland Zoning -

Flood Plains -

22 X 31

10 X 20


1000.
807.



2x6x16 SPRUCE
KD RAFTERS 16" OC
2x4 SPR. KD.
FRAMING IN WALLS 16" OC
18 FT


D. RD 20YR SHINGLES
PLYWOOD & HEATHING
VINYL DOOR & WINDOWS
FLOOR
DOUBLED UP ON
SOUND TUBES

DECK WAS CANTILEVERED
ADDED TUBES TO OUTSIDE
EDGE OF DECK
VINYL SIDING



HOUSE

1.3
10
T. 30
45
650
500
8" OVER
HANG



ANY SIZE
of body. MASONRY

Reason 6" 4
8" 5
Tubes
Not
Heated

Plot Plan
100' Fence
25' 4" perimeter

BUILDING PERMIT REPORT

DATE: 20/June/96 ADDRESS: 9 Sylvia Rd.
 REASON FOR PERMIT: To Enclose deck
 BUILDING OWNER: Rita Catering
 CONTRACTOR: 11 APPROVED: */
 PERMIT APPLICANT: _____ DENIED: _____


CONDITION OF APPROVAL OR DENIAL

1. Before concrete for foundation is placed, approvals from ~~the Development Review Coordinator and~~ Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
5. Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one(1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 sq. feet per sprinkler.
7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq. feet.
8. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
9. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, section 19, 919.3.2(BOCA National Building Code/1993), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

1. In the immediate vicinity of bedrooms
2. In all bedrooms
3. In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.

10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1993)
11. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)
13. Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. ~~All other Use Group minimum 11" tread, 7" maximum rise.~~
14. Headroom in habitable space is a minimum of 7'6".
15. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
16. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
17. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
18. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
19. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.


P. Samuel Hoffses, Chief of Inspection Services

/el 3/16/95

CITY OF PORTLAND, MAINE

BOARD OF APPEALS



163-O-010

Francis & Rita Caterina
9 Sylvia Road
Portland, ME 04103

July 20, 1998

RE: 9 Sylvia Road - 163-O-010 - R-3 Zone

Dear Mr & Mrs Caterina,

As you know, at its June 4, 1998 meeting, the Board of Appeals voted 6-0 to accept your application withdrawal on your request to grant relief from the dimensional requirements of Section 14-90(2) to allow for the construction of a garage. This withdrawal also applies to the status of your building permit which can not be issued without Board of Appeals approval. Your permit application is no longer valid. A copy of the Board's decision is enclosed for your records.

If you would like to redesign the location of your garage, a new application would need to applied for and reviewed for approvals.

Very Truly Yours,

Marge Schmuckal
Zoning Administrator

cc: file