

TOILETS, BATHROOMS, SPAS, JANITOR CLOSETS ETC SHALL HAVE MOLD & MOISTURE RESISTANT GWB AT WALLS

WALL PARTITION TYPES

COPYRIGHT 2012
REUSE OR REPRODUCTION OF THE
CONTENTS OF THIS DOCUMENT IS NOT
PERMITTED WITHOUT WRITTEN
PERMISSION OF FORESIDE ARCHITECTS

GENERAL NOTES:

COLOR AS APPROVED BY THE ARCHITECT.

REPORT ANY DISCREPANCIES TO THE ARCHITECT.
CONTRACTOR SHALL PROCEED WITH WORK ONLY AFTER
DISCREPANCIES HAVE BEEN RESOLVED BY THE ARCHITECT.

2 .EXISTING BUILDING COMPONENTS WHICH ARE AFFECTED BY NEW WORK AND DEMOLITION, OR WHICH MAY BE DAMAGED BY THE CONTRACTOR OR ANY SUBCONTRACTOR, SHALL BE REPLACED OR RESTORED TO THE ORIGINAL CONDITION AND

3. THE BUILDING SHALL BE CONSTRUCTED TO CONFORM W/ALL GOVERNING CODES INCLUDING 2006 IBC, NFPA 101 2009, MAINE HUMAN RIGHTS COMMISSION GUIDELINES, STATE OF MAINE PLUMBING CODE, NEC 2005, AND ANSI.

4. ALL EXISTING CONDITIONS ARE TO BE FIELD VERIFIED BY THE CONTRACTOR PRIOR TO FABRICATION. THIS INCLUDES DELIVERY PROCEDURES, DIMENSIONS AND MATERIALS.

5. DRAWINGS ARE NOT TO BE SCALED. CONTRACTOR SHALL VERIFY DIMENSIONS AND CONDITIONS REQUIRING CLARIFICATION.

6. DEMOLITION REQUIRES SELECTIVE REMOVAL AND SUBSEQUENT OFF-SITE DISPOSAL OF THE FOLLOWING: REMOVAL OF ALL MATERIALS DISMANTLED NOT INTENDED FOR RE-USE, AND REMOVAL AND RECONNECTION, CAPPING, TERMINATION OR DISCONNECTION OF ALL WIRING, HEATING AND PLUMBING NOT USED IN THE NEW WORK.

7. THIS PROJECT SHALL NOT CONTAIN HAZARDOUS MATERIALS OF ANY OF PRODUCT, INCLUDING BUT NOT LIMITED TO ASBESTOS.

8. THE CONTRACTOR SHALL OBTAIN ALL REQUIRED PERMITS FROM THE APPROPRIATE OFFICIALS PRIOR THE COMMENCING THE WORK.

9. WHERE ONLY A SINGLE PRODUCT OR MANUFACTURER

IS NAMED, PROVIDE THE PRODUCT INDICATED.
SUBSTITUTIONS SHALL BE PERMITTED ONLY WHEN APPROVED
BY THE OWNER OR THE OWNER'S AUTHORIZED REPRESENTATIVE
THROUGH WRITTEN DIRECTIVE.

9. AT PROJECT CLOSEOUT, SUBMIT SPECIFIC WARRANTEES, WORKMANSHIP BONDS, MAINTENANCE AGREEMENTS, FINAL CERTIFICATIONS AND SIMILAR DOCUMENTS.

10. COMPLETE FINAL CLEANUP AT PROJECT CLOSEOUT. TOUCH-UP, REPAIR AND RESTORE MARRED EXPOSED

11. THE LOCATION OF ALL DOORFRAMES NOT DIMENSIONED SHALL BE 4" FROM ADJACENT WALLS UNLESS OTHERWISE INDICATED.

12. ALL PARTITIONS SHALL EXTEND FROM FLOOR TO UNDERSIDE OF SUPPORTING STRUCTURE ABOVE

UNLESS OTHERWISE NOTED.

13. INSTALL BLOCKING BEHIND ALL SURFACE APPLIED FIXTURES, TRIM, GRAB BARS, SHELVES, CHAIR RAILS,

PICTURE RAILS AND BASE MOLDINGS.

14. IF TWO CONFLICTING COND. OR DETAILS EXIST IN THIS DRAWING SET OR ASSOCIATED SPECIFICATIONS IT SHALL BE THE ARCHITECTS CHOICE TO DECIDE WHICH CONDITION OR DETAIL APPLIES AT NO ADDITIONAL COST.

**REVISIONS:** 

FORESIDE ARCHITECTS


PO BOX 66736 Phone: 207-781-3344 FALMOUTH, ME 04105

Online @ foresidearchitects.com

Project Status:
BID SET
NOT FOR
CONSTRUCTION

Project Number:

SR0712



Seaside Rehabilitation and Health Care Center 850 Baxter Blvd Portland, ME

Drawing Name:

ABBREV & WALL TYPES

Scale: N.T.S.

Date:

10/29/12

SHEET

G2