


- EXISTING DOOR

2x10 PRESSURE TREATED -STRINGERS. TYPICAL

FINISH GRADE -

FROST POST - SEE

DETAIL ON SHEET 3



DECK C - PLAN VIEW - FRAMING AND FOOTINGS

COMPOSITE MATERIAL TO BE MANUFACTURED BY AZEK BUILDING PRODUCTS, INC., OR APPROVED EQUAL. COLOR TO BE BROWNSTONE. SUBSTITUTIONS MUST BE APPROVED BY PORTLAND HOUSING AUTHORITY AND PROJECT LANDSCAPE ARCHITECT

Prepared By: MITCHELL & ASSOCIATES Landscape Architects
The Staples School
70 Center Street
Portland, Maine 04101
Tel: (207) 774-4427

Prepared For:

AUTHORITY 14 Baxter Boulevard Portland, Maine 04101

PORTLAND HOUSING

Contact: Mark Dromgoole Tel: (207) 615-3044

ם ס tlan

o

SIN ME

H

RO

TRE] ON EC

(

S


Issued For: CONSTRUCTION BIDDING

FEBRUARY 8, 2010

Revisions:


Reproduction or reuse of this document without the expressed written consent of Mitchell & Associates is prohibited

DECK C DETAILS



North: Sheet No.:

SCALE: 1/2" = 1'-0"



- EXISTING DOOR

- COMPOSITE 'PREMIER' TOP RAIL, TYPICAL.

- COMPOSITE POST CAP, TYPICAL.

- INSTALL L-BRACKET TO CONNECT

- COMPOSITE POST SLEEVE, TYPICAL

- COMPOSITE BOTTOM RAIL, TYPICAL

INSTALL L-BRACKET TO CONNECT BOTTOM RAIL AND POST, TYPICAL

- ½X11¾ COMPOSITE RIM JOIST COVER

-100 COMPOSITE DECKING BOARDS $-1 \times 5\frac{1}{2}$ COMPOSITE DECKING BOARDS


- CENTER SUPPORT

- COMPOSITE BALUSTERS, TYPICAL. SPACES BETWEEN BALUSTERS TO BE LESS THAN 4"

TOP RAIL AND POST, TYPICAL.

DECK C - SIDE VIEW - FRAMING AND FOOTINGS

SCALE: 1/2" = 1'-0"



NUMBER OF TREADS AND RISERS VARIES. VERIFY

ALL CONDITIONS IN FIELD.

- 4x4 PRESSURE TREATED POST, TYPICAL

- ATTACH 4X4 PRESSURE TREATED POST TO

DECK FRAMING WITH 1"X8" CARRIAGE BOLTS.

2xG PRESSURE TREATED FRAMING FOR SIDE

RECESS BOLTS INTO FRAMING, TYPICAL.

- 2x4 PRESSURE TREATED BLOCKING FOR

2x8 PRESSURE TREATED FRAMING

SIDE DECKING BOARDS

DECKING BOARDS

DECK C - FRONT VIEW - DECKING, GUARDRAILS AND HANDRAILS

SCALE: 1/2" = 1'-0"

DECK C - SIDE VIEW - DECKING, GUARDRAILS AND HANDRAILS