

**City of Portland, Maine – Building or Use Permit Application** 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 594 Washington Ave		Owner: Kim Heartly		Phone: 773-3485		Permit No: <b>000713</b>
Owner Address: 594 Washington Ave.		Lessee/Buyer's Name: N/A		Phone: N/A		
Contractor Name: Gerald Parlin		Address: 44 Riverside Lewiston, ME 04240		BusinessName:		Permit Issued:  JUN 30 2000
Past Use:  two-family		Proposed Use:  Same		COST OF WORK: \$2,000.00 PERMIT FEE: \$36.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied INSPECTION: Use Group: A-3 Type: 5m BOCA 99 Signature: <i>[Signature]</i>		
Proposed Project Description:  replace front porch, decking, handrails		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied <input type="checkbox"/> Signature: _____ Date: _____		Zoning Approval: <i>[Signature]</i> Zone: <del>CBL</del> CBL: 167-G-002 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>		
Permit Taken By:  G		Date Applied For:  June 20, 2000 G				

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**PERMIT ISSUED WITH REQUIREMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

June 20, 2000

SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE			PHONE:

**Zoning Appeal**

Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**

Not in District or Landmark  
 Does Not Require Review  
 Requires Review

Action:

Approved  
 Approved with Conditions  
 Denied

Date: *[Signature]*

PERMIT ISSUED

CEO DISTRICT 2

**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED**

**Building or Use Permit Pre-Application  
Attached Single Family Dwellings/Two-Family Dwelling  
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

**NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <i>594 Washington Ave Portland</i>			
Total Square Footage of Proposed Structure <i>176 SF 3422'</i>		Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# <i>167</i> Block# <i>6</i> Lot# <i>002</i>		*Owner: <i>Kim Hearty</i>	Telephone#: <i>773-3485</i>
Owner's Address: <i>594 Washington Ave</i>		Lessee/Buyer's Name (If Applicable)	Cost Of Work: <i>\$2000.00</i> Fee <i>\$36.00</i>
Proposed Project Description: (Please be as specific as possible) <i>EXISTING PORCH. REPLACE FRONT PORCH, DECKING, HAND RAILS, STAIRS. PILLARS TO STAY INTACT. SECOND FLOOR HAND RAILS &amp; DECKING</i>			
Contractor's Name, Address & Telephone <i>Gerald Parlin 44 River Side Lewiston Me. 04240</i>			Rec'd By <i>G</i>
Current Use:		Proposed Use:	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must include the following with you application:

- \* 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- \* 3) A Plot Plan/Site Plan

*PU call  
Gerald Parlin*

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

**4) Building Plans**

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

**Certification**

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>[Signature]</i>	Date: <i>6-19-00</i>
--	----------------------

Building Permit Fee: \$30.00 for the 1st \$1000.00 cost plus \$6.00 per \$1,000.00 construction cost thereafter.  
Additional Site review and related fees are attached on a separate addendum

BUILDING PERMIT REPORT

DATE: 20 June 2008 ADDRESS: 594 Washington Ave. CBL: 167-G-002  
REASON FOR PERMIT: Replace front porch, decking & handrails  
BUILDING OWNER: Kim Heurley  
PERMIT APPLICANT: \_\_\_\_\_ CONTRACTOR: Gerald Parlin  
USE GROUP: R-3 CONSTRUCTION TYPE: 50 CONSTRUCTION COST: 2,000.00 PERMIT FEES: 2600

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)  
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: \*1, \*2, \*11, \*13, \*29  
~~#31, \*32~~

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

Handwritten initials/signature in the bottom right corner.

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- ✓ 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
- ✓ 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements.
- ✓ 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. *The reconstruction shall not exceed the footprint of the existing porch and stairs*
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

*[Signature]*  
 P. Sanchez-Rodriguez, Building Inspector  
 Cc: M. McDougall, PFD  
 Marge Schmuckal, Zoning Administrator

PSH 1/26/00

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

\*\*\*\* ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION 114.0 OF THE BUILDING CODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

**SHORT FORM WARRANTY DEED**

**Lucy M. Fournier** of 594 Washington Avenue, Portland, ME 04101, FOR CONSIDERATION PAID, grants to **Shirley B. Hartley** of 56 Jordan Lane, Stamford, CT 06903, with WARRANTY COVENANTS, the following described real property located in the City of Portland, County of Cumberland and State of Maine:

A certain lot or parcel of land, with the buildings thereon, situated on the southwesterly side of Washington Avenue, in the City of Portland, County of Cumberland and State of Maine, bounded and described as follows:

Beginning at the intersection of the southwesterly side line of said Avenue with the southeasterly side line of Presumpscot Street as shown on a plan of land of L. W. Dyer recorded in Cumberland County Registry of Deeds in Plan Book 7, Page 2; thence

Southwesterly along said southeasterly side line of Presumpscot Street, one hundred (100) feet to a point; thence

Southeasterly parallel with said Avenue, fifty (50) feet to a point; thence

Northeasterly at right angles with said Avenue, one hundred (100) feet to said Avenue; thence

Northwesterly along the line of said Avenue, fifty (50) feet to the point of beginning; Containing five thousand (5000) square feet of land, being Lot No. 15 as shown on said plan.

Also, another certain lot or parcel of land, with any buildings thereon, situated in the City of Portland, County of Cumberland and State of Maine, bounded and described as follows:

Beginning on the easterly side of Ilsley Street at its intersection with the southerly side line of Presumpscot Street; thence

Southeasterly on said Ilsley Street, fifty (50) feet to lot numbered forty-five (45) on said plan; thence

Northeasterly on the northerly line of said lot numbered forty-five (45), one hundred (100) feet to the westerly line of the parcel described above which parcel is lot hundred fifteen (15) on said plan; thence

Northwesterly on said line of said lot numbered fifteen (15), fifty (50) feet to said Presumpscot Street; thence

Southwesterly, one hundred (100) feet to the point of beginning; being lot numbered forty-four (44) as shown on said plan.

The premises are conveyed together with and subject to any and all easements or appurtenances of record, insofar as the same are in force and applicable.

This conveyance is made subject to unpaid real estate taxes for the current tax year, if any, which the Grantees herein, by acceptance of this deed, assume and agree to pay.

Meaning and intending to convey and hereby conveying the same premises conveyed to Grantor herein by deed of Joseph A. Capozza and Marion G. Capozza dated August 16, 1976 and recorded in the Cumberland County Registry of Deeds in Book 3893, Page 249.

WITNESS my hand and seal this 31<sup>st</sup> day of March, 2000

WITNESS

Lucy M. Fournier

STATE OF MAINE  
Cumberland, ss.

March 31, 2000

Personally appeared the above named Lucy M. Fournier and acknowledged the foregoing instrument to be her free act and deed.

Before me,

James R. Lemieux, Attorney at Law

RECEIVED  
RECORDED REGISTRY OF DEEDS  
2000 APR -3 AM 11:00  
CUMBERLAND COUNTY  
John B O'Brien

PARKSIDE CONDOMINIUM  
NOTE  
FOR FURTHER REFERENCE SEE  
CUMBERLAND COUNTY REGISTRY  
OF DEEDS  
UNIT OWNERSHIP FILE PLAN "19  
ALSO SEE  
UNIT OWNERSHIP DECLARATION  
RECORDED IN BOOK 4522 PAGE 123  
AND DATED 4/1/79  
NOTE LOT 187-A13 ALSO INCLUDED

PAYSON PARK  
10  
26675

SHEET 165-B

PAYSON PARK

SHEET 166-A

SHEET 168-C

SHEET 168-C

SHEET 168-C

SHEET 166-A




## Materials

- 5/4 X 6 Pt. Decking ✓
- 2 X 4 X 8 Pt ✓
- 2 X 4 X 16<sup>s</sup> Pt ✓
- 4 X 8 Lattus Pt. For Base of porch ✓
- 2 X 12 X 12 Pt. Stringers 3 Stringers ✓
- 4 X 4 X 10 Pt Hand Rail posts ✓
- 6 X 6 X 12 Hemlock or pine cut to 4' posts. From Footers to Bottom of pillars ✓
- 2 X 2 X 42 Ballasters. For Hand Rails ✓
- 2 X 6 X 8' pt. To Replace Rotted Floor Joists ✓
- Lag Bolts. to secure existing framing & Joist flangers. ✓
- Demo existing Decking Handrails ✓
- & Stairs & Base Lattus work ✓
- Shore up Framing with 6 X 6 ✓
- Apply New Decking ✓
- Handrails 42" High ✓
- & Stairs Hand Rails on Both Sides ✓


## Second Floor

Demo existing Decking & Hand Rails.

- Pt. Plywood for decking
- 2 X 4 X 8
- 4 X 4 X 10 For posts.
- Lag Bolts Washers
- 2 X 2 X 42 Ballasters -
- 5/4 X 6 For top cap.







Washington AU

FROM \_\_\_\_\_

# PROPOSAL


Page No. \_\_\_\_\_

of \_\_\_\_\_ Pages

PROPOSAL SUBMITTED TO:		PHONE	DATE
NAME		JOB NAME	
STREET		STREET	
CITY	CITY	STATE	
STATE			

We hereby submit specifications and estimate for:

mgt  
54X6 PT DECKING  
 Deck Replacement 594 Washington AV



Where is  
 The Plans  
 Washington AV

Replacing Hand Rails  
 Replacing Decking  
 Replacing Stairs  
 Second Floor Hand Rails & Decking  
 NO FRAMING

We hereby propose to furnish labor and materials - complete in accordance with the above specifications, for the sum of \_\_\_\_\_ dollars (\$ \_\_\_\_\_) with payment to be made as follows:

All material is guaranteed to be as specified. All work to be completed in a workmanlike manner according to standard practices. Any alteration or deviation from above specifications involving extra costs, will be executed only upon written orders, and will become an extra charge over and above the estimate. All agreements contingent upon strikes, accident or delays beyond our control. This proposal subject to acceptance within \_\_\_\_\_ days and is void thereafter at the option of the undersigned.

Authorized Signature \_\_\_\_\_

### ACCEPTANCE OF PROPOSAL

The above prices, specifications and conditions are hereby accepted. You are authorized to do the work as specified. Payment will be made as outlined above.

ACCEPTED: \_\_\_\_\_ Signature \_\_\_\_\_

DATE \_\_\_\_\_ Signature \_\_\_\_\_