

Permitting and Inspections Department
Michael A. Russell, MS, Director

May 5, 2017

HUGHES RITA B HEIRS
23 INVERNESS ST
PORTLAND, ME 04103

CBL: 168 F006001
Located at: 23 INVERNESS ST

Certified Mail 7009 0820 0001 4189 2546

To whom it may concern:


An evaluation of the above-referenced property on **04/28/2017** revealed that the premises fail to comply with Section 22.03 of the Garbage, Waste and Junk Ordinance of the City of Portland.

Attached is a list of the violations.

This is a Notice of Violation pursuant to Section 22.03 of the Code. All referenced violations shall be corrected within **14 days** of the date of this notice. A re-inspection will occur on **05/19/2017**, at which time compliance will be required. Failure to comply will result in this office referring the matter to the City of Portland Corporation Counsel for legal action and possible civil penalties, as provided for in Section 1-15 of the Code and in Title 30-A M.R.S.A. Section 4452. This is an appealable decision pursuant to Section 12.80 of the Municipal Code.

Please feel free to contact me if you wish to discuss this matter, or if you have any questions.

Sincerely,



Chuck Fagone
Code Enforcement Officer
(207) 874-8789

**CITY OF PORTLAND
HOUSING SAFETY OFFICE**

389 Congress Street
Portland, Maine 04101

Inspection Violations

Owner/Manager HUGHES RITA B HEIRS		Inspector Chuck Fagone	Inspection Date 4/28/2017
Location 23 INVERNESS ST	CBL 168 F006001	Status	Inspection Type Trash on Property/junk vehicles

Code	Int/Ext	Floor	Unit No.	Area	Compliance Date
1) 22.3.3(a)	Exterior			Yard	
Violation:	PREMISES TO BE KEPT FREE FROM RODENT HARBORAGE				
	The owner of a two (2) or more family residential building and the owner or occupant of a single family residential building shall maintain the building and the lot on which the building is located free from any accumulation of any putrid substance, garbage, rubbish, old lumber, debris or rubble, except in watertight covered containers.				
Notes:	<i>Trash, debris and garbage will need to be removed within 14 days.</i>				
