

## Permitting and Inspections Department Michael A. Russell, MS, Director

May 19, 2017

HUGHES RITA B HEIRS 23 INVERNESS ST PORTLAND, ME 04103

CBL: 168 F006001

Located at: 23 INVERNESS ST

Certified Mail 7014 1820 0001 4047 0393

To whom it may concern:

## SECOND NOTICE OF VIOLATION

An evaluation of the above-referenced property on **05/19/2017** revealed that the structure remains non-compliant with the Housing Code of the City of Portland.

Attached is a list of the violations.

This is a **SECOND** notice of violation pursuant to Section 6-118 of the Code. All referenced violations shall be corrected. A re-inspection will occur on 06/02/2017, at which time compliance will be required.

Failure to comply will result in this office referring the matter to the City of Portland Corporation Counsel for legal action and possible civil penalties, as provided for in Section 1-15 of the Code and in Title 30-A M.R.S.A ss 4452.

Please feel free to contact me is you wish to discuss this matter further or have any questions.

Sincerely.

Chuck Fagone

Code Enforcement Officer

(207) 874-8789

## CITY OF PORTLAND HOUSING SAFETY OFFICE

389 Congress Street Portland, Maine 04101

## Inspection Violations

Owner/Manager		Inspector	Inspection Date	
HUGHES RITA B HEIRS		Chuck Fagone	4/28/2017	
Location	CBL	Status	Inspection Type	
23 INVERNESS ST	168 F006001		Trash on Property/junk vehicles	

Code	Int/Ext	Floor	Unit No.	Area	Compliance Date

1) 22.3.3(a)

Exterior

Yard

Violation:

PREMISES TO BE KEPT FREE FROM RODENT HARBORAGE

The owner of a two (2) or more family residential building and the owner or occupant of a single family residential building shall maintain the building and the lot on which the building is located free from any accumulation of any putrid substance, garbage, rubbish, old lumber, debris or rubble,

except in watertight covered containers.

Notes:

Trash, debris and garbage will need to be removed within 14 days. Please note, you will be charged \$150

for each re-inspection that takes place without compliance.