CELLING

NOTES

NEW DOORS TO OFFICES TO MATCH EXISTING.

CONTRACTOR TO COORDINATE RELOCATED DOORS.

R = REUSE EXISTING N=NEW

NEW DOORS IN CONF 110 TO HAVE CLOSURES &

HVAC TO BE ADJUSTED AS NEEDED BASED MATCH EXISTING GRID/TILE/LIGHT FIXTURES.

3 5/8" STL NON-RATED ACT CEILING  $\supset$ SECTION


- PRIOR TO CLOSING ANY WALLS OR CEILINGS, ALL SYSTEMS (HVAC, PLUMBING, ELECTRICAL) SHALL BE INSPECTED, AND WHERE REQUIRED, TESTING BY CONTRACTOR'S ENGINEERS AND BY PROPER AUTHORITIES HAVING JURISDICTION TO INSURE THEIR PROPER INSTALLATION AND FUNCTION.
- PROVIDE FIRE RATED BLOCKING AT ALL LOCATIONS OF MILLWORK, SHELVES OR OTHER ITEMS INDICATED TO BE MOUNTED TO WALLS. MILLWORK TO CONFORM TO ARCHITECTURAL WOODWORK INSTITUTE QUALITY STANDARDS— PREMIUM GRADE. PROVIDE FIRE EXTINGUISHERS AS REQUIRED BY FIRE MARSHALL.

NEW PARTITIONS SHALL BE PLUMB, SQUARE, STRAIGHT AND PARALLEL OR PERPENDICULAR TO THE CORE.

- MAINTAIN RATED CONSTRUCTION AT ALL PENETRATIONS IN RATED WALLS. NEW DOORS AND DOOR FRAMES TO MATCH EXISTING IN HEIGHT/SIZE. DOORS TO MAINTAIN 6" FROM ADJACENT WALL ON HINGED SIDE OF DOOR U.O.N.
- REPAIR DAMAGE TO EXISTING WALLS @ AREA OF DEMOLITION, AREA ADJACENT TO NEW CONSTRUCTION AND AS NOTED ON PLAN. PATCH/REPAIR AT LOCATIONS OF DEMOLISHED WALL OUTLET DEVICES LOCATED AT PARTITIONS. ANY FIREPROOFING OR FIRE RATING DISTURBED BY THIS CONSTRUCTION MUST BE REPLACED/REPAIRED. ALL DIMENSIONS ARE TO FACE OF WALL U.O.N.

15. MATCH BUILDING STANDARDS THROUGHOUT CONSTRUCTION16. ALL ELECTRICAL OUTLET COVERS TO MATCH EXISTING

## NEW INTERIOR PARTITIONS THROUGHOUT UNLESS OTHERWISE NOTED G.W.B. PARTITION (1) LAYER 5/8" G.W.B. EACH SIDE OF 3-5/8" METAL STUD. CARRY STUD FROM FLOOR TO 6" ABOVE ACT. PROVIDE INSULATION IN ALL PARTITIONS U.N.O. EXISTING INTERIOR PARTITIONS TO REMAIN ROOM NAME & NUMBER





	₽ (/) →	d 7		TITLE
	165 SPURWINK SCARBOROUGH, P:(207) 408-5	esign s		
	SH, ME SH, ME	ë Q		CONSTRUCTION
	SO Â D	<b>5</b>		PLAN
	DATE	DRAWN	CHECKED	SCALE
	12/4/16	BY JAT	BY —	1/8"=1'-0"

MAINE HEALTH 901 WASHINGTON AVE. PORTLAND, ME

				20
	NO	DATE	REVISIONS	
	11	1/3/ <del>1</del> 7	REVISION	
PROJ				
\				