

Location of Construction: 1061 Washington ave		Owner: David & Donna Berry		Phone: 797-8727		Permit No: 960608	
Owner Address: 1061 Washington Ave - Ptld		Leasee/Buyer's Name: NE 04103		Phone:		BusinessName:	
Contractor Name: owner		Address:		Phone:		<div style="border: 2px solid black; padding: 5px; text-align: center;"> PERMIT ISSUED Permit Issued: JUN 28 1996 CITY OF PORTLAND </div>	
Past Use: 1-fam dwlg		Proposed Use: 1-fam w enl deck & a/g pool		COST OF WORK: \$ 5000		PERMIT FEE: \$ 45	
Proposed Project Description: Enlarge existing deck & install a/g pool		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group <i>R-3 Type 5/R</i> <i>BOCA 93</i>		Zone: <i>R-3</i> CBL: <i>772-F-716</i>	
		Signature: _____		Signature: <i>[Signature]</i>		Zoning Approval: Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Signature: _____		Date: _____		Zoning Appeal: <input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied	
Permit Taken By: <i>L Chase</i>		Date Applied For: <i>6/21/96</i>				Historic Preservation: <input type="checkbox"/> Not in District or Landmark <input checked="" type="checkbox"/> Does Not Require Review <input type="checkbox"/> Requires Review	

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS
PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

David C. Berry *1061 Washington Ave.* *6/21/96* *797-8727*
 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

CEO DISTRICT 7
B Jordan

COMMENTS

3-11-98

Done

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

Location of Construction: 1061 Washington Ave		Owner: David & Donna Berry		Phone: 797-8727		Permit No: 960608
Owner Address: 1061 Washington Ave - Ptld		Leasee/Buyer's Name: ME 04103		Phone:		
Contractor Name: owner		Address:		Phone:		Permit Issued: JUN 28 1996 CITY OF PORTLAND Zone: R-3 CBL: 172-F-718 Zoning Approval: OK - 5/26/96 Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Past Use: 1-fam dwlg		Proposed Use: 1-fam w enl deck & a/g pool		COST OF WORK: \$ 5000 PERMIT FEE: \$ 45 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied INSPECTION: Use Group R-3 Type 5B Signature: <i>[Signature]</i> Signature: <i>[Signature]</i>		
Proposed Project Description: Enlarge existing deck & install a/g pool						
Permit Taken By: L Chase		Date Applied For: 6/21/96				

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS
 PERMIT ISSUED WITH REQUIREMENTS
 PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

David C. Berry 1061 Washington Ave. 6/21/96 797-8727
 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: 6/29/96

D. Andrews

CEO DISTRICT 7

D. Jordan

Applicant:

Date: 6/26/96

Address: 1061 Washington Ave

Assessors No.: 172-F-7-8

CHECK-LIST AGAINST ZONING ORDINANCE

Date - Existing - 1952

Zone Location - R-3

Interior or corner lot -

Use - New Deck 20'x20' & Pool 27' Round

Sewage Disposal - City

Rear Yards - 25' req - 39' shown

Side Yards - 8' req - 8' shown

Front Yards - 25' req - N/A

Projections -

Height -

Lot Area - 9,490 sq ft

Building Area - 25% of lot area

= 2372.5 sq ft

Area per Family -

Width of Lot -

Lot Frontage -

Off-street Parking -

Loading Bays -

Site Plan - N/A

Shoreland Zoning -

Flood Plains -

34 x 30 = 1020

15 x 22 = 330

12 x 14 = 168

20 x 20 = 400

1918 sq ft

→ HAS 10' Around

BUILDING PERMIT REPORT

DATE: 26 June 96 ADDRESS: 1061 Washington Ave.
 REASON FOR PERMIT: Enlarge existing deck & install a/g pool.
 BUILDING OWNER: Berry
 CONTRACTOR: owner APPROVED: *1 *11 *13
 PERMIT APPLICANT: 11 DENIED: _____


CONDITION OF APPROVAL OR DENIAL

- *1. Before concrete for foundation is placed, approvals from ~~the Development Review Coordinator~~ and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with selfclosers.
5. Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
6. The boiler shall be protected by enclosing with one(1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 sq. feet per sprinkler.
7. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508 mm), and a minimum net clear opening of 5.7 sq. feet.
8. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
9. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, section 19, 919.3.2(BOCA National Building Code/1993), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

1. In the immediate vicinity of bedrooms
2. In all bedrooms
3. In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted.

10. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1993)
- X 11. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
12. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)
- X 13. Stair construction in Use Group R-3 & R-4 is a minimum of 9" tread and 8-1/4" maximum rise. ~~All other Use Group minimum 11" tread, 7" maximum rise.~~
14. Headroom in habitable space is a minimum of 7'6".
15. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
16. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
17. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
18. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
19. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.


P. Samuel Hofzses, Chief of Inspection Services


/el 3/16/95

DAVID BERRY
 1061 WASHINGTON AVE
 PORTLAND, ME 04103


797-8927

BACK FENCE

EST. COST \$4500.



2x6-STRINGERS EVERY 16"
 O=6" SONER Tube EVERY 6' Feet



CONTRACTOR
 1061 WASHINGTON AVE
 PORTLAND, ME 04103
 797-8927

MIAMI

SPECIFICATIONS AND FEATURES

LEDGE 7-in ribbed for additional strength. Crystex Cote protective finish.

VERTICAL 6-in box - solid one piece construction.

RAILS Rectangular 1" steel universal top & bottom rails.

PLATES Universal top and bottom plates.

COVERS Full contoured design - structural foam for greater strength - stainless steel top cover hardware.



ASSEMBLY Universal sub structure combined with modular ledges and verticals provides a post-lock frame construction for easy assembly.

METAL PROTECTION Armored Bond G115 hot dipped galvanized steel protection. Added protection given by Crystex Cote finish. (See illustrated diagram of metal protection.)

LINER PROTECTOR Extruded vinyl edging.

WALL Patented four-bar wall closure system insures proper assembly and maximum strength (US Patent #4223498). Corrugation of walls provide vertical strength. Wall is scored for installation of thru-wall-skimmer and return fitting.

WALL DECOR Wood grain plank pattern with Crystex Cote finish.



DECOR

Woodgrain wall with contrasting white frame and top ledge covers.



48" POOL SIZES

(approximate)

ROUND POOL SIZE

15-ft. x 48-in.
18-ft. x 48-in.
21-ft. x 48-in.
24-ft. x 48-in.
27-ft. x 48-in.

OVAL POOL SIZE

24-ft. x 15-ft. x 48-in.
30-ft. x 15-ft. x 48-in.
33-ft. x 18-ft. x 48-in.

52" POOL SIZES

(approximate)

ROUND POOL SIZE


15-ft. x 52-in.
18-ft. x 52-in.
21-ft. x 52-in.
24-ft. x 52-in.
27-ft. x 52-in.

OVAL POOL SIZE


24-ft. x 15-ft. x 52-in.
30-ft. x 15-ft. x 52-in.
33-ft. x 18-ft. x 52-in.

SPECIFICATIONS AND FEATURES FOR OVAL POOLS


STRUCTURALS Patented hold down pressure sheets. Heavy gauge steel buttress and braces. High strength tension bolts interlocking buttress post and rail assembly. Universal strap assembly.



WARNING:
POOLS ARE NOT DESIGNED FOR DIVING OR JUMPING



NATIONAL SPA & POOL INSTITUTE



SUNSHINE POOLS



Manufacturer reserves the right to alter specifications without notice. All pool sizes are approximate.