

NOTES:
- INSTALL SAMPLE OF CONCRETE WALK PAVEMENT FOR ARCHITECT'S APPROVAL PRIOR TO FINAL INSTALLATION.
- DO NOT PLACE CONCRETE DURING COLD OR RAINY WEATHER CONDITIONS (SEE SPECS).
- SEE PLAN DRAWINGS FOR SCORING PATTERNS AND EXPANSION JOINT LOCATIONS.

5 CONCRETE WALK
NOT TO SCALE

6 TIMBER GUARDRAIL
NOT TO SCALE



7 CROSSWALK
NOT TO SCALE
RD-MARKS-CROSSWALK/10-02



1 BITUMINOUS CONCRETE DRIVE & PARKING
NOT TO SCALE



2 BITUMINOUS CONCRETE WALK
NOT TO SCALE



3 TYPICAL TIPDOWN CURB INSTALLATION
NOT TO SCALE



NOTES
- CONCRETE 4000 PSI AFTER 28 DAYS.
- AIR-ENTRAINING AGENT ADDED.
- INSTALL ALL CURB ON COMPACTED GRAVEL SUBBASE PLUMB AND LEVEL WITH ADJACENT CURB.
- BUTT CURBING TO ENSURE NO GAPS LARGER THAN 1/2" - SAW-CUT IF NECESSARY.

DETAIL SHEETS RENUMBERED

4 PRECAST CONCRETE CURB
NOT TO SCALE

engineers
planners
architects
LUC
Land Use Consultants, Inc.
PORTLAND OFFICE
286 RIVERSIDE STREET
PORTLAND, MAINE 04103
Voice (207) 878 - 3313
Fax (207) 878 - 3315
landuse@maine.rr.net

STATE OF MAINE
DAVID A. KAMILA
3197
REGISTERED PROFESSIONAL ENGINEER

THE INN AT CEDARS
630 OCEAN AVENUE, PORTLAND, MAINE

PREPARED FOR:
JHA SERVICES, INC
630 OCEAN AVENUE
PORTLAND, MAINE

Revision	Date
ISSUE FOR PRELIMINARY BID	5-11-05
RE-ISSUE FOR PRELIMINARY BID	6-27-05
FINAL SITE PLAN REVIEW	7-22-05
FINAL REVISIONS	9-08-05
MINOR REVISIONS PER COMMENTS	9-15-05
GENERAL REVISIONS	3-06-06
PERMIT SUBMISSION, NO REVS	10-5-06
HUD FIRM COMMITMENT	11-22-06
3	

Designed	PLC
Drawn	CAM
Checked	DAK
Scale	NO SCALE
Date	5/06/05

DETAILS

Job No. 3061

Sheet
C-10