

Tempstar® SmartComfort® DLX 96 Gas Furnace

Tempstar® professionals take pride in bringing you the latest technology in home comfort, with the goal of surpassing your expectations in energy efficiency and dependability. From engineering to design to industry-leading warranties, we are dedicated to always delivering quality you can feel.



So Reliable, So Quiet

What makes the Tempstar® SmartComfort® DLX 96 Gas Furnace so reliable? A unique combination of craftsmanship and quality. The SmartComfort® DLX 96 is designed for quiet performance, with a thermal lining and a sealed circulation blower motor compartment that help keep operating sounds inside the cabinet. An advanced ignition system delivers quiet, consistent start-ups. When matched with select Tempstar air conditioners and evaporator coils, the furnace's

ECM blower motor can also increase cooling efficiency, boosting your system's SEER* rating.5

†SEER stands for Seasonal Energy Efficiency Ratio.

SAs compared to the Air-Conditioning, Heating and Refrigeration Institute's standard coil-only rating.




Reliable Direct hot surface ignition system features an advanced silicon nitride igniter and in-shot burners for greater reliability.



Safe Temperature limit control, reliable gas valve and induced draft motor all help ensure safe operation.




Quiet Solid pre-painted steel insulated cabinet with tight-fit door latch system, blower motor isolated behind a sealed door, and soft-mount rubber gaskets on key components lower operating sounds.



Efficiency ECM blower motor provides efficiency. The DLX 96 is also compatible with two-stage cooling, and its advanced dehumidification capability can reduce additional moisture in the air when paired with an air conditioner or heat pump and a humidity-sensing thermostat.



System Control State-of-the-art electronic controls monitor system operation and allow for faster, easier system diagnostics.



MAINLINE MODELS								
	Tempstar Gas Furnace Comparison	XS 80	IIS 80	VS 80	DLX 96	IIX 96	VT 96	VC 97
	MODEL Series	F8MX	F8IVIT	F8MV	F9MXE	F9MXT	F9MVT	F9MAC
	AFUE RATING	80%	80%	80%	96%	96%	96%	97%
	HEAT EXCHANGER WARRANTY*	20173	20 V E	20 V B	LIFE	LIFE	LIFE	LIFE
	NO HASSLE REPLACEMENT* Limited Warranty	1 YR	5YR	10128	178	5 W R	10123	10123
	PARTS WARRANTY*	1012	10 X	10123	10至	1012	10173	1011
	TWO-STAGE OPERATION Self-adjusting heat modes	0	•	•	0	•	•	0
	MODULATING - OPERATION Multiple Heat Modes	0	U	0	0	O	O	•
	TWO-STAGE COOLING Compatible	٥	•	0	•	•	•	•
	ADVANCED DEHUMIDIFICATION CAPABILITY	•	•	•	0	•	0	•
	STAINLESS STEEL RPJ® Weld-Free Heat Exchanger	(_)	0	0	0	0	0	•
	ALUMINIZED STEEL RPJ* Weld-Free Heat Exchanger	•	•	•	0	•	0	0
	VARIABLE-SPEED HIGH EFFICIENCY ECM Circulation Blower Motor	D	0	•	6	0	•	•
	HIGH EFFICIENCY ECM Circulation Blower Motor	•	0	0	0	0	1,3-	Ο
	STANDARD PSC Circulation Blower Motor	6	0	O	0	0	£ 1	5,2
	INSULATED BLOWER COMPARTMENT	•	•	•	•	•	•	•
Contract of the Contract of th	CABINET HEIGHT	33¼″	33¼″	33¼″	35″	35″	35″	35″
	LOW NOX Available	•	•	•	•	•	•	•
	DUAL FUEL COMPATIBLE							

Many models are ENERGY STAR qualified. Ask your contractor for details or visit www.energystar.gov.

*AFUE stands for Annual Fuel Utilization Efficiency. Higher number = Greater efficiency.

= Greater efficiency.

*Timely registration required for 10 year limited parts warranty and lifetime limited heat exchanger warranty. Limited warranty period is 5 years for parts and 20 years for heat exchanger if not registered within 90 days of installation. Jurisdictions where warranty benefits cannot be conditioned on registration will receive the registered limited warranty periods. Please see warranty perificate for further details and restrictions.

All systems tested and listed by the appropriate agencies.







ISO 9001: 2000 Registered

As part of its commitment to quality, International Comfort Products, LLC, reserves the right to change specifications on its products without notice. Illustrations and photographs in this brochure are only representative. Some product models may vary.



QUALITY YOU CAN FEEL

PO Box 128 • Lewisburg, TN 37091 Tempstar.com