


TYPICAL CROSS SECTION

SCALE: $\frac{1}{2}'' = 1'-0''$



TYPICAL STAIR DETAIL

SCALE: $1'' = 1'-0''$

BUILDING PERMIT INSPECTION PROCEDURES

Please call 874-8703 or 874-8693 (ONLY)

to schedule your inspections as agreed upon

Permits expire in 6 months, if the project is not started or ceases for 6 months.

The Owner or their designee is required to notify the inspections office for the following inspections and provide adequate notice. Notice must be called in 48-72 hours in advance in order to schedule an inspection:

By initializing at each inspection time, you are agreeing that you understand the inspection procedure and additional fees from a "Stop Work Order" and "Stop Work Order Release" will be incurred if the procedure is not followed as stated below.

A Pre-construction Meeting will take place upon receipt of your building permit.

 X **Footing/Building Location Inspection: Prior to pouring concrete or setting precast piers**

 X **Framing/Rough Plumbing/Electrical: Prior to Any Insulating or drywalling**

 X **Final inspection required at completion of work.**

Certificate of Occupancy is not required for certain projects. Your inspector can advise you if your project requires a Certificate of Occupancy. All projects DO require a final inspection.

If any of the inspections do not occur, the project cannot go on to the next phase, REGARDLESS OF THE NOTICE OR CIRCUMSTANCES.

CERIFICATE OF OCCUPANICES MUST BE ISSUED AND PAID FOR, BEFORE THE SPACE MAY BE OCCUPIED.




Signature of Applicant/Designee

 9-12-08

Date

Signature of Inspections Official

Date



REScheck Software Version 4.1.0 Compliance Certificate

Project Title: 9x12 Bathroom entry addition

Report Date: 09/10/08

Data filename: C:\Program Files\Check\REScheck\victor cote.rck

Energy Code: **2003 IECC**
Location: **Portland, Maine**
Construction Type: **Single Family**
Glazing Area Percentage: **11%**
Heating Degree Days: **7378**

Construction Site:
9 Montrose Ave
Portland, ME 04102

Owner/Agent:
Victor Cote
#9 Montrose Ave
Portland, ME 04102

Designer/Contractor:
Daniel Rose
S & R Development L.L.C.
85 Warren Rd
Buxton, ME 04093
207-831-5356
badge142@hotmail.com

Compliance: **Passes**

Maximum UA: 38 Your Home UA: 20 = 47.4% Better Than Code

Assembly	Gross Area or Perimeter	Cavity R-Value	Cont. R-Value	Glazing or Door U-Factor	UA
Ceiling 1: Flat Ceiling or Scissor Truss	108	38.0	38.0		2
Wall 1: Wood Frame, 16" o.c.	96	19.0	19.0		3
Window 1: Vinyl Frame:Double Pane with Low-E	6			0.370	2
Window 2: Vinyl Frame:Double Pane with Low-E	6			0.370	2
Wall 2: Wood Frame, 16" o.c.	72	19.0	19.0		2
Wall 3: Wood Frame, 16" o.c.	96	19.0	19.0		3
Door 1: Glass	18			0.150	3
Floor 1: All-Wood Joist/Truss:Over Unconditioned Space	108	19.0	19.0		3

Compliance Statement: The proposed building design described here is consistent with the building plans, specifications, and other calculations submitted with the permit application. The proposed building has been designed to meet the 2003 IECC requirements in REScheck Version 4.1.0 and to comply with the mandatory requirements listed in the REScheck Inspection Checklist.

Name - Title


Signature

Date

Victor Cote
#9 Montrose St
Portland, Me.

Header design

New interior header from existing home to new addition will be 2-2X8 with 5/8" or 3/4" plywood to match existing wall thickness. Appropriate double jacks used.



New exterior door and window headers will be 2x10 or 2x8 material to match exterior wall thickness. Appropriate double jacks used.

