

023715

180-B-012


Permit # _____ City of _____ BUILDING PERMIT APPLICATION Fee _____ Zone _____ Map # _____ Lot# _____

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: _____ Phone # _____
 Address: _____
 LOCATION OF CONSTRUCTION _____
 Contractor: _____ Sub.: _____
 Address: _____ Phone # _____
 Est. Construction Cost: _____ Proposed Use: 1-family pool
 _____ Past Use: 1-family
 # of Existing Res. Units _____ # of New Res. Units _____
 Building Dimensions L _____ W _____ Total Sq. Ft. _____
 # Stories: _____ # Bedrooms _____ Lot Size: _____
 Is Proposed Use: Seasonal _____ Condominium _____ Conversion _____
 Explain Conversion pool 12' x 16' - 24' around

For Official Use Only

Date _____ Subdivision: _____
 Inside Fire Limits _____ Name _____
 Bldg Code _____ Lot _____
 Time Limit _____ Ownership: _____
 Estimated Cost _____ Public _____
 Private _____



Zoning:
 Street Frontage Provided: _____
 Provided Setbacks: Front _____ Back _____ Side _____
Review Required:
 Zoning Board Approval: Yes _____ No _____ Date: _____
 Planning Board Approval: Yes _____ No _____ Date: _____
 Conditional Use: _____ Variance _____ Site Plan _____ Subdivision _____
 Shoreland Zoning Yes _____ No _____ Floodplain Yes _____ No _____
 Special Exception _____
 Other (Explain) _____

Foundation:

- Type of Soil: _____
- Set Backs - Front _____ Rear _____ Side(s) _____
- Footings Size: _____
- Foundation Size: _____
- Other _____

Ceiling:

- Ceiling Joists Size: _____ ~~Not in District nor Landmark~~
- Ceiling Strapping Size _____ Spacing _____ ~~Does not require review~~
- Type Ceilings: _____ ~~Requires Review~~
- Insulation Type _____ Size _____
- Ceiling Height: _____

Floor:

- Sills Size: _____ Sills must be anchored.
- Girder Size: _____
- Lally Column Spacing: _____ Size: _____
- Joists Size: _____ Spacing 16" O.C.
- Bridging Type: _____ Size: _____
- Floor Sheathing Type: _____ Size: _____
- Other Material: _____

Roof:

- Truss or Rafter Size _____ Span _____ ~~Approved with Conditions~~
- Sheathing Type _____ Size _____ ~~Deck~~
- Roof Covering Type _____

Action: Approved
 Date: _____
 Signature: _____

Exterior Walls:

- Studding Size _____ Spacing _____
- No. windows _____
- No. Doors _____
- Header Sizes _____ Span(s) _____
- Bracing: Yes _____ No _____
- Corner Posts Size _____
- Insulation Type _____ Size _____
- Sheathing Type _____ Size _____
- Siding Type _____ Weather Exposure _____
- Masonry Materials _____
- Metal Materials _____

Chimneys:
 Type: _____ Number of Fire Places _____

Heating:
 Type of Heat: _____

Interior Walls:

- Studding Size _____ Spacing _____
- Header Sizes _____ Span(s) _____
- Wall Covering Type _____
- Fire Wall if required _____
- Other Materials _____

Electrical:
 Service Entrance Size: _____ Smoke Detector Required Yes _____ No _____

Plumbing:

- Approval of soil test if required Yes _____ No _____
- No. of Tubs or Showers _____
- No. of Flushes _____
- No. of Lavatories _____
- No. of Other Fixtures _____

Swimming Pools:

- Type: _____
- Pool Size: _____ x _____
- Must conform to National Electrical Code and State Law.

Permit Received By _____
 Signature of Applicant _____ Date _____
 CEO's District _____

PERMIT ISSUED WITH REQUIREMENTS

PERMIT ISSUED WITH REQUIREMENTS

White - Tax Assessor

Ivory Tag - CEO

CONTINUED TO REVERSE SIDE

PLOT PLAN



FEES (Breakdown From Front)

Base Fee \$ 40 -

Subdivision Fee \$ _____

Site Plan Review Fee \$ _____

Other Fees \$ _____

(Explain) _____

Late Fee \$ _____

Type	Inspection Record	Date
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____
_____	_____	____/____/____

COMMENTS 12/5/96 Pool Removed - R

New Owner

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

Patricia Alfiero 47 Bartlett St 874-0788

SIGNATURE OF APPLICANT ADDRESS PHONE NO.

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE NO.

5-29-92

622.2 Permits required: Approval shall be secured for all roof-mounted antennal structures more than 12 feet (3658 mm) in height above the roof. The application shall be accompanied by detailed drawings of the structure and methods of anchorage. All connections to the roof structure shall be properly flashed to maintain water tightness. The design and materials of construction shall comply with the requirements of Section 621.3 for character, quality and minimum dimension.

622.3 Dish antennas: An antenna consisting of a radiation element which transmits or receives radiation signals generated as electrical, light or sound energy, and supported by a structure which may or may not provide a reflective component to the radiating dish, usually in a circular shape with a parabolic curve design constructed of a solid or open mesh surface, shall be known as a dish antenna.

622.3.1 Permits: The approval of the code official shall be secured for all dish antennal structures more than 2 feet (610 mm) in diameter erected on the roof of or attached to any building or structure. A permit is not required for dish antennas not more than 2 feet (610 mm) in diameter erected and maintained on the roof of any building.

622.3.2 Structural provisions: Dish antennas larger than 2 feet (610 mm) in diameter shall be subject to the structural provisions of Sections 621.4, 1111.0 and 1112.0. The *snow load* provisions of Section 1111.0 shall not apply where the antenna has a heater to melt falling snow.

SECTION 623.0 SWIMMING POOLS

623.1 General: Pools used for swimming or bathing shall conform to the requirements of this section provided that these regulations shall not be applicable to any such pool less than 24 inches (610 mm) deep or having a surface area less than 250 square feet (23.25 m²), except when such pools are permanently equipped with a water-recirculating system or involve structural materials. For the purposes of this code, pools are classified as private swimming pools or public swimming pools, as defined in Section 623.2. Materials and constructions used in swimming pools shall comply with the applicable requirements of this code.

623.2 Classification of pools: Any constructed pool which is used or intended to be used as a swimming pool in connection with a building of Use Group R-3 and is available only to the family of the householder and private guests, shall be classified as a private swimming pool. Any swimming pool other than a private swimming pool shall be classified as a public swimming pool.

623.3 Plans and permits: A swimming pool or appurtenances thereto shall not be constructed, installed, enlarged or *altered* until plans have been submitted and a permit has been obtained from the code official. The approval of all city, county and state authorities having jurisdiction over swimming pools shall be obtained before applying to the code official for a permit. Certified copies of these approvals shall be filed as part of the supporting data for the permit application.

623.3.1 Plans: Plans shall accurately show dimensions and construction of the pool and appurtenances and properly established distances to lot lines, buildings, walks and fences, as well as details of the water supply system, drainage

* Pool must be 10' from house and property lines

Bob Oliver's Pool Ctr.

Sales - Service - Installation

660 Main St. • P.O. Box 1346 • Westbrook, ME 04092

(207) 856-6640

(207) 839-6418

ALL

RECEIVED

MAY 27 1992

DEPT OF BUILDINGS
CITY OF PORTLAND

SEASPRAY SHARKLINE POOL

Aristocrat \$ 2038.00

less 100%
in stock

The Aristocrat is an anodized-extruded aluminum pool. This is the best pool we sell. It has 7" top rails and 6" uprights, 20 gauge winterized vinyl liner and is truly a high quality pool. The pool has an exclusive 2 season guarantee plus 28 year limited warranty.

Accessories:

1 H.P. Lomart stainless steel sand/D.E. filter 455.00

Hayward thru wall skimmer 40.00

Vacuum kit with weighted head 83.00

Filter sand/D.E. 13.50

Test kit 4.50


Deck ladder 65.00

Size 24' rd.

Complete package price \$ 2699.00

Installation price \$ 860.00


(Installation based on flat bottom, average lot, includes sand base.)



Sharkline




EVERY DAY'S
A VACATION DAY
IN A SHARKLINE POOL



ARISTOCRAT 7

**NEW
NICKELIZED
ALUMINUM**

IN ROUND OR OVAL



Sharkline

ARISTOCRAT 7

A top quality pool from the company that is already accepted as the maker of the finest swimming pools available today. Elegant appearance, massive construction and maintenance free service in an EXTRUDED ALUMINUM POOL that satisfies even the most discriminating buyer. It pays to buy the best from the best.


NOTE THESE QUALITY FEATURES:

- Massive full 7" painted white extruded **aluminum** top rail ribbed for added beauty, safety and strength. Has oversized 3" rear lip with more metal than average 9" wide rail. TRULY THE HEAVIEST EXTRUDED ALUMINUM TOP RAIL IN THE INDUSTRY.
- Heavy-duty gracefully contoured white extruded **aluminum** upright enhanced with colorful plastic feature strip.
- Oversized PAINTED **aluminum** patio base acts as a patio block for stability and sta-level feature.
- Special double-sided vinyl skimmer gasket for additional protection against corrosion.
- **Aluminum bottom rail and patio base** featuring SHARKLINE'S **WEATHER-COTE** sealant are PAINTED with a double coat of chemical resistant paint to further protect this metal against the acidity and alkalinity of soil and pool water.
- **Nickelized™ aluminum wall** is available in either BLUE, BROWN or GRAY decorative wood-grain. Wall is coated with a FULL COAT of paint on inside of wall and NICKEL TREATED for superior corrosion resistance.
- The ARISTOCRAT 7 pool features the finest pool liner material available: 20 gauge winterized VIRGIN VINYL of the quality used in below ground pools. All SHARKLINE pool

liners are manufactured in the SHARKLINE factory to ensure consistent quality and a measured fit.

- Deluxe locking **aluminum** inner stabilizing rails add strength and rigidity at points of greatest support.
- Giant 2 piece embossed **aluminum** top cover is coated with SHARKLINE'S **VINYL-SHIELD**, an 8 mil vinyl. The top cover is color coordinated to match wall color for added pool beauty.
- On ARISTOCRAT 7 OVAL, extra heavy steel struts and steel square uprights give maximum strength on the straight sides of the pool where pressure is greatest. These steel components are bonderized, galvanized and further protected with baked enamel over HOT-DIPPED GALVANIZED XR SERIES STEEL.
- All steel used is DOUBLE COATED XR SERIES for superior rust protection.
- Extra uprights for maximum strength.
- Easiest to assemble...always a perfect fit.
- **FULL STAINLESS STEEL** hardware, for extra protection.
- 30 year limited warranty on entire frame against corrosion.
- Extra strong, extruded plastic coping.

Specs
RECEIVED
 MAY 27 1992
 DEPT OF BUILDING INSPECTION
 CITY OF PORTLAND





L **A full Lifetime Limited Warranty*** Includes a full 2 season guarantee with no charge for parts on frame only, with an additional Lifetime Service Policy.
*Guarantee excludes acts of God, improper installation, customer abuse and corrosion due to faulty skimmer seals.


ROUND POOLS		
Model	Size	U.S. Gallons
AR1548	15' x 4'	5,300
AR1848	18' x 4'	7,600
AR2048	20' x 4'	9,400
AR2448	24' x 4'	13,600
AR2848	28' x 4'	18,500

All pool sizes are approximate

OVAL POOLS		
Model	Size	U.S. Gallons
AR1118½	11' x 18½' x 4'	6,100
AR1125	11' x 25' x 4'	8,500
AR1130	11' x 30' x 4'	11,000
AR1525	15' x 25' x 4'	10,200
AR1530	15' x 30' x 4'	13,700
AR1833	18' x 33' x 4'	17,500
AR1838	18' x 38' x 4'	20,500

NICKELIZED ALUMINUM





EVERY DAY'S A VACATION DAY IN A SHARKLINE POOL

When you select a SHARKLINE POOL you've chosen nearly three decades of experience, and an exceptionally strong and durable pool.

At SHARKLINE, "Made in America" means we have full control over every detail of manufacturing. We use only first grade material — **NEVER** less expensive secondary grades. We make our own liners to ensure a perfect fit. And we closely inspect every pool before it leaves our factory.


With SHARKLINE, you can simply sit back, relax and enjoy year after year of backyard fun.

**ENJOY YOUR SHARKLINE POOL SAFELY.
DO NOT JUMP OR DIVE — INJURY MAY RESULT.
REMEMBER...THE WATER IS SHALLOW!**



SHARKLINE supplies several pool safety stickers with every pool. Be sure to read the directions and use each of these labels.

BOB OLIVER'S POOL CTR
660 MAIN ST. P.O. BOX 111
WESTBROOK, MT 59081
TEL. 800.3040



SEASPRAY-INTERNATIONAL, INC.
Amityville, N.Y. 11701



