Inspections Division
Date: 08/26/14

Model No.	Nominal Post Size	Fastener		Allowable Loads (DF/SP)	
		Anch. Dia.	Post Screws	Uplift (160)	Down (100)
ABA44Z	4x4	1/2	6-SD9112	610	6000

Load Values with Nails

These products are available with additional corrosion protection. Additional products on this page may also be available with this option, check with Simpson Strong-Tie for details.

These models are approved for installation with the Strong-Drive SD Structural-Connector screw. See the load values below.

Model No.	Nominal Post Size	Material		Dimensions (in.)				Fasteners				Allowable Loads (DF/SP)		
		Base (Ga)	Strap (Ga)	W	L	H	HB[6]	Anchor Dia. (in.)	Post Nails	Post Machine Bolts Qty.	Post Machine Bolts Dia.	Uplift (160) Nails	Uplift (160) Bolts	Down (100)
ABA44Z	4x4	16	16	3 9/16	3 1/8	3 1/16	—	½	6-10d	—	—	555	—	6000

REV	DESCRIPTION	BY	DATE

SHEET 2 OF 4

44 Westminster Ave.
Deck Permit Application

Foundation Plan

REF PCN:		DWG. NO: 44 Westminster.dft	
SIZE B	DATE 8/12/2014	DWG. FILE:	REV
SCALE: 3/8" = 1'- 0"		BY: GJC	APPVD: