




Seal




Consultant

Revisions

No.	Date	Issued for
-	11/22/13	90% CD Review Set
-	01/24/14	Bid & Permit

Key Plan



Title

ROOF PLAN

Date

Drawing No.

A1.6
Cumberland Farms
Project No. 2113119

GENERAL NOTES

1. PROVIDE STRUCTURAL SUPPORT FOR HVAC UNITS AS MAY BE REQUIRED. REFER TO SHEET A1.6a FOR ROOF CURB DETAILS.
2. PROVIDE "ICE STOP" ROOF AND GUTTER DE-ICING SYSTEM IN ALL GUTTERS AND DOWNSPOUTS TO PREVENT ICE AND SNOW BUILD-UP. THE HEATING CABLES ARE TO BE PLACED EITHER AS A LOOP OR A SINGLE LENGTH & HELD IN PLACE BY A DOWNSPOUT HANGER. PROVIDE ALL COMPONENTS REQUIRED FOR A COMPLETE INSTALLATION. EXTEND HEATING CABLE 48" BELOW GRADE WITHIN DOWNSPOUT. REFER TO ELECTRICAL DWGS.
3. HEATING CABLE TO BE PROTECTED FROM DAMAGE & INSTALLED IN STRICT ACCORDANCE WITH MANUFACTURERS INSTRUCTIONS. REFER TO ELECTRICAL DWGS.
4. ALL CONDUIT AND PIPING PENETRATIONS THROUGH EPDM ROOF MEMBRANE SHALL BE SEALED WITH MATERIALS APPROVED BY THE ROOF SYSTEM MANUFACTURER TO MAINTAIN ROOF SYSTEM WARRANTY.
5. REFER TO EXTERIOR ELEVATIONS FOR ROOF PITCH.

ROOF PLAN KEY NOTES

- 01 NEW RTU AND CURB, REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL INFO
- 02 NEW RELIEF VENT, REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL INFO
- 03 NEW EXHAUST FAN, REFER TO MECHANICAL DRAWINGS FOR ADDITIONAL INFO
- 04 NEW RTU CURB. REFER TO DETAIL 6/A1.6a
- 05 NEW RTU SUPPORT FRAMING. REFER TO DETAIL 2/A1.6b
- 06 NEW MECHANICAL EQUIPMENT PENETRATION REFER TO DETAILS 3 + 4/ A1.6b
- 07 (2) CONDENSING UNIT FOR WALK-IN-COOLER EVAPORATORS UC-1A, UC-1B, UC-1C, AND UC-1D.
- 08 (2) CONDENSING UNITS FOR WALK-IN-COOLER/FREEZER EVAPORATORS #UC-1E UC-1F AND #UC-2A
- 09 NEW ELECTRIC SERVICE MAST WITH WEATHER HEAD.
- 10 REFER TO DETAIL 5/A1.6a FOR CONDENSING UNIT RACK
- 11 CONDENSING UNIT FOR OPEN SANDWICH CASE EQUIPMENT #24
- 12 (2) CONDENSING UNITS FOR CHILL-ZONE AREA
- 13 NOT USED
- 14 NOT USED
- 15 VENT THRU ROOF. REFER TO PLUMBING DRAWINGS FOR ADDITIONAL INFORMATION. REFER TO A1.6a FOR FLASHING DETAILS.

