DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



# CITY OF PORTLAND BUILDING PERMIT



This is to certify that PATRICIA A RYBAK

Job ID: 2012-10-5169-HVAC

Located At 175 WHITNEY AVE

CBL: 186A- D-004-001

has permission to Harman Accentra Pellet Insert in living room

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be

10/17/2012

Fire Prevention Officer

Code Enforcement Officer / Plan Reviewer

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY PENALTY FOR REMOVING THIS CARD

#### **BUILDING PERMIT INSPECTION PROCEDURES**

Please call 874-8703 or 874-8693 (ONLY)

or email: buildinginspections@portlandmaine.gov

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.

#### **Final Inspection**

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.



## PORTLAND MAINE

Strengthening a Remarkable City, Building a Community for Life . www.portlandmaine.gov

Director of Planning and Urban Development Jeff Levine

Job ID: 2012-10-5169-HVAC

Located At: 175 WHITNEY AVE

CBL: 186A- D-004-001

#### **Conditions of Approval:**

#### **Building**

1. This appliance/stove shall be installed, operated and maintained per the manufacturers specifications and the UL listing.

### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101 Tel: (207) 874-8703, FAX: (207) 8716

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

Job No: 2012-10-5169-HVAC	Date Applied: 10/15/2012		CBL: 186A- D-004-001				
Location of Construction: 175 WHITNEY AVE	Owner Name: PATRICIA A RYBAK		Owner Address: 175 WHITNEY AVE PORTLAND, ME 04102			Phone:	
Business Name:	Contractor Name: Frost & Flame Inc.		Contractor Address: 621 MAIN STREET, GORHAM, ME 04038			Phone: 856-1000 / 856-7000	
Lessee/Buyer's Name:	Phone:		Permit Type: HVAC			Zone: R-3	
Past Use: Single Family Dwelling	Proposed Use:  Same: Single Family Dwelling  to install Harman Accentra pellet stove inserted to existing fireplace in living room		Cost of Work: \$6,000.00  Fire Dept:  Approved Depted NA  Signature:		CEO District:  Inspection: Use Group: R. 3 Type: S B HARC Signature:		
Proposed Project Description Harman Accentra Pellet Insert in			Pedestrian Activ	ities District (P.A.)	D.)		
Permit Taken By: Lannie		Zoning Approval					
<ol> <li>This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.</li> <li>Building Permits do not include plumbing, septic or electrial work.</li> <li>Building permits are void if work is not started within six (6) months of the date of issuance. False informatin may invalidate a building permit and stop all work.</li> </ol>		ShorelandVariarWetlandsMiscelFlood ZoneConditSubdivisionInterpSite PlanAppro		Zoning Appeal  Variance  Miscellaneous  Conditional Use  Interpretation  Approved  Denied  Date:	Not in Dis  Does not F  Requires F  Approved	Approved w/Conditions	
nereby certify that I am the owner of recovered to make this application as his application is issued, I certify that the enforce the provision of the code(s) a	is authorized agent and I agree e code official's authorized rep	e to conform to	all applicable laws of the	his jurisdiction. In add	ition, if a permit for wor	k described in	
GNATURE OF APPLICANT AI		DDRESS		DATE		PHONE	

**PHONE** 

DATE



#### APPLICATION FOR PERMIT HEATING OR POWER EQUIPMENT



R-3

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.	F /
	Il the following heating, cooking or power equipment in e City of Portland, and the following specifications:
Name and address of owner of appliance Patricia Ryba  Tortland	min 0210C
Installer's name and address FROST n'Flore 1hc	Gelephone 866-100/856-7008
Location of appliance:	Type of Chimney:
O Basement 🥞 Floor	Masonry Lined
O Attic O Roof	Factory <b>built</b> ——————
Type of Fuel:  O Gas O Oil Solid  Appliance Name: Harman Accentra pelet U.L. Approved O Yes O No  Will appliance be installed in accordance with the manufacture's	O Metal Factory Built U.L. Listing #  O Direct Vent Type UL#  Type of Fuel Tank O Oil O Gas
installation instructions? • Yes O No	Type of Fuel Tank
	O Oil O Gas
IF NO Explain: There Coing into	CIO CIAS
IF NO Explain: Freplace on links room	Type of Fuel Tank O Oil O Gas UOILDOO INTO SUOTING SUO
The Type of License of Installer:	Number of Tanks
O Master Plumber #	
0 Solid Fuel#	Distance from Tank to Center of Flame feet.
O Oil#	Cost of Work: \$ - 5 4 35 . 40
O Gas#	20
	Permit Fee: \$ O
Approved Fire:	Approved with Conditions  O See attached letter or requirement

White - Inspection

Bldg .: ---

Signature of Installer

Yellow - File

Pink - Applicant's

Gold - Assessor's Copy


Inspector's Signature

Date Approved

#### **Installation & Operating Manual**

#### The Harman Accentra Pellet Insert





This Fireplace insert may be installed into a masonry fireplace, an approved manufactured wood burning fireplace (see page 25), Or, It may be built in to a wall or mantle system when using the optional zero clearance cabinet (see page 26).



We suggest that our hearth products be installed and serviced by professionals who are certified in the U.S. by the National Fireplace Institute (NFI) as NFI Specialists.

"Ce manuel est disponible en Français sur demande"



#### SAFETY NOTICE

PLEASE READ THIS ENTIRE MANUAL BEFORE YOU INSTALL AND USE YOUR NEW ROOM HEATER. FAILURE TO FOLLOW INSTRUCTIONS MAY RESULT IN PROPERTY DAMAGE, BODILY INJURY, OR EVEN DEATH.

FOR USE IN THE U.S. AND CANADA. SUITABLE FOR INSTALLATION IN MOBILE HOMES

IF THIS APPLIANCE IS NOT PROPERLY INSTALLED, A HOUSE FIRE MAY RESULT. FOR YOUR SAFETY, FOLLOW INSTALLATION DIRECTIONS, DO NOT USE MAKESHIFT COMPROMISES.

CONTACT LOCAL BUILDING OR FIRE OFFICIALS ABOUT RESTRICTIONS AND INSTALLATION INSPECTION REQUIREMENTS IN YOUR AREA.

CONTACT YOUR LOCAL AUTHORITY (SUCH AS MUNICIPAL BUILDING DEPARTMENT, FIRE DEPARTMENT, FIRE PREVENTION BUREAU, ETC.) TO DETERMINE THE NEED FOR A PERMIT.

CETTE GUIDE D'UTILISATION EST DISPONIBLE EN FRANCAIS. CHEZ VOTRE CONCESSIONNAIRE DE HARMAN.

SAVE THESE INSTRUCTIONS.

Item# 3-90-00674




Fig. 49

#### #1 Installing into an existing fireplace chimney

This method provides excellent venting with 100% outside air which is the most efficient operation of this unit. This method also provides natural draft in the event of a power failure.

A 4 inch stainless steel flex pipe is needed for the flue pipe, and 3" aluminum or Stainless Steel Flex Pipe is used for the intake.

#### WARNING

CHIMNEY CONNECTOR PIPE MAY NOT PASS THROUGH CONCEALED SPACES INCLUDING AN ATTIC, ROOF SPACE, CLOSET, FLOOR OR CEILING.

The chimney top must be capped to prevent rain and/or snow from entering the chimney.

The damper area may be sealed with a steel plate. If so, it is recommended that Kaowool, Mineral wool or an equivalent non combustible insulation is used on top of the plate to reduce the possibility of condensation. Insulation alone should not be used to seal the damper opening.

#### #2 Installing into an existing fireplace chimney

This method provides excellent venting for normal operation. This method also provides natural draft in the event of a power failure.

A cap should be installed on the chimney to keep out rain.

Combustion air is provided from the living area and enters the feed system from around the wing and stove body spaces.

