

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



# CITY OF PORTLAND BUILDING PERMIT

**This is to certify that**

LOMBARD CLAUDIA & RYAN LOMBARD JTS

**Located at**

40 DIRIGO ST

**PERMIT ID:** 2017-00533

**ISSUE DATE:** 05/26/2017

**CBL:** 188 A010001

has permission to **Enclose existing front porch to create 3/4-season enclosed porch. Sheathing, siding, and trim will be installed on exterior to match house.**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

|   |   |
|---|---|
| Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required. | A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy. |
|---|---|

N/A

/s/ Greg Gilbert

**Fire Official**

**Building Official**

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY  
THERE IS A PENALTY FOR REMOVING THIS CARD**

**Approved Property Use - Zoning**

single-family

**Building Inspections**

**Use Group:**

**Type:**

Single Family Residence

First Floor Porch

MUBEC / 2009 IRC

**Fire Department**

BUILDING PERMIT INSPECTION PROCEDURES  
Please call 874-8703  
or email: [buildinginspections@portlandmaine.gov](mailto:buildinginspections@portlandmaine.gov)

**Check the Status of Permit or Schedule an Inspection at  
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

### **REQUIRED INSPECTIONS:**

Setbacks and Footings Prior to Pouring

Electrical - Residential

Framing Only

Final - Electric

Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

|   |   |                                 |  |                            |
|---|---|---------------------------------|--|----------------------------|
| <b>City of Portland, Maine - Building or Use Permit</b>   |   | <b>Permit No:</b><br>2017-00533 | <b>Date Applied For:</b><br>04/19/2017 | <b>CBL:</b><br>188 A010001 |
| 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716   |   |                                 |  |                            |
| <b>Proposed Use:</b><br>Single family   | <b>Proposed Project Description:</b><br>Enclose existing front porch to create 3/4-season enclosed porch. Sheathing, siding, and trim will be installed on exterior to match house. |                                 |  |                            |
| <p><b>Dept:</b> Zoning      <b>Status:</b> Approved w/Conditions      <b>Reviewer:</b> Christina Stacey      <b>Approval Date:</b> 04/21/2017</p> <p><b>Note:</b> R-3 zone      <b>Ok to Issue:</b> <input checked="" type="checkbox"/></p> <p>Lot size 5,744 sf - below 6,500 sf min, existing nonconf.<br/> Front setback 14' min based on avg of abutters - existing porch is 16' - OK<br/> Rear setback 25' min - existing house 50' - OK<br/> Side setback for 1-story porch 8' - existing porch 13' from both sidelines - OK<br/> Ok to enclose since all setbacks are met</p> <p><b>Conditions:</b></p> <ol style="list-style-type: none"> <li>1) This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval.</li> <li>2) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.</li> </ol>  |   |                                 |  |                            |
| <p><b>Dept:</b> Building Inspecti <b>Status:</b> Approved w/Conditions      <b>Reviewer:</b> Greg Gilbert      <b>Approval Date:</b> 05/26/2017</p> <p><b>Note:</b>      <b>Ok to Issue:</b> <input checked="" type="checkbox"/></p> <p><b>Conditions:</b></p> <ol style="list-style-type: none"> <li>1) Separate permits are required for any electrical: plumbing, sprinkler, fire alarm, HVAC systems, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.</li> <li>2) IECC Section 101.4.3. Additions, alterations, renovations or repairs to an existing building, building system or portion thereof shall conform to the provisions of this code as they relate to new construction without requiring the unaltered portions(s) of the existing building or building system to comply with this code.</li> <li>3) All construction shall comply with City Code Chapter 10.<br/> All smoke detectors and smoke alarms shall be photoelectric.<br/> Hardwired Carbon Monoxide alarms with battery backup are required on each floor.<br/> A sprinkler system is recommended but not required.</li> <li>4) Review and approval by the Authority having Jurisdiction shall not relieve the applicant of the responsibility of compliance with this Code</li> <li>5) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.</li> </ol> |   |                                 |  |                            |