

NOTES:

1. COMPACT GRAVEL SUBBASE, BASE COURSE TO 92% OF MAXIMUM DENSITY USING HEAVY ROLLER COMPACTION.
2. CONTRACTOR SHALL SET GRADE STAKES MARKING SUBBASE AND FINISH GRADE ELEVATIONS FOR CONSTRUCTION REFERENCE.

1 TYP. PAVED PARKING LOT SECTION

NOT TO SCALE



2 CONCRETE SIDEWALK

NOT TO SCALE



3 PRECAST CONCRETE CURB

NOT TO SCALE



4 TYPICAL TIPDOWN CURB INSTALLATION

NOT TO SCALE



5 TYPICAL PAVEMENT JOINT

NOT TO SCALE



6 5' GRANULAR BASE @ DOOR THRESHOLD AND SIDEWALK RECONSTRUCTION

NOT TO SCALE

BID ALT C-1



7 TYPICAL TRENCH SECTION

NOT TO SCALE



CABLES TO BE ENCASED IN SCHEDULE 40 PVC CONDUIT WHEN RUN BENEATH PAVED AREAS.

8 TYPICAL UNDERGROUND CABLE INSTALLATION

NOT TO SCALE

REV:	BY:	DATE:	STATUS:
A	SGD	01-26-05	ISSUED FOR PHASE II CONSTRUCTION

THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM SEBAGO TECHNICS, INC. ANY ALTERATIONS, AUTHORIZED OR OTHERWISE, SHALL BE AT THE USER'S SOLE RISK AND WITHOUT LIABILITY TO SEBAGO TECHNICS, INC.

Sebago Technics
Engineering Excellence You Can Build On
75 John Roberts Road
Westbrook, Me 04098-1339
Tel (207) 856-0277

DETAILS
OF:
ORTHOPAEDIC ASSOCIATES, PA
33 SEWALL STREET
PORTLAND, MAINE
FOR:
ORTHOPAEDIC ASSOCIATES, PA
P.O. BOX 1260
PORTLAND, MAINE 04104-1260

DATE	SCALE
01-13-05	AS NOTED
PROJ. NO.	DWG NAME
00207	00207P2D
FIELD BOOK	DESIGN BY
.	SGD
DRAWN BY	CHECKED BY
JLB	SGD

SHEET 4 OF 4