4 CHASE FOR MECHANICAL PENETRATION
3" = 1'-0"

2 TYP. MEMBRANE @ ROOF DRAIN
3" = 1'-0"

5 Section 6
1 1/2" = 1'-0"

NOTE: INSTALL IN ACCORDANCE W/ MFR'S RECOMMENDATIONS

3 OVERFLOW SCUPPER DETAIL
3" = 1'-0"

1. NOT ALL ITEMS PENETRATING ROOF ARE SHOWN. VERIFY ALL ROOF PENETRATION LOCATIONS AND SIZES. COORDINATE PENETRATION LOCATIONS AND SIZES WITH MECHANICAL, PLUMBING, AND ELECTRICAL.

2. PROVIDE MINIMUM 2" OF INSULATION AT ALL LOCATIONS, INCLUDING AT ROOF DRAINS, AND A MINIMUM AVERAGE R-VALUE OF 30. MIN. SLOPE 1/4" PER FOOT.

3. COORDINATE PRIMARY AND SECONDARY ROOF DRAINAGE SYSTEM LOCATION, ASSEMBLY AND PIPING REQUIREMENTS.

1 ROOF PLAN
1/4" = 1'-0"

PDT ARCHITECTS
49 DARTMOUTH STREET
PORTLAND, MAINE 04101
207-775-1059
www.pdtarchs.com

COPYRIGHT
PDT Architects
Reuse or reproduction of the contents of this document is not permitted without written permission of PDT Architects.

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 05/16/13
Planner: Benjamin Wallace

OA Centers for Orthopedics
33 Sewall Street, Portland Maine

REGISTERED ARCHITECT DAVID C. WEBSTER No. 853 STATE OF MAINE

JOB NO.
12126

DRWN. CHK
Checker

SCALE:
As indicated

ISSUE
BID & PERMIT SET
MARCH 8, 2013

TITLE
ROOF PLAN

SHEET
A102