

17-19 DAVIS STREET

SHAW-WALKER

Full cut # 920R - Half cut # 9202R - Third cut # 9203R - Fifth cut # 9205R

PERMIT TO INSTALL PLUMBING

PERMIT NUMBER **2411**

Date
Issued

Portland Plumbing Inspector
By **ERNOLD R. GOODWIN**

App. First Insp. **JUL**

Date

By

App. Final Insp.

Date

By

Type of Bldg.

- ☐ Commercial
- ☐ Residential
- ☐ Single
- ☐ Multi Family
- ☐ New Construction
- ☐ Remodeling

Address **18 Davis St.**

Int. Use For **one family**

Name of Bldg. **John Sylvester**

Address **same**

Gerald Pallotto

Date: **9-28-81**

56 Depot Rd. Falmouth

INO.

FEE

SINKS

LAVATORIES

TOILETS

BATH TUBS

SHOWERS

DRAINS FLOOR SURFACE

HOT WATER TANKS

TANKLESS WATER HEATERS

GARBAGE DISPOSALS

SEPTIC TANKS

HOUSE SEWERS

ROOF LEADERS

AUTOMATIC WASHERS

DISHWASHERS

OTHER

TOTAL

6.00

Building and Inspection Services Dept: Plumbing Inspection

Apply Forusland.

CITY OF PORTLAND, MAINE
Application for Permit to Install Wires

Permit No. *205*

Issued

Portland, Maine

1-30, 19*73*

To the City Electrician, Portland, Maine:

The undersigned hereby applies for a permit to install wires for the purpose of conducting electric current, in accordance with the laws of Maine, the Electrical Ordinance of the City of Portland, and the following specifications:

(This form must be completely filled out - Minimum Fee, \$1.00)

Owner's Name and Address *State of Maine* Tel. *854-3561*
Contractor's Name and Address *Blue Rock Ind* Tel. *854-3561*
Location *19 Davis St* Use of Building *Soils Laboratory*
Number of Families Apartments Scores Number of Stor
Description of Wiring: New Work Additions Alterations
60A Service
Pipe ☒ Cable Metal Molding BX Cable Plug Molding (No. of feet)
No. Light Outlets Plugs Light Circuits Plug Circuits
FIXTURES: No. Fluor. or Strip Lighting (No. feet)
SERVICE: Pipe *2"* Cable Underground No. of Wires *3* Size *#6*
METERS: Relocated Added Total No. Meters
MOTORS: Number Phase H. P. Amps Volts Starter
HEATING UNITS: Domestic (Oil) No. Motors Phase H.P.
Commercial (Oil) No. Motors Phase H.P.
Electric Heat (No. of Rooms)
APPLIANCES: No. Ranges Watts Brand Feeds (Size and No.)
Elec. Heaters Watts
Miscellaneous Watts Extra Cabinets or Panels
Transformers Air Conditioners (No. Units) Signs (No. Units)
Will commence *200* 19... Ready to cover in 19... Inspection 19...
Amount of Fee \$ *2.00*

Signed

B. R. Douglas
Will call when ready

DO NOT WRITE BELOW THIS LINE

SERVICE METER GROUND
VISITS: 1 2 3 4 5 6
..... 7 8 9 10 11 12
REMARKS:

INSPECTED BY

(OVER)

LOCATION:

INSPECTION DATE

WORK COMPLETED 2-9-73

TOTAL NO. INSPECTIONS

REMARKS:

McPeck

FEE FOR WIRING PERMITS EFFECTIVE JULY 31, 1963

WIRING

1 to 30 Outlets	\$ 2.00
31 to 60 Outlets	3.00
Over 60 Outlets, each Outlet	.05
(Each twelve feet or fraction thereof of fluorescent lighting or any type of plug molding will be classed as one outlet).	

SERVICES

Single Phase	2.00
Three Phase	4.00

MOTORS

Not exceeding 50 H.P.	3.00
Over 50 H.P.	4.00

HEATING UNITS

Domestic (Oil)	2.00
Commercial (Oil)	4.00
Electric Heat (Each Room)	.75

APPLIANCES

Ranges, Cooking Tops, Ovens, Water Heaters, Disposals, Built-in Dishwashers, Dryers, and any permanent built-in appliance — each unit	1.50
---	------

WESTBROOK QUARRY DIVISION
58 MAIN ST., WESTBROOK, ME.
SIDNEY QUARRY DIVISION
R.F.D. 1, WATERVILLE, ME.

BLUE ROCK INDUSTRIES

58 MAIN STREET
WESTBROOK, MAINE 04092

TEL. 854-2561

August 17, 1970

PAVING & CONSTRUCTION DIVISION
58 MAIN ST., WESTBROOK, ME.

LEEDS DIVISION
SAND & GRAVEL
NORTH LEEDS, ME.

City of Portland
Building Inspection Dept.
Portland, Maine

Attention: Mr. Robert Brown

Gentlemen:

The building which we are having erected on Davis Street is a part of item number 639.18 of contract 1-295-3(46) which we have entered into with the State of Maine.

The building is on land provided for by the State and which is represented to us as belonging to the State.


Item # 639 provides for furnishing a building for a central field office for the projects in the area. It further provides for the maintenance, heating and janitor service for the life of our contract.

The building is temporary and its disposition is entirely the State of Maine's problem at the expiration of our contract.

A copy of the special provisions covering this item are included for your information.

Very truly yours,

BLUE ROCK INDUSTRIES


John R. LaPlant
Chief Estimator

I-295-3(46)
March 20, 1970

SPECIAL PROVISIONS
SECTION 639
ENGINEERING FACILITIES
(Central Field Office)

DESCRIPTION. This work shall consist of furnishing, erecting, lighting, heating, and maintaining a building of frame construction as shown or of prefabricated construction of equal quality to be used as a Central Field Office. Upon completion of this contract the building shall become the property of the State.

MATERIALS

MATERIALS. Materials shall be of good quality customarily used in standard frame building construction or prefabricated building construction.

BUILDING REQUIREMENTS

GENERAL. Details for the frame constructed office are shown on the plans. Alternate materials and building methods may be submitted by the Contractor for consideration by the Engineer.

If the Contractor elects to furnish a building constructed other than the frame construction details shown on the plans, shop drawings of the alternate design shall be submitted to the Engineer for approval.

The building shall be erected on land provided by the State. See Plot Plan included with these Special Provisions.

HEATING SYSTEM. The field office shall have an electric heating system with baseboard convectors capable of maintaining 70°F. with an outside temperature of -10°F. and a 25 mph wind.

PLUMBING SYSTEM. The field office shall have hot and cold running water, a 0 gallon electric hot water heater, a 2 fixture lavatory, a water closet, and a sanitary disposal system, all in operating condition.

ELECTRICAL SYSTEM. The office shall have a 117 volt electrical service with an enclosed circuit breaker panel of ample size for the facilities in the building.

Fluorescent ceiling fixtures with lens panels shall be installed to provide an average maintained illumination of 75-foot candles on a horizontal surface 30 inches above the floor. Groups of fixtures shall be switch controlled at convenient points within the building. Three-way switches shall be located adjacent to entrance doors to control a limited number of fixtures for general illumination.

Exterior lighting shall consist of weatherproof, 300-watt PAR floodlights with one light at each entrance and two lights for the parking area. These shall be group controlled from three-way switches inside each entrance door.

Duplex receptacles shall be provided along all interior walls at a spacing not to exceed 8 feet.

FINISH. Interior walls shall be approved pre-finished plywood panels or equivalent. Trim shall be matching pre-finished mouldings. Interior doors shall be flush doors and finished to match the panelling. Windows and exterior doors shall be painted.

Exterior walls shall be painted clapboards, aluminum siding, or approved equal. Wood exterior windows and trim shall be painted 2 coats of white house paint suitable for use on trim.

HARDWARE. Exterior doors shall have cylinder locks and shall all be keyed alike. Twelve keys shall be furnished. Windows shall have inside locks.

TELEPHONES. The Contractor shall provide telephones in each of the private offices and in the drafting room.

The building shall be constructed so that each of the above rooms shall be provided with telephone jacks and concealed telephone lines.

The telephone shall be on 2 private lines, and shall be listed under "Maine, State of, State Highway Commission." The Contractor will be responsible for the initial installation charges. Monthly service charges, including toll calls, shall be billed by the telephone company directly to the State Highway Commission, in care of the Resident Engineer.

AIR CONDITIONING. The office shall be air-conditioned, using thermostatically controlled units installed in the walls. One unit shall be installed in each of the three private offices and the conference room. Two units shall be installed in the drafting room. Units shall be of such capacity that they can maintain a 20° temperature difference with the outside temperature. Units shall be sized for the rooms in which they are installed. All units shall be of the same brand and have similar controls.

STORM WINDOWS. All windows shall have aluminum storm sash.

VENETIAN BLINDS. All windows shall have venetian blinds.

FURNITURE AND EQUIPMENT. All furniture and equipment, with the exception of the following, will be furnished by the State. The Contractor shall furnish -

1. Two plan racks, each to hold 12 sets of plans.
2. Three fire extinguishers - U. I. Rating 6-B, C.

PARKING AREA. The area adjacent to the office shall be provided with access driveways and a parking lot large enough to accommodate 20 parked vehicles.

The parking area shall be graded and based with a minimum of 12 inches of aggregate base course and paved with 2 inches of hot bituminous pavement.

MAINTENANCE. The Contractor shall furnish all maintenance to the office which shall include but not be limited to all necessary repairs, furnish heat, electricity and water, janitor service and supplies, including daily cleaning and all necessary snow removal.

SCHEDULE. The office shall be constructed as soon as practicable after award of the contract. The building shall be completed and ready for occupancy by August 15, 1970. For each and every day after August 15, 1970 that the building remains uncompleted, Liquidated Damages in the amount of \$50 per calendar day will be charged. The assessment of the above Liquidated Damages will be separate and distinct from the Liquidated Damages specified in Section 108, Prosecution and Progress of the Standard Specifications.

DISPOSAL OF EXISTING BUILDING. After the new Central Field Office has become operational and the existing Central Field Office has been abandoned, the Contractor shall demolish the existing Central Field Office building. All perishable debris resulting from the demolition shall be removed from the area and disposed of in an approved waste area. Foundations shall be destroyed by breaking slabs and walls so that necessary sand drains can be installed and embankment construction and compaction can be achieved.

METHOD OF MEASUREMENT. The Central Field Office will be measured for payment by the lump sum, furnished, equipped and maintained satisfactorily.

BASIS OF PAYMENT. The Central Field Office will be paid for at the contract lump sum price which shall be full compensation for furnishing, erecting, equipping, maintaining, furnishing electricity and heating the building as specified. Cost of preparing the site, grading, furnishing and placing aggregate base course and paving the drives and parking area shall be considered incidental to the lump sum price of the building and no separate payment will be made. There will be no separate payment for the demolition of the existing Central Field Office and all costs incurred shall be considered incidental to pay item 639.18.

Payment for this item shall be made in 3 parts, the first payment of 1/3 to be made after the Contractor has supplied the building and it has been approved by the Engineer. The remaining payment shall be made at intervals as follows:

(a) A second payment of 1/3 shall be made when one-half of the anticipated work has been completed.

(b) The final payment of the remaining 1/3 shall be made upon completion of the work.

Payment will be made under:

Pay Item

639.18 Central Field Office

Pay Unit

Lump Sum

I-295-3(44)
MARCH 20, 1970


PROPOSED
GREELY ST.

CONGRESS
ST.

DAVIS ST.

CENTRAL FIELD OFFICE

SITE LOCATION OF CENTRAL FIELD OFFICE
MAINE STATE HIGHWAY COMM. - PORTLAND





FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, ---Sept. 17, 1954---

PERMIT ISSUED

SEP 17 1954

City of Washington

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 17 Davis St. Use of Building 1-family dwelling No. Stories 2 ~~New~~ Building Existing " "
Name and address of owner of appliance Mrs. James Johnson, 17 Davis St.
Installer's name and address W. J. Moody, 179 Auburn St. Telephone 2-6672

General Description of Work

To install forced hot water heating system and oil burning equipment replacing gravity hot water heating system.

IF HEATER, OR POWER BOILER

Location of appliance basement Any burnable material in floor surface or beneath? no
If so, how protected? _____ Kind of fuel? oil
Minimum distance to burnable material, from top of appliance or casing top of furnace 2'
From top of smoke pipe 15" From front of appliance over 4' From sides or back of appliance over 3'
Size of chimney flue 2x12 Other connections to same flue none
If gas fired, how vented? _____ Rated maximum demand per hour _____
Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes

IF OIL BURNER

Name and type of burner hart Labelled by underwriter's laboratories? yes
Will operator be always in attendance? yes Does oil supply line feed from top or bottom of tank? bottom
Type of floor beneath burner concrete Size of vent pipe 1" existing
Location of oil storage basement Number and capacity of tanks 1-275 gal. existing
Low water shut off yes Make hart No. 1
Will all tanks be more than five feet from any flame? yes How many tanks enclosed? 1
Total capacity of any existing storage tanks for furnace burners 275 gal.

IF COOKING APPLIANCE

Location of appliance _____ Any burnable material in floor surface or beneath? _____
If so, how protected? _____ Height of Legs, if any _____
Skirting at bottom of appliance? _____ Distance to combustible material from top of appliance? _____
From front of appliance _____ From sides and back _____ From top of smokepipe _____
Size of chimney flue _____ Other connections to same flue _____
Is hood to be provided? _____ If so, how vented? _____ Forced or gravity? _____
If gas fired, how vented? _____ Rated maximum demand per hour _____

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 2.00 (\$2.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of Installer

INSPECTION COPY

- 1 Fuel Pipe
- 2 Vent Pipe
- 3 Kind of Fuel
- 4 Burner Rating & Supports
- 5 Name & Address
- 6 Stack Control
- 7 High Limit Control
- 8 Remote Control
- 9 Piping Support & Protection
- 10 Valves in Supply Line
- 11 Capacity of Tanks
- 12 Tank Rigidity & Supports
- 13 Tank Distances
- 14 Oil Gauge
- 15 Protection Control
- 16 Low Water Shut-off

NOTES

Permit No. 54/1476
Location 12 & Davis St.
Owner *Wm. Jameson Johnson*
Date of Permit 9/17/64
Approved 10/4/64 *WJF*



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT FOR
HEATING, COOKING OR POWER EQUIPMENT

Portland, Maine, July 8, 1947

RECEIVED
JUL 8 1947

To the INSPECTOR OF BUILDINGS, PORTLAND, MAINE

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 17 Davis Street Use of Building Dwelling No. Stories 2 ☒ New Building
Name and address of owner of appliance James G. Johnson, 17 Davis Street ☐ Existing
Installer's name and address A. E. Woody, 479 Auburn Street Telephone 2-0072

General Description of Work

To install oil burning equipment in connection with existing gravity hot water heat

IF HEATER, OR POWER BOILER

Location of appliance or source of heat Basement Type of floor beneath appliance Concrete
If wood, how protected? None Kind of fuel Oil
Minimum distance to wood or combustible material, from top of appliance or casing top of furnace None
From top of smoke pipe None From front of appliance None From sides or back of appliance None
Size of chimney flue None Other connections to same flue None
If gas fired, how vented? None Rated maximum demand per hour None

IF OIL BURNER

Name and type of burner Paragon Labelled by underwriter's laboratories? Yes
Will operator be always in attendance? Yes Does oil supply line feed from top or bottom of tank? Bottom
Type of floor beneath burner Concrete
Location of oil storage Basement Number and capacity of tanks 1-275 gal.
If two 275-gallon tanks, will three-way valve be provided? Yes
Will all tanks be more than five feet from any flame? Yes How many tanks fire proofed? None
Total capacity of any existing storage tanks for furnace burners 275 none

IF COOKING APPLIANCE

Location of appliance Basement Kind of fuel Oil Type of floor beneath appliance Concrete
If wood, how protected? None
Minimum distance to wood or combustible material from top of appliance None
From front of appliance None From sides and back None From top of smokepipe None
Size of chimney flue None Other connections to same flue None
Is hood to be provided? None If so, how vented? None
If gas fired, how vented? None Rated maximum demand per hour None

MISCELLANEOUS EQUIPMENT OR SPECIAL INFORMATION

Amount of fee enclosed? 1.00 (\$1.00 for one heater, etc., 50 cents additional for each additional heater, etc., in same building at same time.)

APPROVED:

OK 7-8-47 J. R. M.

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? Yes

Signature of Installer

A. E. Woody

INSPECTION COPY

At No. 47/
Location 17 Davis St.
Owner James Johnson
Date of permit 7/9/42 COMPLETED
Approved 6-1-49

NOTES 18/11/11

- 1 Fill Pipe.....
- 2 Vent Pipe.....
- 3 Kind of Heat.....
- 4 Burner Regidity & Supports.....
- 5 Name & Label.....
- 6 Stack Control.....
- 7 High Limit Control.....
- 8 Remote Control.....
- 9 Lifting Support & Protection.....
- 10 Valves in Supply Line.....
- 11 Capacity of Tanks.....
- 12 Capacity of supports.....
- 13 Capacity.....
- 14 Label.....
- 15 Instruction Card.....
- 16.....



APPLICATION FOR PERMIT

PERMIT ISSUED

Class of Building or Type of Structure extra classPortland, Maine, August 4, 1941 AUG 4 1941

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to ~~erect~~ alter install the following building ~~structure~~ equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 17 Davis Street Within Fire Limits? no Dist. No. _____
Owner's or Lessee's name and address Winnie M. Moore, 14 Hill Street Telephone 2-3605
Contractor's name and address Angus Campbell, 17 Davis St. Telephone _____
Architect _____ Plans filed _____ No. of sheets _____
Proposed use of building _____ No. families _____
Other buildings on same lot _____
Estimated cost \$ _____ Fee \$.50

Description of Present Building to be Altered

Material wood No. stories 1 Heat _____ Style of roof _____ Roofing _____
Last use Barn No. families _____

General Description of New Work

To demolish building 18' x 24' no power connection

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

Is any plumbing work involved in this work? _____
Is any electrical work involved in this work? _____ Height average grade to top of plate _____
S. front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____
To be erected on solid or filled land? _____ earth or rock? _____
Material of foundation _____ Thickness, top _____ bottom _____ cellar _____
Material of underpinning _____ Height _____ Thickness _____
Kind of roof _____ Rise per foot _____ Roof covering _____
No. of chimneys _____ Material of chimneys _____ of lining _____
Kind of heat _____ Type of fuel _____ Is gas fitting involved? _____
Framing lumber—Kind _____ Dressed or full size? _____
Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____
Material columns under girders _____ Size _____ Max. on centers _____
Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.
Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____
On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____
Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____
If one story building with masonry walls, thickness of walls? _____ height? _____
If a Garage _____
No. cars now accommodated on same lot _____ to be accommodated _____
Total number commercial cars to be accommodated _____
Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no
Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes
Signature of owner Winnie M. Moore

INSPECTION COPY

NOTES

~~8/20/44. Lunch started. c. 10.~~
~~8/23/44. same. c. 10.~~
~~9/22/44. Work going along~~
~~slightly. c. 10.~~

DATE	TIME	LOCATION	WIND	WAVE	SEA	TEMP	WIND	WAVE	SEA	TEMP	WIND	WAVE	SEA	TEMP
1957-10-28	10:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	11:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	12:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	13:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	14:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	15:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	16:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	17:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	18:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	19:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	20:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	21:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	22:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55
1957-10-28	23:00	100° 15' N, 155° 15' W	10	2	3	55	10	2	3	55	10	2	3	55



(A) APARTMENT HOUSE ZONE
APPLICATION FOR PERMIT

Permit No. 17-19
JUL 16 1940

Class of Building or Type of Structure

Portland, Maine,

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to erect alter install the following building structure equipment in accordance with the Laws of the State of Maine, the Building Code of the City of Portland, plans and specifications, if any, submitted herewith and the following specifications:

Location 17-19 Davis Street Within Fire Limits? no Dist. No. _____

Owner's or Lessee's name and address Annie M. Moore, 47 Whitney Avenue Telephone _____

Contractor's name and address W. L. Vassar Co. 95 Sheridan St. Telephone 37996

Architect _____ Plans filed _____ No. of sheets _____

Proposed use of building dwelling house No. families 1

Other buildings on same lot _____

Estimated cost \$ 20. Fee \$.25

Description of Present Building to be Altered

Material wood No. stories 1 1/2 Heat _____ Style of roof _____ Roofing _____

Last use dwelling house No. families 1

General Description of New Work

To rebuild front chimney from attic floor up

It is understood that this permit does not include installation of heating apparatus which is to be taken out separately by and in the name of the heating contractor.

Details of New Work

PERMIT OF OCCUPANCY
REQUIREMENT IS WAIVED

Is any plumbing work involved in this work? _____

Is any electrical work involved in this work? _____

Height average grade to top of plate _____

Size, front _____ depth _____ No. stories _____ Height average grade to highest point of roof _____

To be erected on solid or filled land? _____ earth or rock? _____

Material of foundation _____ Thickness, top _____ bottom _____ cellar _____

Material of underpinning _____ Height _____ Thickness _____

Kind of Roof _____ Rise per foot _____ Roof covering _____

No. of chimneys 1 Material of chimneys brick of lining existing chimney has no lining

Kind of heat _____ Type of fuel _____ Is gas fitting involved? _____

Framing Lumber—Kind _____ Dressed or Full Size? _____

Corner posts _____ Sills _____ Girt or ledger board? _____ Size _____

Material columns under girders _____ Size _____ Max. on centers _____

Studs (outside walls and carrying partitions) 2x4-16" O. C. Girders 6x8 or larger. Bridging in every floor and flat roof span over 8 feet. Sills and corner posts all one piece in cross section.

Joists and rafters: 1st floor _____, 2nd _____, 3rd _____, roof _____

On centers: 1st floor _____, 2nd _____, 3rd _____, roof _____

Maximum span: 1st floor _____, 2nd _____, 3rd _____, roof _____

If one story building with masonry walls, thickness of walls? _____ height? _____

If a Garage

No. cars now accommodated on same lot _____, to be accommodated _____

Total number commercial cars to be accommodated _____

Will automobile repairing be done other than minor repairs to cars habitually stored in the proposed building? _____

Miscellaneous

Will above work require removal or disturbing of any shade tree on a public street? no

Will there be in charge of the above work a person competent to see that the State and City requirements pertaining thereto are observed? yes

Signature of owner Annie M. Moore
W. L. Vassar Co.

INSTRUCTION COPY

By

Sherman D. Black

7200

Permit No. 40/1629
Location ~~17-19~~ Davis St. (1st 3)
Owner Annie M. Moore
Date of permit 10/16/40
Notif. closing-in
Inspn. closing-in
Final Notif. None
Final Inspn. 1/3/41
Cert. of Occupancy issued None

111 1238 Congress St. NOTES

1/3/41. Chimney plastered
between attic floor and
roof so could not check
condition, etc.



APPLICATION FOR PERMIT TO REPAIR BUILDING

Third Class Building

Portland, Maine, December 18, 1930

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to repair the following described building in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location 17 Davis Street Ward 8 Within fire limits? no Dist. No. _____
Owner's name and address Mrs. Minnie Moore, 17 Davis Street Telephone _____
Contractor's name and address C. A. Hanson, 125 Grant St. Telephone P 51
Use of building Ceiling house 1 family
No. stories 1 1/2 Height _____ ft., Gross area _____ sq. ft., Style of roof pitch
Type of present roof covering wood

General Description of New Work

To Repair after Fire to former condition. No alterations

NOT MORE THAN 10% OF AREA OF ROOF

Roof Damage

If Roof Covering is to be Repaired or Renewed

When last repaired? _____, Area then repaired _____ sq. ft.
Are repairs or renewal due to damage by fire? yes If so, what area damaged? 50 sq. ft.
Area of roof to be repaired now? NOT MORE THAN 10% OF AREA OF ROOF sq. ft.
Type of roofing to be used wood shingles No. plies _____
Trade name and grade of roof covering to be used _____
Estimated cost \$ _____

Fee \$.50

INSPECTION COPY

Signature of owner Mrs. Minnie Moore
By C. A. Hanson

By C. M. Mower

3945A

Ward 8 Permit No. 30/2873

Location 17. Jarvis St.

Owner Miss Minnie Horne

Date of permit 12/19/30

Notif. closing-in _____

Inspn. closing-in _____

Final Notif. _____

Final Inspn. 1/14/31

Cert. of Occupancy issued None

NOTES

12/24/30 - Unable to
check due to snow on
roof. Agd.

~~1931~~

