
MERCY HEALTH CENTER

WESTGATEPLAZA

PORTLAND, MAINE

ISSUED FOR PERMIT
JULY 1, 2008



Portland, Maine 04101 207.775.0053 tel 207.775.0460 fax

www. harriman.com
© 2008

LIST OF DRAWINGS

COVER SHEET

ARCHITECTURAL DRAWINGS

A00.1 ABBREVIATIONS & LEGENDS A00.2 LIFE SAFETY PLAN

A10.1 FLOOR PLAN


A10.2 LAYOUT PLAN
A15.1 ROOF PLAN
A20.1 EXTERIOR ELEVATIONS
a30.1 WALL SECTIONS

A40.1 PARTITION TYPES
A60.1 DOOR & FRAME SCHEDULE
A61.1 ROOM FINISH SCHEDULE
A70.1 REFLECTED CEILING PLAN
A80.1 STANDARD DETAILS

A81.1 INTERIOR ELEVATIONS
A83.1 MILLWORK DETAILS
A83.2 MILLWORK DETAILS




S10.1 — FOUNDATION PLAN S20.1 — ROOF FRAMING PLAN S50.1 — STRUCTURAL DETAILS




PLUMBING DRAWINGS

P001 SCHEDULES AND DETAILS P10.1 FLOOR PLAN DRAINAGE P20.1 FLOOR PLAN SUPPLY




MECHANICAL DRAWINGS

M10.1 MECHANICAL DUCTWORK PLAN
M30.1 MECHANICAL DETAILS
M30.2 MECHANICAL DETAILS
M40.1 MECHANICAL SCHEDULES



ELECTRICAL DRAWINGS

E00.1 — ELECTRICAL LEGEND, DETAILS AND ABBREVIATIONS E10.1 — ELECTRICAL NEW LIGHTING FIRST FLOOR PLAN E20.1 — ELECTRICAL POWER & SYSTEMS FIRST FLOOR PLA



CODE COMPLIANCE INFORMATION

AMERICANS WITH DISABILITIES ACT (ADA)
NFPA 101 LIFE SAFETY CODE / 2006
INTERNATIONAL BUILDING CODE / 2003
MAINE INTERNAL PLUMBING RULES
INTERNATIONAL MECHANICAL CODE (IBC) / 2I
NFPA 70 NATIONAL ELECTRIC CODE / 2005
NFPA 72 NATIONAL FIRE ALARM CODE 2002

10590 SF OF INTERIOR FIT-UP

NUMBER OF STORIES

1 STORY INTERIOR FIT-

N/A

FULLY SPRINKLED WITH SUPERVISED SYSTEM

TRAVEL DISTANCE:

200 FT MAX EXIT ACCESS (NFPA 101)
(ASC: 200 FT MAX EXIT ACCESS)

OCCUPANT LOAD:

OCCUPANT LOAD :

TWO ACCESSIBLE EXITS REQUIRED.

OCCUPANT CLASSIFICATION:

GROUP B, BUSINESS (CLINIC-OUTPATIENT)