

913304

193-A-007

Permit # \_\_\_\_\_ City of \_\_\_\_\_ BUILDING PERMIT APPLICATION Fee \_\_\_\_\_ Zone \_\_\_\_\_ Map # \_\_\_\_\_ Lot# \_\_\_\_\_

Please fill out any part which applies to job. Proper plans must accompany form.

Owner: \_\_\_\_\_ Phone # \_\_\_\_\_

Address: \_\_\_\_\_

LOCATION OF CONSTRUCTION \_\_\_\_\_

Contractor: \_\_\_\_\_ Sub.: \_\_\_\_\_

Address: \_\_\_\_\_ Phone # \_\_\_\_\_

Est. Construction Cost: \_\_\_\_\_ Proposed Use: \_\_\_\_\_

\_\_\_\_\_ Past Use: \_\_\_\_\_

# of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_

Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_

# Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_

Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_

Explain Conversion \_\_\_\_\_

**For Official Use Only**

Date \_\_\_\_\_ Subdivision \_\_\_\_\_

Inside Fire Limits \_\_\_\_\_ Name \_\_\_\_\_

Bldg Code \_\_\_\_\_ Not \_\_\_\_\_

Time Limit \_\_\_\_\_ Ownership: \_\_\_\_\_

Estimated Cost \_\_\_\_\_

**PERMIT ISSUED**

DEC 10 1991

Public

**CITY OF PORTLAND**

**Zoning:** Street Frontage Provided: \_\_\_\_\_

Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_ Side \_\_\_\_\_

**Review Required:**

Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_

Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_

Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_

Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_

Special Exception \_\_\_\_\_

Other \_\_\_\_\_ (Explain) \_\_\_\_\_

**Foundation:**

1. Type of Soil: \_\_\_\_\_

2. Set Backs - Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_

3. Footings Size: \_\_\_\_\_

4. Foundation Size: \_\_\_\_\_

5. Other \_\_\_\_\_

**Floor:**

1. Sills Size: \_\_\_\_\_ Sills must be anchored.

2. Girder Size: \_\_\_\_\_

3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_

4. Joists Size: \_\_\_\_\_ Spacing 16" O.C.

5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_

6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_

7. Other Material: \_\_\_\_\_

**Exterior Walls:**

1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_

2. No. windows \_\_\_\_\_

3. No. Doors \_\_\_\_\_

4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_

5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_

6. Corner Posts Size \_\_\_\_\_

7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_

8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_

9. Siding Type \_\_\_\_\_ Weather Exposure \_\_\_\_\_

10. Masonry Materials \_\_\_\_\_

11. Metal Materials \_\_\_\_\_

**Interior Walls:**

1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_

2. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_

3. Wall Covering Type \_\_\_\_\_

4. Fire Wall if required \_\_\_\_\_

5. Other Materials \_\_\_\_\_

**Ceiling:**

1. Ceiling Joists Size: \_\_\_\_\_

2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_ **Not in District nor landmark**

3. Type Ceilings: \_\_\_\_\_ **Does not require review.**

4. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_ **Requires Review.**

5. Ceiling Height: \_\_\_\_\_

**Roof:**

1. Truss or Rafter Size \_\_\_\_\_ Span \_\_\_\_\_

2. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_ **Action: \_\_\_\_\_ Approved.**

3. Roof Covering Type \_\_\_\_\_ **Approved with Conditions.**

\_\_\_\_\_ **Denied.**

**Chimneys:**

Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_ Date: \_\_\_\_\_

Signature: \_\_\_\_\_

**Heating:**

Type of Heat: \_\_\_\_\_

**Electrical:**

Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

**Plumbing:**

1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_

2. No. of Tubs or Showers \_\_\_\_\_

3. No. of Flushes \_\_\_\_\_

4. No. of Lavatories \_\_\_\_\_

5. No. of Other Fixtures \_\_\_\_\_

**Swimming Pools:**

1. Type: \_\_\_\_\_

2. Pool Size: \_\_\_\_\_ x \_\_\_\_\_ Square Footage \_\_\_\_\_

3. Must conform to National Electrical Code and State Law.

Permit Received By \_\_\_\_\_

Signature of Applicant \_\_\_\_\_ Date \_\_\_\_\_

CEO's District \_\_\_\_\_

CONTINUED TO REVERSE SIDE

Ivory Tag - CEO

White - Tax Assessor

PERMIT ISSUED WITH REQUIREMENTS

PERMIT ISSUED WITH REQUIREMENTS

Owner: Richard A. Norden Phone # 771-7007  
 Address: 137 Bancroft St; Ptld, ME 04102  
 LOCATION OF CONSTRUCTION 137 Bancroft St.  
 Contractor: OWNER Sub: \_\_\_\_\_  
 Address: \_\_\_\_\_ Phone # \_\_\_\_\_  
 Est. Construction Cost: 5,000.5 Proposed Use: 1-fam w garage  
 Past Use: 1-fam  
 # of Existing Res. Units \_\_\_\_\_ # of New Res. Units \_\_\_\_\_  
 Building Dimensions L \_\_\_\_\_ W \_\_\_\_\_ Total Sq. Ft. \_\_\_\_\_  
 # Stories: \_\_\_\_\_ # Bedrooms \_\_\_\_\_ Lot Size: \_\_\_\_\_  
 Is Proposed Use: Seasonal \_\_\_\_\_ Condominium \_\_\_\_\_ Conversion \_\_\_\_\_  
 Explain Conversion construct garage - 12'x22'

**PERMIT ISSUED**  
 For Official Use Only  
 Date: 12/10/91 Subdivision \_\_\_\_\_  
 Inside Fire Limits \_\_\_\_\_  
 Bldg Code \_\_\_\_\_ Ownership: \_\_\_\_\_  
 Time Limit \_\_\_\_\_  
 Estimated Cost: \$000  
**CITY OF PORTLAND**

Zoning: R-3  
 Street Frontage Provided: \_\_\_\_\_  
 Provided Setbacks: Front \_\_\_\_\_ Back \_\_\_\_\_ Side \_\_\_\_\_ Side \_\_\_\_\_  
 Review Required: 14-436  
 Zoning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Planning Board Approval: Yes \_\_\_\_\_ No \_\_\_\_\_ Date: \_\_\_\_\_  
 Conditional Use: \_\_\_\_\_ Variance \_\_\_\_\_ Site Plan \_\_\_\_\_ Subdivision \_\_\_\_\_  
 Shoreland Zoning Yes \_\_\_\_\_ No \_\_\_\_\_ Floodplain Yes \_\_\_\_\_ No \_\_\_\_\_  
 Special Exception \_\_\_\_\_  
 Other: WNA - 12-16-91

**Foundation:**  
 1. Type of Soil: \_\_\_\_\_  
 2. Set Backs: Front \_\_\_\_\_ Rear \_\_\_\_\_ Side(s) \_\_\_\_\_  
 3. Footings Size: \_\_\_\_\_  
 4. Foundation Size: \_\_\_\_\_  
 5. Other: \_\_\_\_\_

**Floor:**  
 1. Sills Size: \_\_\_\_\_ Sills must be anchored.  
 2. Girder Size: \_\_\_\_\_  
 3. Lally Column Spacing: \_\_\_\_\_ Size: \_\_\_\_\_  
 4. Joist Size: \_\_\_\_\_ Spacing 16" O.C.  
 5. Bridging Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 6. Floor Sheathing Type: \_\_\_\_\_ Size: \_\_\_\_\_  
 7. Other Material: \_\_\_\_\_

**Exterior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. No. windows \_\_\_\_\_  
 3. No. Doors \_\_\_\_\_  
 4. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 5. Bracing: Yes \_\_\_\_\_ No \_\_\_\_\_  
 6. Corner Posts Size \_\_\_\_\_  
 7. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 8. Sheathing Type \_\_\_\_\_ Size \_\_\_\_\_  
 9. Siding Type \_\_\_\_\_  
 10. Masonry Materials \_\_\_\_\_  
 11. Metal Materials \_\_\_\_\_  
 Weather Exposure \_\_\_\_\_

**Interior Walls:**  
 1. Studding Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 2. Header Sizes \_\_\_\_\_ Span(s) \_\_\_\_\_  
 3. Wall Covering Type \_\_\_\_\_  
 4. Fire Wall if required \_\_\_\_\_  
 5. Other Materials \_\_\_\_\_

**Ceiling:**  
 1. Ceiling Joists Size: \_\_\_\_\_  
 2. Ceiling Strapping Size \_\_\_\_\_ Spacing \_\_\_\_\_  
 3. Type Ceilings: \_\_\_\_\_  
 4. Insulation Type \_\_\_\_\_ Size \_\_\_\_\_  
 5. Ceiling Height: \_\_\_\_\_  
**HISTORIC PRESERVATION**  
 \*Not in District nor landmark.  
 \*Does not require review.  
 \*Requires Review.

**Roof:**  
 1. Truss or Rafter Size \_\_\_\_\_  
 2. Sheathing Type \_\_\_\_\_  
 3. Roof Covering Type \_\_\_\_\_  
 Span \_\_\_\_\_ Action: Approved  
 Size \_\_\_\_\_  
 \*Approved with Conditional Approval

**Chimneys:**  
 Type: \_\_\_\_\_ Number of Fire Places \_\_\_\_\_ Date: 12/10/91  
 Signature: \_\_\_\_\_

**Heating:**  
 Type of Heat: Wm. Callahan

**Electrical:**  
 Service Entrance Size: \_\_\_\_\_ Smoke Detector Required Yes \_\_\_\_\_ No \_\_\_\_\_

**Plumbing:**  
 1. Approval of soil test if required Yes \_\_\_\_\_ No \_\_\_\_\_  
 2. No. of Tubs or Showers \_\_\_\_\_  
 3. No. of Flushes \_\_\_\_\_  
 4. No. of Lavatories \_\_\_\_\_  
 5. No. of Other Fixtures \_\_\_\_\_

**Swimming Pools:**  
 1. Type: \_\_\_\_\_  
 2. Pool Size: \_\_\_\_\_ Square Footage \_\_\_\_\_  
 3. Must conform to National Electrical Code and State Law.

Permit Received By Louise E. Chase  
 Signature of Applicant Richard A. Norden Date 12/10/91  
 Richard A. Norden  
 CEO's District 14

**PERMIT ISSUED WITH REQUIREMENTS**

**PERMIT ISSUED WITH REQUIREMENTS**  
 CONTINUED TO REVERSE SIDE  
 Ivory Tag - CEO  
 MR. Carr

White - Tax Assessor

**PLOT PLAN**



10/30/92 Talked to owner - will not change roof style  
 10/23/92 Mr. Warden called changing roof style to Gambrel  
 Told him he would have to file an Amended Plan  
 10/30/92 Set back etc (42" Rear, 41" RIR, 36" RIF) @  
 12/5/92 Mr. Warden called for permits  
 with complete

**FEES (Breakdown From Front)**

Base Fee \$	45 =
Subdivision Fee \$	
Site Plan Review Fee \$	
Other Fees \$	
(Explain)	
Late Fee \$	

Type	Inspection Record	Date
		/ /
		/ /
		/ /
		/ /

**COMMENTS**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as has authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the code official or the code official's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit.

*Richard A. Warden*  
 SIGNATURE OF APPLICANT ADDRESS 12/10/91 PHONE NO.  
 RESPONSIBLE PERSON IN CHARGE OF WORK TITLE PHONE NO.

BUILDING PERMIT REPORT

ADDRESS: 137 Bancroft St.

DATE: 16/Dec/91

REASON FOR PERMIT: TO CONSTRUCT a 12'x22' garage

BUILDING OWNER: Richard A. Norden

CONTRACTOR: Owner


PERMIT APPLICANT: "

APPROVED: \*1 \*2

CONDITION OF APPROVAL:

- 1.) Before concrete for foundation is placed, approvals from Public Works and Inspection Services must be obtained.
- 2.) Precaution must be taken to protect concrete from freezing.
- 3.) All vertical openings shall be enclosed with construction having a fire rating of at least one(1) hour, including fire doors with self-closers.
- 4.) Each apartment shall have access to two(2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- 5.) The boiler shall be protected by enclosing with one(1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. Sprinkler piping serving not more than six sprinklers may be connected to a domestic water supply system having a capacity sufficient to provide 0.15 gallons per minute, per square foot of floor throughout the entire area. An INDICATING shut-off valve shall be installed in an accessible location between the sprinkler and the connection to the domestic water supply. Minimum pipe size shall be 3/4 inch copper or 1 inch steel. Maximum coverage area of a residential sprinkler is 144 square feet per sprinkler.
- 6.) Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside opening without the use of separate tools. Where windows are provided as a means of egress or rescue, they shall have a sill height not more than 44 inches (1118 mm) above the floor. All egress or rescue windows from sleeping rooms must have minimum net clear openings of 5.7 square feet (0.53m<sup>2</sup>). The minimum net clear opening height dimension shall be 24 inches (610 mm). The minimum net clear opening width dimension shall be 20 inches (508 mm).
- 7.) All single and multiple-station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the building code (BOCA National Building Code 1990, and N.F.P.A. 74).

Proposed Garage  
137 Bancroft St.



**RECEIVED**

DEC 1 0 1991

DEPT. OF BUILDING AND  
CITY OF PORTLAND

House	to Garage	Total Sq ft.	
20'	25'	075	5000 sq ft
20'	25'	260'	15'
205 sq ft	264 sq ft	1239 sq ft	<u>3750 sq ft</u>
			5000 sq ft
			- 2390
			<u>1250 sq ft</u>

