


City of Portland, Maine - Building or Use Permit Application

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 08-0812		Issue Date: 7/8/08		CBL: 193 E008001	
Location of Construction: 63 CAPISIC ST		Owner Name: BACON ANNE A & WILLIAM J J		Owner Address: 63 CAPISIC ST	
Business Name:		Contractor Name: Mainly Plumbing & Heating		Contractor Address: 674 Main Street Gorham	
Lessee/Buyer's Name		Phone:		Phone: 2078544969	
Past Use: Single Family Home		Proposed Use: Single Family Home - New Buderus 215/3 in basement w/ two -330 gallon tanks		Permit Type: HVAC	
Proposed Project Description: New Buderus 215/3 in basement w/ two -330 gallon tanks		Permit Fee: \$120.00		Cost of Work: \$9,700.00	
		FIRE DEPT: <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: R-3 Type: 50 IMC-2003 NFA-52 211	
		Signature:		Signature: [Signature] 7/8/08	
		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)			
		Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved w/Conditions <input type="checkbox"/> Denied			
		Signature: Date:			
Permit Taken By: Idobson		Date Applied For: 06/30/2008		Zoning Approval	
<ol style="list-style-type: none">1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal Rules.2. Building permits do not include plumbing, septic or electrical work.3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work.. 		Special Zone or Reviews		Zoning Appeal	
		<input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan Maj <input type="checkbox"/> Minor <input type="checkbox"/> MIM <input type="checkbox"/> Date: 7/3/08		<input type="checkbox"/> Variance <input type="checkbox"/> Miscellaneous <input type="checkbox"/> Conditional Use <input type="checkbox"/> Interpretation <input type="checkbox"/> Approved <input type="checkbox"/> Denied Date:	

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT

ADDRESS

DATE

PHONE

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

DATE

PHONE



FILL IN AND SIGN WITH INK

APPLICATION FOR PERMIT HEATING OR POWER EQUIPMENT

To the INSPECTOR OF BUILDINGS, PORTLAND, ME.

The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:

Location / CBL 63 Caprice St. Use of Building Single Family Date 6/30/2008
Name and address of owner of appliance William Bacon
63 Caprice St.
Installer's name and address Marnely Pls + Htg
624 Main St. Gorham Telephone 854-4969

Location of appliance:

- ☒ Basement
☐ Attic

- ☐ Floor
☐ Roof

JUN 30 2008

Type of Fuel:

- ☐ Gas ☒ Oil ☐ Solid

Appliance Name: Buderer 215/3U.L. Approved ☒ Yes ☐ No

Will appliance be installed in accordance with the manufacture's
installation instructions? ☒ Yes ☐ No

IF NO Explain: _____

The Type of License of Installer:

- ☐ Master Plumber # _____
☐ Solid Fuel # _____
☒ Oil # MS20001912
☐ Gas # _____
☐ Other _____

Type of Chimney:

- ☐ Masonry Lined

Factory built _____

- ☒ Metal

Factory Built U.L. Listing # Pickett Chimney Installing
Stainless Steel

- ☐ Direct Vent

Type _____ UL# _____

Type of Fuel Tank

- ☒ Oil

- ☐ Gas

Size of Tank 2-330Number of Tanks 2Distance from Tank to Center of Flame 10' feet.Cost of Work: \$ 9200

Permit Fee: \$ _____

Approved

Fire: _____

Ele.: _____

Bldg.: _____

Approved with Conditions

- ☒ See attached letter or requirement

Chad A.
Inspector's Signature

7/8/08
Date Approved

Signature of Installer _____

White - Inspection

Yellow - File

Pink - Applicant's

Gold - Assessor's Copy

City of Portland, Maine - Building or Use Permit

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 08-0812	Date Applied For: 06/30/2008	CBL: 193 E008001
------------------------------	--	----------------------------

Location of Construction: 63 CAPISIC ST	Owner Name: BACON ANNE A & WILLIAM J J	Owner Address: 63 CAPISIC ST	Phone:
Business Name:	Contractor Name: Mainely Plumbing & Heating	Contractor Address: 674 Main Street Gorham	Phone (207) 854-4969
Lessee/Buyer's Name	Phone:	Permit Type: HVAC	

Proposed Use: Single Family Home - New Buderus 215/3 in basement w/ two -330 gallon tanks	Proposed Project Description: New Buderus 215/3 in basement w/ two -330 gallon tanks
---	--

Dept: Zoning **Status:** Approved **Reviewer:** Marge Schmuckal **Approval Date:** 07/03/2008
Note: **Ok to Issue:** ☒

Dept: Building **Status:** Approved with Conditions **Reviewer:** Chris Hanson **Approval Date:** 07/08/2008
Note: **Ok to Issue:** ☒

- 1) Tanks shall be installed per NFPA 58
- 2) Maintain proper setback(s) from property lines/buildings and proper clearances from verticle openings when direct venting.
- 3) The appliance shall be installed in accordance with the IMC 2003 and NFPA 211
- 4) The heating appliance/stove shall be installed, maintained and operated in accordance with the terms of the listing.
- 5) Prior to installing the solid fuel appliance, the product information which includes the UL listing shall be submitted. The heating unit shall be installed per the Listing, NFPA 211, IMC 2003 and the manufacturers instructions.
- 6) A copy of the enclosed chimney or fireplace disclosure must be submitted to this office upon completion of the permitted work or for the Certificate of Occupancy.
- 7) Installation shall comply with 2003 International Mechanical Code and State of Maine Oil and Solid Fuel Board Laws and Rules