City of Portland, Maine - Buildin	ng or Use Permit Application	on 389 Congress	Street, 04101, Tel: (20	
Location of Construction:	Owner:	hita	Phone:	Permit No: 9 7 0 2 9 8
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name:	Address:		772-44027	Permit Issued: APR - 9 1997
Past Use:	Proposed Use:	COST OF WORL	K: PERMIT FEE: \$ 30.00	
	Same		Denied Use Group: R 3 Ty	Zone: CBL: 194-K-001
Proposed Project Description:		Signature: PEDESTRIAN A	Signature: Note CTIVITIES DISTRICT (P.	7 :
Construct Deck (12 x 18)		1	Approved Approved with Conditions: Denied	Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By: Hary Greath	Date Applied For:	Signature: 04 Apr N 1997	Date:	☐ Site Plan maj ☐minor ☐mm □
 This permit application does not preclude the Building permits do not include plumbing, s Building permits are void if work is not started tion may invalidate a building permit and st 	septic or electrical work. ed within six (6) months of the date of is			□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied Historic Preservation
		PEHMIT ISSUE TH REOUIREME	WITH REQUIREM	™Not in District or Landmark
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable has been application.	CERTIFICATION ne named property, or that the proposed as his authorized agent and I agree to a s issued, I certify that the code official's	work is authorized by the conform to all applicable s authorized representati de(s) applicable to such	e owner of record and that I hat a laws of this jurisdiction. In a layer shall have the authority to expermit	ddition, Denied
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR		many D.D.W. Dink De-	PHONE:	CEO DISTRICT
vvnite-P	ermit Desk Green-Assessor's Ca	nary-D.P.VV. Pink-Pu	unc rne ivory card-mspec	iui

1/00/2	1 201 1		
4/29/99 Deck construction pe	i submitted		
7			
	/		
	·	Inspection Record	
	Туре	mspection xecord	Date
	Foundation:		Date
	Framing:		
	Plumbing:	`	
	Final: Other:		\
	Otner:		

City of Portland, Maine – Buildin	g or Use Permit Application	on 389 Congres	s Street, 04101,	Tel: (207) 87	4-8/03, FAX: 8/4-8/16
Location of Construction: 42 Haywood St	Owner: Hidreth & W	Thite	Phone:		Permit No: 970298
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:		PERMIT ISSUED
Contractor Name: Hildreth & White	Address: P.O. Box 8433 Ptld,		772-0657		Permit Issued: APR - 9 1997
Past Use:	Proposed Use: Same	COST OF WOR \$ 1,500.00 FIRE DEPT. □	\$ 30 Approved INSPEC	.00 TION: U. Sup 13 Type: 50	CITY OF PORTLAND Zone: CBL: 194-E-001
Proposed Project Description: Construct Deck (12 x 18)		Signature: PEDESTRIAN Action:	Signatur ACTIVITIES DISTR Approved Approved with Cond Denied	itions:	Zoning Appreval: 4 6 9 7 Special Zone or Reviews: Shoreland us Sec. Wetland Flood Zone
Permit Taken By:	Date Applied For:	Signature:	Dat	ie:	☐ Subdivision ☐ Site Plan maj ☐ minor ☐ mm ☐
Mary Gresik 1. This permit application does not preclude the 2. Building permits do not include plumbing, se 3. Building permits are void if work is not starte tion may invalidate a building permit and sto	eptic or electrical work. d within six (6) months of the date of i	ssuance. False informa	-		Zoning Appeal □ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
		1v)	THE PANIT ISSUED) Ny	Historic Preservation ☑Not in District or Landmark □Does Not Require Review □Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable he	as his authorized agent and I agree to a issued, I certify that the code official?	work is authorized by t conform to all applicab s authorized representa	he owner of record and le laws of this jurisdic tive shall have the aut	d that I have been tion. In addition,	□ Approved □ Approved with Conditions □ Denied □ Date:
SIGNATURE OF APPLICANT Dan White	ADDRESS:	04 April 19 DATE:	97 PHONE	:	D. Andrus
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE		CEO DISTRICT
White-Pe	ermit Desk Green–Assessor's Ca	nary–D.P.W. Pink–P	ublic File Ivory Car	d–Inspector	X. Powers

	Applicant: DAn Whita Address: 47 Hay wood 8 C-B-L: 194-E-601
	Address: 47 Hay wood 0 C-B-L: 194-E-601
	CHECK-LIST AGAINST ZONING ORDINANCE
	Date - 645 1997
	Zone Location - R-3
	Interior or corner lot - 3000 of EAST reld Rd 59-63
	Proposed Use/Work - 12/ X18/ deckon Rent
	Sewage Disposal -
	Lot Street Frontage -
,	Front Yard - NA 7 Note: 14-423 King regured grad
ol	Rear Yard - 25 rey - 246 Shown) Adistance Not move
	Lot Street Frontage - Front Yard - NAA Rear Yard - 25 Sey - 24 6 "Shown Project into ANY required yard Adistance Not more Adistance Not more Side Yard - 20 sey on street side - 20 + Shown Than two feet Projections - Street Side - 20 + Shown Projections - Street Side - 20 + Shown Projections - Street Side - 20 + Shown The Lot Sill is
	Projections- Width of Lot- Weight-
	Width of Lot-
	Height-
	Lot Area - 9914#
	Lot Coverage/Impervious Surface - 25% of lot = 2478,5 # way
	Area per Family -
	Off-street Parking - 11/24×24 = 576 th
	Off-street Parking - Loading Bays - Site Plan - N $ \begin{array}{cccccccccccccccccccccccccccccccccc$
	Site Plan - \mathbb{N} \mathbb{A} $= 9364$
	Shoreland Zoning/Stream Protection - 60 26 × 36 70 \$
	Flood Plains -
	(6 X 1)
	New 12×18 = 3716
	21887

, DUILDING PERMIT REPORT
DATE: 9/APVI/97 ADDRESS: 42 Hay wood ST.
REASON FOR PERMIT: To 12X18' deck.
BUILDING OWNER: HidrethickhiTe
CONTRACTOR:
PERMIT APPLICANT: $1 \times 1 \times 2 \times 9$ PENNED DENNED

DITT DING DEBONGED DESCRIPT

CONDITION(S) OF APPROVAL

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
 - Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 - 8. Headroom in habitable space is a minimum of 7'6".
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
 - 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
 - 11. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

16. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. 17. The Fire Alarm System shall be maintained to NFPA #72 Standard. 18. The Sprinkler System shall maintained to NFPA #13 Standard. 19. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) X 20. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted. 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. 23. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office. 24. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code. 25. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade. 26. 27. 28.

Samuel Hoffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal


please check off the appropriate description Frost Wall, oin 4 below grade. FOUNDATION 8"chick Sono Tube, 47 below grade. . 6" min. on footing, hard pan or bedrock. Ocher SILL Size SPAN OF SILL Distance between foundation supports MAGS STRIOL JOISTS SIZE 1124"O.C. DISTANCE BETWEEN JOISTS 16"o.c. " DECKÍNG " other explain GUARD HEICHT DISTANCE BETWEEN BALUSTER 4" spacing between STAIR CONSTRUCTION minimum 9" tread


maximum 81/4" rise


please use space below for drawing of deck with measurements... ..

Lot 29 Maplewoods

(14-425)







GON TOOK 83



side view

