



**SHEET NOTES**

**Portland International  
Jetport**  
1001 Westbrook Street  
Portland, Maine 04102

2020 K Street, Northwest  
Suite 200  
Washington DC 20006  
Telephone 202.721.5200  
Facsimile 202.872.8587



Issue	Date & Issue Description	By	Check
01	10/28/09		
	ISSUED FOR PERMIT		

Seal/Signature

**Project Name**  
PWM Terminal Enhancement

**Project Number**  
09-6395-000

**Description**  
UNDERSLAB INSULATION DIAGRAM - LEVEL 3

**Scale**  
As indicated

**GENERAL NOTES**

- A PROVIDE R-10 POLYSTYRENE BO INSULATION UNDERNEATH SLAB ON GRADE REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- B PROVIDE R-5 SPRAY POLYURETHANE FOAM INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- C PROVIDE R-11 SPRAY POLYURETHANE FOAM INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- D PROVIDE R-13 SPRAY POLYURETHANE FOAM INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- E PROVIDE R-19 SPRAY POLYURETHANE FOAM INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- F NOT IN CONTRACT (NIC)

**INSULATION DIAGRAM - LEVEL 3**

SCALE: 1/16" = 1'-0"

A01.DS1

**A00.62**

© 2009 Gensler

M:\09-6395-000\BIM\Building Model\User Model Files\Clifford Takara\_09-6395-000\_PWM Jetport Expansion 00.rvt