

M:\09.6395.000\BIM\Building Model\\_User Model Files\Clifford Takara\_09.6395.000\_PWM Jetport Expansion 00.rvt

## SHEET NOTES

## 01 NO CEILING

- 02 CEILING BY TENANT 03 CONTROL JOINT. REFER TO 06/A12.80
- 04 LIGHTING BY TENANT 05 PATCH AND REPAIR CEILING AS REQUIRED. CEILING TO MATCH EXISTING.
- 06 GYP. CEILING. PAINTED P-01 07 ESCALATORS TO HAVE INTEGRAL LIGHTING STRIPS ON SIDE PANELS. PROVIDED BY ESCALATOR MANUFACTURER.
- 08 INSTALL CEILING AT EXISTING CEILING LINE & MAINTAIN EXIST. DIFFUSER AND LIGHTING LOCATIONS. CEILING TO MATCH EXISTING
- 09 2-HR RATED GYPSUM BOARD CEILING 10 CEILING MOUNTED TV; REFER TO TELECOM DRAWING AND PROJECT MANUAL FOR
- ADDITIONAL INFORMATION 12 PROVIDE LIGHT FIXTURE AT EVERY STAIR LANDING U.O.N. REFER TO ELECTRICAL ENGINEER DRAWINGS FOR MORE
- INFORMATION. 13 FIRE SHUTTER
- 14 SIGNAGE AND WAYFINDING: REFER TO A07 SERIES DRAWING FOR ADDITIONAL INFORMATION
- 15 ACCESS PANEL FOR FIRE SHUTTER. COORDINATE EXACT LOCATION OF PANEL WITH ARCHITECT. 16 12" ROUND ACCESS PANEL
- FIXTURES; SIGN DEVICES AS PER EXISTING LAYOUT

## Portland International Jetport

1001 Westbrook Street Portland, Maine 04102



2020 K Street, Northwest Suite 200

Issue	Date & Issue Description	Ву	Check
01	07/11/08		
	SCHEMATIC DESIGN		
02	09/22/08		
	DESIGN DEVELOPMENT		
03	12/03/08		
	75% CONSTRUCTION DOCUMEN	rs	
04	01/23/09		
	95% CONSTRUCTION DOCUMEN	ſS	
05	10/26/09		
	ISSUED FOR PERMIT		

Seal/Signature

WILLIAM D. HOOPE

Project Name PWM Terminal Enhancement

Project Number 09.6395.000

Description

REFLECTED CEILING PLAN - LEVEL 3 - ZONE 6

Scale As indicated

© 2009 Gensler





## **GENERAL NOTES**

- A FOR LIGHTING TYPES, DETAILS AND INFORMATION REFER TO PROJECT MANUAL.
  B FOR DIFFUSER INFORMATION AND QUANTITY, REFER TO PROJECT MANUAL.
  C ALL GWB CEILINGS TO BE PAINTED P-01 U.O.N.
  D SPRINKLER HEADS ARE SHOWN FOR DESIGN INTENT ONLY DEFER TO FIRE PROTECTION.

- D SPRINCLER HEADS ARE SHOWN FOR DESIGN INTENT ONLY. REFER TO FIRE PROTECTION DRAWINGS FOR ADDITIONAL INFORMATION.
   E FOR CAMERA LOCATION AND MOUNTING DETAILS RE: TO IT AND COMMUNICATION ENGINEERS
- DRAWINGS. F ALL HOLDROOM CEILINGS TO BE ACT-01 U.O.N.
- G ACT CEILINGS TO BE CENTERED IN EACH ROOM U.O.N.

KEY PLAN 54 3 2 1