

SHEET NOTES

- 01 RUN PIPE TO AVOID UPPER WALL RETURN PLENUM.
- 02 RUN HWS/HWR CONCEALED IN FINNED RADIATION ENCLOSURE.
- 03 1" EMERGENCY GENERATOR FUEL OIL SUPPLY & RETURN DOWN THROUGH FLOOR. PROVIDE SOV MOUNTED 5'-0" AFF.
- 04 2" DAY TANK FUEL OIL SUPPLY & 1-1/4" RETURN. RUN ALONG NORTH MECHANICAL ROOM WALL. COORDINATE W/ RAIN LEADER PLUMBING SHOWN ON SHEET P02.04.06.

Portland International Jetport

1001 Westbrook Street
Portland, Maine 04102

Gensler

2020 K Street, NW
Suite 200
Washington, DC 20006
Telephone 202.721.5200
Facsimile 202.872.8587

oest ASSOCIATES, INC.
360 Galloway Road, South Portland, ME 04106 P: (207) 741-1770 F: (207) 774-2461 www.oest.com
engineers • architects • surveyors • construction managers

GENERAL NOTES

- A SEE SHEET M00.00 FOR LEGEND AND GENERAL NOTES.
- B MAINTAIN 18" MIN CLEARANCE FROM RADIANT TUBING TO FLOOR DRAINS, COLUMN WRAPS, PLUMBING FIXTURES, EQUIPMENT SUPPORTS, AND PIPING AT FLOORS.
- C RUN ALL PIPING HIGH AS POSSIBLE WITHIN BEAM POCKET.

Issue	Date & Issue Description	By	Check
01	07/11/08		
02	09/22/08	SCHEMATIC DESIGN	PWZ RHB
03	12/03/08	DESIGN DEVELOPMENT	PWZ RHB
04	01/23/09	75% CONSTRUCTION DOCUMENTS	PWZ RHB
05	10/26/09	95% CONSTRUCTION DOCUMENTS	PWZ RHB
		ISSUED FOR PERMIT	


Signature: *Robert Brown*

Project Name: PWM Terminal Enhancement

Project Number: 09-6395-000
CAD File Name: T:\6330\101\Sheets\M02.04.06.dwg
Description: MECHANICAL PIPING PLAN - LEVEL 4 - ZONE 6

Date: 10/26/09

KEY PLAN



Scale: 1/8" = 1'-0"

Ref. North

M02.04.06