

SHEET NOTES

- 01 NUMBER OF UNITS SHOWN IS FOR DIAGRAMMATICAL PURPOSES ONLY. ACTUAL NUMBER OF INSTALLED UNITS VARIES.
- 02 CONTRACTOR SHALL BE RESPONSIBLE FOR UPDATING THE SOFTWARE HOUSE C-CURE SERVER TO THE MOST UP-TO-DATE VERSION OF SOFTWARE AVAILABLE AT THE TIME OF PURCHASE. REFER TO THE PROJECT SPECIFICATIONS FOR FURTHER INFORMATION.

Portland International Jetport


1001 Westbrook Street
Portland, Maine 04102

Gensler



2020 K Street, Northwest
Suite 200
Washington DC 20006
Telephone 202.721.5200
Facsimile 202.872.8587

Arora Engineers, Inc.
61 Wilmington - West Chester
Pike
Suite # 100
Chadds Ford, PA 19317
T: (610) 459-7900
F: (610) 459-7950




1 TYPICAL SECURITY NETWORK ARCHITECTURE
SS12.05

GENERAL NOTES

- A ALL INTERCONNECTIONS SHALL BE THROUGH CONDUIT WHICH IS RUN CONCEALED.
- B NO SECURITY CABLES ARE TO BE RUN EXPOSED.
- C REFER TO ELECTRICAL DRAWINGS FOR COORDINATION OF 120VAC POWER TO EACH DOOR INTERFACE PANEL.
- D POWER TO ALL EQUIPMENT IN TELECOMMUNICATION ROOMS PROVIDED BY ELECTRICAL PANEL IN ROOM. REFER TO ELECTRICAL DRAWINGS FOR DETAILS.

Issue	Date & Issue Description	By	Check
	10/26/09		
	100% ISSUED FOR PERMIT		

Seal/Signature



Project Name
PWM TERMINAL EXPANSION

Project Number

CAD File Name

SS12.05

Description

SECURITY & SURVEILLANCE

SECURITY DOOR NETWORK ARCHITECTURE

Scale

As Indicated

SS12.05

© 2006 Gensler