

Assembly	Number	ri	Type	Door				Frame				Assembly Rating			Hardware Group	Remarks		
				Width	Height	Thickness	Material	Finish	Material	Finish	Details			Fire Rating			Temp Rise	Smoke Label
											Head	Jamb	Sill					
2527C	STAIR	A1	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			65		
2527D	STAIR	A1	4'-0"	7'-0"	1 3/4"	HM	P-07	HM	P-07	11/A12.14	12/A12.14	4/A12.15	1 1/2			11		
2528A	FIXED LINK	B	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	3/A12.65	7/A12.65	2/A12.76	-			54		
2528B	FIXED LINK	A1	4'-0"	7'-0"	1 3/4"	HM	P-08	HM	P-08	14/A12.15	18/A12.15	15/A12.15	-			6		
2528C	STAIR	A1	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			65		
2528D	STAIR	A1	4'-0"	7'-1"	1 3/4"	HM	P-07	HM	P-07	11/A12.14	12/A12.14	4/A12.15	1 1/2			11		
2529A	FIXED LINK	B	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	3/A12.65	7/A12.65	2/A12.76	-			64		
2529B	FIXED LINK	A1	4'-0"	7'-0"	1 3/4"	HM	P-08	HM	P-08	14/A12.15	18/A12.15	15/A12.15	-			6		
2529C	STAIR	A1	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			65		
2529D	STAIR	A1	4'-0"	7'-1"	1 3/4"	HM	P-07	HM	P-07	11/A12.14	12/A12.14	4/A12.15	1 1/2			11		
2530A	HOLDROOM	B	4'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	3/A12.65	7/A12.65	2/A12.76	-			64		
2530B	FIXED LINK	A1	4'-0"	7'-0"	1 3/4"	HM	P-08	HM	P-08	14/A12.15	18/A12.15	15/A12.15	-			6		
3400	VESTIBULE	E2	16'-0"	8'-0"	4"	AL/GL	IG-03	AL	-	11/A12.66	7 & 12/A12.66	SIM	-			76	REFER TO PROJECT MANUAL 08 42 29 23	
3500A	VESTIBULE	L	8'-0"	7'-0"	1 3/4"	MTL	SEE SPEC	MTL	SEE SPEC	-	-	-	3			76	FOR PRICING PURPOSE, REFER TO PROJECT MANUAL OR PROVIDE APPROVED EQUAL	
3500B	STAIR	A2	5'-0"	7'-10"	1 3/4"	HM	P-07	HM	P-07	6/A12.64	6/A12.64	4/A12.15	1 1/2			68		
3501A	MECHANICAL ROOM	A2	5'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.15	1 1/2			68		
3501B	MECHANICAL ROOM	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.15	1 1/2			53		
3502A	VESTIBULE	P	3'-0"	7'-10"	1 3/4"	HM	P-07	HM	P-07	6/A12.64	6/A12.64	4/A12.15	1 1/2			74		
3502B	VESTIBULE	A1	3'-0"	7'-0"	1 3/4"	HM	P-07	HM	P-07	6/A12.62	9/A12.62	4/A12.76	1 1/2			73		
3506	CHASE	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	SIM	-			62		
3507A	SECURITY OPS	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	18/A12.63	19/A12.63	2/A12.76	-			58		
3507B	SECURITY OPS	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	18/A12.63	19/A12.63	2/A12.76	-			58		
3508	IDF	A1	3'-6"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	3/A12.76	1 1/2			70		
3510	PRIVATE SEARCH	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	-	-			71		
3511	PRIVATE SEARCH	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	-	-			71		
3512	PRIVATE SEARCH	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	-	-			71		
3513A	BY-PASS LANE	E1	14'-0"	8'-0"	4"	AL/GL	IG-03	AL	-	11/A12.66	6 & 12/A12.66	-	-			77	REFER TO PROJECT MANUAL 08 42 29 23	
3513B	BY-PASS LANE	E1	14'-0"	8'-0"	4"	AL/GL	IG-03	AL	-	11/A12.66	7 & 12/A12.66	-	-			77	REFER TO PROJECT MANUAL 08 42 29 23	
3514A	SECURE CIRCULATION	A2	5'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	18/A12.63	19/A12.63	4/A12.76	-			85		
3514B	STAIR	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			87		
3516	ELEC CLOSET	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			69		
3517A	GENERATOR RM	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.15	2			3		
3517B	GENERATOR RM	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.15	2			3		
3518	CORRIDOR	A2	5'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	-	-			75		
3519	ELEV. CTRL RM	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			69		
3520	STORAGE	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	-	-			62		
3521	STORAGE	A2	5'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	-	-			75		
3522A	VESTIBULE	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	18/A12.63	19/A12.63	2/A12.76	-			61		
3522B	LEO ROOM	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	-	-			52		
3523	OFFICE	A1	3'-0"	7'-0"	1 3/4"	HM	P-01	HM	P-01	8/A12.62	9/A12.62	-	-			67		
4500A	MECHANICAL WELL	O	3'-6"	6'-8"	1 3/4"	HM	P-07	HM	P-07	22/A12.00	23/A12.00	2/A12.15	1 1/2			8		
4500B	MECHANICAL WELL	A1	4'-0"	7'-0"	1 3/4"	HM	P-07	HM	P-07	22/A12.00	23/A12.00	2/A12.15	1 1/2			2		

Assembly	Number	ri	Type	Door				Frame				Assembly Rating			Hardware Group	Remarks		
				Width	Height	Thickness	Material	Finish	Material	Finish	Details			Fire Rating			Temp Rise	Smoke Label
											Head	Jamb	Sill					
1490A		F	14'-1 1/2"	8'-0"	0"	MTL	SEE NOTE	MTL	-	2/A12.79	1.2 & 3/A12.78	-	3			-	REFER TO PROJECT MANUAL 08 33 32	
1490B		F	12'-0"	8'-0"	0"	MTL	SEE NOTE	MTL	-	2/A12.79	1.2 & 3/A12.78	-	3			-	REFER TO PROJECT MANUAL 08 33 32	
1500A	BAGGAGE OUTBOUND	M	11'-6"	12'-8"	2"	MTL	SEE NOTE	MTL	-	7/A12.15	5&8/A12.15	12/A12.15	-			79	COLOR TO MATCH AIRSIDE EXISTING EXTERIOR DOORS AT EXISTING TERMINAL. RE: PROJECT MANUAL 08 33 23	
1500B	BAGGAGE OUTBOUND	M	19'-0"	12'-8"	2"	MTL	SEE NOTE	MTL	-	7/A12.15	5&8/A12.15	12/A12.15	-			79	COLOR TO MATCH AIRSIDE EXISTING EXTERIOR DOORS AT EXISTING TERMINAL. RE: PROJECT MANUAL 08 33 23	
1500C	BAGGAGE OUTBOUND	M	20'-0"	9'-9"	2"	MTL	SEE NOTE	MTL	-	11/A12.15	13&17/A12.15	12/A12.15	-			79	COLOR TO MATCH P-7	
1500D	BAGGAGE OUTBOUND	M	12'-6"	9'-9"	2"	MTL	SEE NOTE	MTL	-	11/A12.15	13&17/A12.15	12/A12.15	-			79	COLOR TO MATCH P-7	
1500E	BAGGAGE OUTBOUND	A1	3'-0"	7'-0"	1 3/4"	HM	SEE NOTE	MTL	-	-	-	-	-			5	REPLACE DOOR AS REQUIRED TO ACCOMMODATE NEW HARDWARE. COLOR TO MATCH EXISTING.	
1501A	BAGGAGE OUTBOUND	A2	6'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	4/A12.15	1 1/2			59		
1501B	BAGGAGE OUTBOUND	A1	3'-0"	5'-6"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	4/A12.15	1 1/2			86		
1502	AIRLINE OPS	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			56		
1503A	CORRIDOR	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	3/A12.15	1 1/2			86		
1503B	CORRIDOR	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			86		
1503C	CORRIDOR	A1	3'-6"	7'-0"	1 3/4"	HM	P-01	HM	P-01	18/A12.63	19/A12.63	3/A12.15	1 1/2			66		
1503D	LOADING DOCK	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	3/A12.15	-			51		
1504	BHS CONTROL RM	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.76	-			53		
1505	BHS SERVER RM	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			61		
1506A	LOADING DOCK	A2	8'-0"	7'-9"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	4/A12.15	1 1/2			75		
1506B	LOADING DOCK	A1	3'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	9/A12.15	10/A12.15	4/A12.15	1 1/2			81		
1507	OSR	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.76	-			57		
1508	CORRIDOR	A1	3'-0"	5'-6"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	3/A12.15	1 1/2			86	SERVICE MAN-DOOR ONLY	
1509A	ETD	A2	6'-0"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.76	-			60		
1509B	ETD	A1	3'-6"	7'-0"	1 3/4"	HM	P-06	HM	P-06	8/A12.62	9/A12.62	4/A12.76	-			57		
1510A	TICKET HALL	K	16'-0"	8'-2 7/16"		MTL/GL	SEE SPEC	MTL	SEE SPEC	11/A12.13	5 & 9/A12.01	12 & 17/A12.13	-			-		
1510B	TICKET HALL	J	3'-0"	7'-1"	1 3/4"	AL	-	AL	-	15/A12.13	5/A12.01	16/A12.13	-			7		
1510C	TICKET HALL	K	16'-0"	8'-2 7/16"		MTL/GL	SEE SPEC	MTL	SEE SPEC	11/A12.13	5 & 9/A12.01	12 & 17/A12.13	-			-		
1510D	TICKET HALL	J	3'-0"	7'-1"	1 3/4"	AL	-	AL	-	15/A12.13	5/A12.01	16/A12.13	-			7		
1510E	TICKET HALL	K	16'-0"	8'-2 7/16"		MTL/GL	SEE SPEC	MTL	SEE SPEC	11/A12.13	5 & 9/A12.01	12 & 17/A12.13	-			-		
1510F	TICKET HALL	J	3'-0"	7'-1"	1 3/4"	AL	-	AL	-	15/A12.13	5/A12.01	16/A12.13	-			7		
1510G	TICKET HALL	J	3'-0"	7'-2"	1 3/4"	AL	-	AL	P-07	15/A12.13	5 & 9/A12.01	16/A12.13	-					