

SHEET NOTES

- 01 1/2" DN W BALL VALVE TO TRAP PRIMER.
- 02 3/4" HW & CW DN TO P-6.
- 03 3/4" CW W BALL VALVE DN TO NFHB.
- 04 BOTTOM OF PIPING INCLUDING INSULATION MUST BE KEPT ABOVE BOTTOM OF ADJACENT STEEL BEAM.
- 05 1" CW DN W BALL VALVE & DRAIN TO HR-1
- 06 TERMINATE SRC 12" ABOVE FINISHED GRADE WITH DC.
- 07 SEE P02.01.05 FOR CONTINUATION.
- 08 SEE C02.02 FOR CONTINUATION.
- 09 2" REFRIGERATION CONDENSATE INDIRECT WASTE STAND PIPE
- 10 1/2" PEX TUBING PRIMER TO FD TRAP
- 11 1/2" CW DN TO P-6
- 12 RUN PIPING ON SIDES OF COLUMN, KEEP FACE OF COLUMN CLEAR FOR INSTALLATION OF SECURITY & ALARM EQUIPMENT & APPARATUS.

Portland International Jetport
 1001 Westbrook Street
 Portland, Maine 04102

Gensler


oest ASSOCIATES, INC.
 360 Governors Road, South Portland, ME 04106 P: (207) 741-1770 F: (207) 774-2466 www.oest.com
 engineers • architects • surveyors • construction managers

2020 K Street, NW
 Suite 200
 Washington, DC 20006
 Telephone 202.721.5200
 Facsimile 202.872.8587

GENERAL NOTES

A SEE SHEET P00.00 FOR LEGEND AND GENERAL NOTES.

Issue	Date & Issue Description	By	Check
01	07/11/08	PWZ	JS
02	09/22/08	PWZ	JS
03	12/03/08	KLM	JS
04	01/23/09	CM	JS
05	10/26/09	PWZ	JS



Project Name
 PWM Terminal Enhancement

Project Number
 09-6395-000

CAD File Name
 T:\6330\101\Sheets\P02.02.05.dwg

Description
 PLUMBING PLAN - LEVEL 2 - ZONE 5

Scale
 1/8" = 1'-0"

P02.02.05

©2009 Gensler

PLUMBING PLAN - LEVEL 2 - ZONE 5
 SCALE: 1/8" = 1'-0"

KEY PLAN

