

**SHEET NOTES**

- E00 INDICATES EDGE OF DECK.
- D3 INDICATES DIRECTION OF SPAN OF ROOF DECKING. ROOF DECK TO BE 3" X 6" (NOMINAL) SOUTHERN YELLOW PINE, END-MATCHING (TONGUE AND GROOVE), WITH A RANDOM LENGTH CONTINUOUS LAY-UP INSTALLATION WITH 1/2" THICK STRUCTURAL PLYWOOD.
- INDICATES LOCATION OF MOMENT CONNECTION CAPABLE OF DEVELOPING THE FULL MOMENT CAPACITY OF THE FLEXURAL ELEMENT.
- 12K (EXAMPLE) INDICATES TOTAL VERTICAL END REACTION IN KIPS (LRFD/FACTORED) FOR STEEL TO STEEL CONNECTION DESIGN.
- 20K(H) (EXAMPLE) INDICATES TOTAL HORIZONTAL END REACTION IN KIPS (LRFD/FACTORED) FOR STEEL TO STEEL CONNECTION DESIGN.
- MA (EXAMPLE) INDICATES MOMENT CONNECTION - SEE MOMENT SCHEDULE ON SHEET S02.03.04.
- (SL) INDICATES SLOPED BEAM.
- (E) INDICATES EXISTING.
- AESS INDICATES ARCHITECTURALLY EXPOSED STRUCTURAL STEEL.
- GL# INDICATES GLUE LAM BEAM, SEE SHEET S02.RP.06 FOR SCHEDULE.

**Portland International Jetport**  
 1001 Westbrook Street  
 Portland, Maine 04102

**Gensler**

**oest ASSOCIATES, INC.**  
 343 Gorham Road, South Portland, ME 04106  
 P: (207) 781-1770 F: (207) 774-1246 www.oest.com  
 engineers • architects • surveyors • construction managers

**amec**

343 Gorham Road, South Portland ME 04106  
 P: (207) 781-1770 F: (207) 774-1246 www.amec.com

2020 K Street, NW  
 Suite 200  
 Washington, DC 20006  
 Telephone 202.721.5200  
 Facsimile 202.872.8587



THESE DRAWINGS ARE ISSUED FOR CONSTRUCTION AND REFLECT ALL AMEC ISSUED BULLETINS AND SKETCHES.

Issue	Date & Issue Description	By	Check
-- 01	07/11/08	JDE	--
-- 02	09/22/08	JDE	--
-- 03	12/03/08	JDE	--
-- 04	01/23/09	JDE	--
-- 05	10/26/09	JDE	--
Δ 06	02/03/10	JDE	--
Δ 07	05/03/10	JDE	--
145	09/01/11	JDE	--

**GENERAL NOTES**

1. ALL EXISTING CONDITIONS SHALL BE VERIFIED IN THE FIELD PRIOR TO BEGINNING OF ANY WORK. IF EXISTING FIELD CONDITIONS DO NOT PERMIT THE INSTALLATION OF THE WORK IN ACCORDANCE WITH THE DETAILS AS SHOWN, THE CONTRACTOR SHALL NOTIFY THE ARCHITECT IMMEDIATELY AND PROVIDE A SKETCH OF THE CONDITION WITH PROPOSED MODIFICATION FOR REVIEW BY ARCHITECT.
2. CONTRACTOR TO CONFIRM ALL DIMENSIONS AND ELEVATIONS WITH ARCHITECTURAL DRAWINGS PRIOR TO START OF WORK.
3. FINISHED ROOF ELEVATION = (+) VARIES RE: ARCH. TOP OF STEEL ELEVATION = (+) VARIES UNLESS NOTED OTHERWISE (+/-) RELATIVE TO THIS ELEVATION.
4. FRAMING NOT SPECIFICALLY DIMENSIONED SHALL BE ASSUMED EQUALLY SPACED.
5. SEE SHEET S00.00 FOR GENERAL STRUCTURAL NOTES AND DESIGN LIMITS.
6. DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY.
7. ALL ROOF FRAMING MEMBERS SHALL BE PROPERLY BRACED BY THE CONTRACTOR UNTIL THE STRUCTURAL ROOF DIAPHRAGM HAS BEEN COMPLETELY CONSTRUCTED.
8. SEE ARCHITECTURAL DRAWINGS FOR ROOF SLOPES.
9. CONTRACTOR SHALL COORDINATE ALL ROOF OPENINGS WITH MECHANICAL DRAWINGS. ALL ROOF OPENINGS LARGER THAN 10" DIAMETER OR SQUARE SHALL BE SUPPORTED ON FRAME (SEE SHEET S12.04). ANY OPENING NOT SHOWN ON THIS DRAWING SHALL NOT BE CONSTRUCTED WITHOUT THE ARCHITECT'S APPROVAL.
10. METAL STUD GAGES SHALL BE SELECTED BASED ON THE STUD DEPTHS SHOWN ON THE ARCHITECTURAL PLANS, WIND LOAD = 35 PSF AND MAXIMUM DEFLECTION OF 1/360 OR 0.3" @ BRICK VENEER, H/360 FOR PANEL WALL. - VERTICAL DEFLECTION CLIPS FOR ALL STUDS ATTACHING TO BEAMS.

**KEY PLAN**



Project Name  
 PWM Terminal Enhancement

Project Number  
 08.6395.000

CAD File Name  
 T:\5330101\SHEETS\S02.RP.05.DWG

Description  
 FRAMING PLAN - ROOF - ZONE 5

Scale  
 1/8" = 1'-0"

**S02.RP.05**

**FRAMING PLAN - ROOF - ZONE 5**  
 SCALE: 1/8" = 1'-0"