



ARCHITECTURE 144 Fore Street, P.O. Box 618
 Portland, Maine 04104
 Tel: (207) 775-3646
 Fax: (207) 772-1070
 www.smrtinc.com

SMRT
 INTERIORS
 ENERGY

PROJECT NO. 17033 PROJECT MGR. JCDRAWIN JAE OF RECORD
 DRG. JC

ISSUED FOR CONSTRUCTION	DATE: 12/21/17	STATUS:
0	BY:	12/21/17
THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM SEBAGO TECHNICAL SERVICES, INC.		

SEBAGO
 TECHNICAL SERVICES

75 John Roberts Rd., Suite 1A
 South Portland, ME 04106
 Tel: (207) 200-2100
 Fax: (207) 283-6660

PROJECT NO. 17033 DESIGN CHKD DRAWN


MECHANICAL LEGEND AND ABBREVIATIONS

OF:
PORTLAND INTERNATIONAL JETPORT
GATE UPGRADES
 1001 WESTBROOK STREET
 PORTLAND, MAINE 04102


DATE	SCALE
12/21/17	NOT TO SCALE

1.M-001


AIR DISTRIBUTION SYMBOLS



PIPING SYMBOLS



GENERAL SYMBOLS



ABBREVIATIONS

AAV	AUTOMATIC AIR VENT	ENC	ENCLOSURE	PSE	PROCESS SOLVENT EXHAUST
ACC	AIR COOLED CONDENSER	ER	EXHAUST REGISTER	PP	POLY-PROPYLENE
ACU	AIR CONDITIONING UNIT	(E)	EXISTING	PPE	PREPURCHASED EQUIPMENT
AD	ACCESS DOOR	EXIST	EXISTING	PRS	PRESSURE REDUCING STATION
AE	ACID EXHAUST	FBO	FURNISHED BY OWNER	PRV	PRESSURE REDUCING VALVE
AFF	ABOVE FINISHED FLOOR	FBP	FACE AND BYPASS	PVD	PNEUMATIC VOLUME DAMPER
AFMS	AIR FLOW MEASURING STATION	FC	FLEXIBLE CONNECTOR	(R)	REMOVE
AHU	AIR HANDLING UNIT	FD	FIRE DAMPER	RA	RETURN AIR
ATC	AUTOMATIC TEMPERATURE CONTROL	FG	FIBERGLASS	(REL)	RELOCATED
AV	AIR VENT	F&T	FLOAT AND THERMOSTATIC	RF	RETURN FAN
BB	BASEBOARD	FO	FLAT OVAL	RG	RETURN GRILLE
BDD	BACKDRAFT DAMPER	FTR	FINNED TUBE RADIATION	RHC	REHEAT COIL
BG	BLAST GATE	FS	FLOW SWITCH	RM	ROOM
BLDG	BUILDING	GC	GENERAL CONTRACTOR	RR	RETURN REGISTER
BOD	BOTTOM OF DUCT	GPM	GALLONS PER MINUTE	RV	RELIEF VALVE
BOP	BOTTOM OF PIPE	H	HUMIDIFIER	SA	SUPPLY AIR
BTU	BRITISH THERMAL UNIT	HB	HOSE BIBB	SCV	SELF CONTAINED VALVE
CBD	COUNTER BALANCED DAMPER	HRU	HEAT RECOVERY UNIT	SD	SMOKE DETECTOR
CD	CEILING DIFFUSER	HTR	HEATER	SF	SUPPLY FAN
CFF	CAPPED FOR FUTURE	H & V	HEATING AND VENTILATING	SG	SUPPLY GRILLE
CFM	CUBIC FEET PER MINUTE	HVAC	HEATING, VENTILATING AND AIR CONDITIONING	SR	SUPPLY REGISTER
CLG	CEILING	HW	HOT WATER	SS	STAINLESS STEEL
CONT	CONTINUATION	HX	HEAT EXCHANGER	TE	TEMPERATURIZED ELEMENT (SENSOR)
CONV	CONVECTOR	IN WG	INCHES WATER GAUGE	TG	TRANSFER GRILLE
COORD	COORDINATION	MAU	MAKEUP AIR UNIT	TOD	TOP OF DUCT
CT	COOLING TOWER	MAX	MAXIMUM	TOP	TOP OF PIPE
CTE	CONNECT TO EXISTING	MBH	1000 BTU/HR	TTS	TIGHT TO STEEL
CU	COPPER	MD	MOTORIZED DAMPER	TV	TURNING VANE(S)
CUH	CABINET UNIT HEATER	ME	MECHANICAL ENGINEER	TYP	TYPICAL
CV	CONTROL VALVE	MFR	MANUFACTURER	UH	UNIT HEATER
CW	COLD WATER	MIN	MINIMUM	UIC	UP IN CHASE
DC	DOUBLE CONTAINED	MPV	MULTI-PURPOSE VALVE	UIW	UP IN WALL
DDC	DIRECT DIGITAL CONTROL	MTD	MOUNTED	UV	UNIT VENTILATOR
DIA	DIAMETER	MUA	MAKE UP AIR	VAV	VARIABLE AIR VOLUME BOX
DIC	DOWN IN CHASE	NPW	NON-POTABLE WATER	VB	VACUUM BREAKER
DIW	DOWN IN WALL	NTS	NOT TO SCALE	VCFF	VALVED AND CAPPED FOR FUTURE
DN	DOWN	OA	OUTSIDE AIR	VD	MANUAL VOLUME DAMPER
DT	DROP AND TRANSITION	OBD	OPPOSED BLADE DAMPER	VFD	VARIABLE FREQUENCY DRIVE
DWG	DRAWING	OED	OPEN ENDED DUCT	VRF	VARIABLE REFRIGERANT FLOW
DWH	DOMESTIC WATER HEATER	PAE	PROCESS ACID EXHAUST	VOC	VOLITILE ORGANIC COMPOUND
EA	EXHAUST AIR	PHE	PROCESS HEAT EXHAUST	VTR	VENT THROUGH ROOF
EF	EXHAUST FAN			W/	WITH

PIPING SYSTEMS

CD	CONDENSATE DRAIN	HG	HOT GAS	RL	REFRIGERANT LIQUID
CHWS	CHILLED WATER SUPPLY	HPS	HIGH PRESSURE STEAM	RS	REFRIGERANT SUCTION
CHWR	CHILLED WATER RETURN	HPR	HIGH PRESSURE CONDENSATE RETURN	TWS	TEMPERED CHILLED WATER SUPPLY
CWS	CONDENSER WATER SUPPLY	HWS	HOT WATER SUPPLY	TWR	TEMPERED CHILLED WATER RETURN
CWR	CONDENSER WATER RETURN	HWR	HOT WATER RETURN	ZB	ZONE VALVE BOX
DB	DISTRIBUTION VALVE BOX	LPS	LOW PRESSURE STEAM		
FCS	FREE COOLING SUPPLY	LPR	LOW PRESSURE		
FCR	FREE COOLING RETURN	MPS	MEDIUM PRESSURE STEAM		
FOS	FUEL OIL SUPPLY	MPR	MEDIUM PRESSURE RETURN		
FOR	FUEL OIL RETURN	NPW	NON POTABLE COLD WATER		
FOV	FUEL OIL VENT	PCWR	PROCESS COOLING WATER RETURN		
GCR	GRAVITY STEAM CONDENSATE RETURN	PC	PUMPED STEAM CONDENSATE		
GLY	GLYCOL	PD	PUMPED DISCHARGE		
HCR	HOT/CHILLED WATER RETURN	PW	POTABLE WATER		
HCS	HOT/CHILLED WATER SUPPLY	R	RELIEF LINE		

GENERAL NOTE:

1. ALL GENERAL NOTES, SYMBOL LISTS, AND DETAILS ARE TO BE CONSIDERED AS APPLICABLE TO ALL MECHANICAL DRAWINGS FOR THIS PROJECT. SYMBOLS AND ABBREVIATIONS SHOWN ON THIS SHEET ARE FOR REFERENCE ONLY AND DO NOT INDICATE THEIR INCORPORATION INTO THE DESIGN.