


SHEET NOTES

Portland International Jetport
 1001 Westbrook Street
 Portland, Maine 04102

Gensler
 2020 K Street, Northwest
 Suite 200
 Washington DC 20006
 Telephone 202.721.5200
 Facsimile 202.872.8587

Date	Description
10/26/09	ISSUED FOR PERMIT
9 02/08/10	BULLETIN #6
145 09/01/11	ISSUED FOR CONSTRUCTION

Seal/Signature



Project Name
PWM Terminal Enhancement

Project Number
09.6395.000

Description
UNDERSLAB INSULATION DIAGRAM - LEVEL 2

Scale
As indicated

A00.61

© 2009 Gensler

GENERAL NOTES

- A PROVIDE R-10 POLYSTYRENE BD INSULATION UNDERNEATH SLAB ON GRADE REFER TO SECTION 07 21 00 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- B PROVIDE R-8 SPRAY CELLULOSE INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 29 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- C PROVIDE R-11 SPRAY CELLULOSE INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 29 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- D PROVIDE R-13 SPRAY CELLULOSE INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 29 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- E PROVIDE R-19 SPRAY CELLULOSE INSULATION UNDERNEATH SUSPENDED DECK REFER TO SECTION 07 21 29 IN THE PROJECT MANUAL FOR ADDITIONAL INFORMATION.
- F NOT IN CONTRACT (NIC)

INSULATION DIAGRAM - LEVEL 2

SCALE: 1/16" = 1'-0"

A01.DS1