SHEET NOTES 01 LAMINATED WOOD DECK ON GLULAM GIRTERS, BEAMS AND PURLINS. TO RECEIVE Portland International FIRE RETARDENT COATING (PER SECTION 09 Jetport 96 43) AND STAINED (PER 09 93 00). REFER TO STRUCTURAL DRAWINGS FOR MORE INFORMATION. 1001 Westbrook Street 02 BOTTOM OF SCHEDULED FIXTURE AT Portland, Maine 04102 MECHANICAL WALL IS TO MATCH TOP ELEVATION OF WIND GIRT. 03 PROVIDE LIGHT FIXTURE AT EVERY STAIR LANDING U.O.N. REFER TO ELECTRICAL DRAWINGS FOR MORE INFORMATION. 04 EXPOSED STEEL TO BE GLAVANIZED 05 SCHEDULED FIXTURE MOUNTED AT WIND GIRT. RE: PROJECT MANUAL FOR LIGHT MOUNTING LOCATION AND DETAILS. 06 FIXTURE FH IS LOCATED AT TREE COLUMN WITHIN AN ARCHITECTURAL FIN. RE: DETAIL 5/A12.75 2020 K Street, Northwest Suite 200 Gensier Washington DC 20006 Telephone 202.721.5200 Facsimile 202.872.8587 1 A04.05.06 Seal/Signature **GENERAL NOTES** A FOR LIGHTING TYPES, DETAILS AND INFORMATION REFER TO PROJECT MANUAL. B FOR DIFFUSER INFORMATION AND QUANTITY, REFER TO PROJECT MANUAL. C ALL GWB CEILINGS TO BE PAINTED P-01 U.O.N. D SPRINKLER HEADS ARE SHOWN FOR DESIGN INTENT ONLY. REFER TO FIRE PROTECTION DRAWINGS FOR ADDITIONAL INFORMATION. E ALL LIGHTING AND EMERGENCY LIGHTING CONDUIT IS TO BE HELD TIGHT TO UNDERSIDE OF GL-4. F CABBOT WOOD STAIN AT GLULAM P-03 U.O.N. PWM Terminal Enhancement G EXPOSED STRUCTUAL STEEL AND GLULAM SUPPORTS TO BE P-02 U.O.N. 09.6395.000 REFLECTED CEILING PLAN - LEVEL 5 - ZONE 4 KEY PLAN As indicated 17.8 REFLECTED CEILING PLAN - LEVEL 5 - ZONE 4 A09.00