

**SHEET NOTES**

- 01 PROVIDE 120V CIRCUIT FOR CONTROL VOLTAGE TO TRASH COMPACTORS.
- 02 PROVIDE 3/4" CONDUIT WITH PULL STRING FOR PANEL HHB2 TO THIS LOCATION FOR FUTURE TRASH COMPACTOR.
- 03 PROVIDE 3/4" CONDUIT WITH PULL STRING FROM PANEL HLB1 TO THIS LOCATION FOR FUTURE TRASH COMPACTOR CONTROLS.

**Portland International Jetport**

1001 Westbrook Street  
Portland, Maine 04102

**Gensler**  
2020 K Street, NW  
Suite 200  
Washington, DC 20006  
Telephone 202.771.5200  
Facsimile 202.872.8587

**oest ASSOCIATES, INC.**  
343 Gorham Road, South Portland, ME 04106 P: (207) 761-1770 F: (207) 774-1246 www.oest.com  
engineers - architects - surveyors - construction managers

**amec**  
343 Gorham Road, South Portland ME 04106  
P: (207) 761-1770 F: (207) 774-1246 www.amec.com


THESE DRAWINGS ARE ISSUED FOR CONSTRUCTION AND REFLECT ALL AMEC ISSUED BULLETINS AND SKETCHES.

Issue	Date & Issue Description	By	Check
01	12/03/08	LAM	BHG
02	01/23/09	LAM	BHG
03	10/26/09	LAM	BHG
04	11/02/09	LAM	BHG
05	09/01/11	LAM	BHG

**GENERAL NOTES**

- A SEE SHEET E00.00 FOR LEGEND AND GENERAL NOTES.
- B CONTRACTOR SHALL REFER TO FIRE ALARM, SECURITY, IT, AND PUBLIC ADDRESS SYSTEMS DRAWINGS FOR CONDUITS & WIRING REQUIREMENTS.

**KEY PLAN**



Scale: 1/8" = 1'-0"

**E02.02.07**

©2009 Gensler

