



SHEET NOTES

- 01 JUNCTION BOX FOR CONNECTION TO DRINKING FOUNTAIN.
- 02 RECEPTACLE FOR CONNECTION TO LINE ARRAY SPEAKER. COORDINATE MOUNTING HEIGHT WITH A/V DRAWINGS & ARCHITECTURAL POWER & COMMUNICATIONS DRAWINGS.
- 03 PROVIDE NEMA L5-15R TWIST LOCK RECEPTACLE.
- 04 CONTRACTOR SHALL VERIFY EXACT CONNECTION POINT FOR SLIDING GLASS DOORS WITH VENDOR.
- 05 TWO 4" CONDUITS FROM MDF ROOM ON THIRD FLOOR LEVEL TO ROOF FOR FUTURE ANTENNA FARM. MAINTAIN 2' SEPARATION BETWEEN CONDUITS.

Portland International Jetport
 1001 Westbrook Street
 Portland, Maine 04102

Gensler
 2020 K Street, NW
 Suite 200
 Washington, DC 20006
 Telephone 202.721.5200
 Facsimile 202.872.8587

AMEC ASSOCIATES, INC.
 343 Gorham Road, South Portland, ME 04106
 P: (207) 761-1770 F: (207) 774-1246 www.amec.com
 engineers • architects • surveyors • construction managers

amec
 343 Gorham Road, South Portland ME 04106
 P: (207) 761-1770 F: (207) 774-1246 www.amec.com

THESE DRAWINGS ARE ISSUED FOR CONSTRUCTION AND REFLECT ALL AMEC ISSUED BULLETINS AND SKETCHES.

Issue	Date & Issue Description	By	Check
01	11/12/09	LAM	BHG
02	09/01/11	LAM	BHG

GENERAL NOTES

- A SEE SHEET E00.00 FOR LEGEND AND GENERAL NOTES.
- B CONTRACTOR SHALL REFER TO FIRE ALARM, SECURITY, IT, AND PUBLIC ADDRESS SYSTEMS DRAWINGS FOR CONDUITS & WIRING REQUIREMENTS.

KEY PLAN

