

**SHEET NOTES**

- 01 RUN VENT LINES BELOW FLOOR SLAB.
- 02 SEE CO2.02 FOR CONTINUATION.
- 03 1/2" PEX TUBING FROM TRAP PRIMER BELOW FL TO TRAP.
- 04 RUN 1/2" PEX TRAP PRIMER LINE ADJACENT TO C.I. VENT LINE TIGHT TO FOUNDATION WALL. PROVIDE GUARD AROUND BOTH LINES FROM FLOOR LEVEL TO 6'-0" AFF. REFER TO DETAIL ON ARCH DWGS.
- 05 RUN PIPING ON SIDES OF COLUMN. KEEP FACE OF COLUMN CLEAR FOR INSTALLATION OF SECURITY & ALARM EQUIPMENT & APPARATUS.
- 06 PUMP CONTROL PANEL


THESE DRAWINGS ARE ISSUED FOR CONSTRUCTION AND REFLECT ALL AMEC ISSUED BULLETINS AND SKETCHES.

| Issue | Date & Issue Description | By  | Check |
|-------|--------------------------|-----|-------|
| 01    | 12/03/08                 | KLM | JS    |
| 02    | 01/23/09                 | CM  | JS    |
| 03    | 10/26/09                 | PWZ | JS    |
| 04    | 11/12/09                 | PWZ | JS    |
| 05    | 09/01/11                 | PWZ | JS    |

**GENERAL NOTES**

- A SEE SHEET P00.00 FOR LEGEND AND GENERAL NOTES.
- B DO NOT RUN WATER OR DRAIN PIPING OVER ELECTRICAL PANELS OR SWITCH GEAR.
- C COORDINATE PLUMBING FLOOR PENETRATIONS WITH IN-FLOOR RADIANT HEAT.

**KEY PLAN**



**P02.01.04**

C2009 Gensler

