

SHEET NOTES

- 01 PRC PASSES THROUGH 24" BEAM AT CENTERLINE OF WEB.
- 02 1/2" CW W/ TRAP PRIMER TO GENERATOR ROOM FD.
- 03 1 1/2" V UP THROUGH FLOOR - TIE INTO 3" VENT ABOVE FLOOR.
- 04 BELOW FLOOR

Portland International Jetport
 1001 Westbrook Street
 Portland, Maine 04102

Gensler
 2020 K Street, NW
 Suite 200
 Washington, DC 20006
 Telephone 202.771.5200
 Facsimile 202.872.8587

oest ASSOCIATES, INC.
 343 Gorham Road, South Portland, ME 04106
 P: (207) 761-1770 F: (207) 774-1246 www.oest.com
 engineers • architects • surveyors • construction managers

amec
 343 Gorham Road, South Portland ME 04106
 P: (207) 761-1770 F: (207) 774-1246 www.amec.com

THESE DRAWINGS ARE ISSUED FOR CONSTRUCTION AND REFLECT ALL AMEC ISSUED BULLETINS AND SKETCHES.

Issue	Date & Issue Description	By	Check
01	07/11/08	PWZ	JS
02	09/22/08	PWZ	JS
03	12/03/08	KLM	JS
04	01/23/09	CM	JS
05	10/26/09	PWZ	JS
2	06 11/12/09	PWZ	JS
07	05/20/11	PWZ	JS
08	09/01/11	PWZ	JS

GENERAL NOTES

- A SEE SHEET P00.00 FOR LEGEND AND GENERAL NOTES.
- B DO NOT RUN WATER OR DRAIN PIPING OVER ELECTRICAL PANELS OR SWITCH GEAR.
- C COORDINATE PLUMBING FLOOR PENETRATIONS WITH IN-FLOOR RADIANT HEAT.

Project Name
 P1W Terminal Enhancement


Project Number
 08.0395.000
 CAD File Name
 T:\6330101\Sheet\P02.03.05.dwg
 Description
 PLUMBING PLAN - LEVEL 3 - ZONE 5

Scale
 1/8" = 1'-0"

P02.03.05

©2009 Gensler

KEY PLAN



PLUMBING PLAN - LEVEL 3 - ZONE 5
 SCALE: 1/8" = 1'-0"