



COLUMN SCHEDULE	
MARK	SIZE
C-2	HSS5X5X5/16
C-3	HSS6X6X5/16
C-4	HSS6X6X3/8
C-5	HSS8X8X1/2
C-6	HSS10X10X1/2
C-8	HSS12X12X1/2
C-9	HSS12X12X5/8

1. W18 BEAMS NOTED SHALL BE CENTERED ON INCLINED COLUMNS AND ROTATED 10 DEGREES. TOP OF STEEL AT CENTERLINE = 16'-7 3/4" SEE B1/SF-500.
 2. PROVIDE GIRT FRAMING AS NOTED AT ELEVATIONS 8'-0", 16'-0" AND 24'-0"
 3. BEAM END REACTIONS SHALL BE 8k UNFACTORED, UNLESS NOTED.
- INDICATES MOMENT CONNECTION - SEE DTL XX/S-003

STRUCTURAL - GIRT FRAMING LAYOUT PLAN

160 Veranda Street
Portland, Maine 04103
T: 207.221.2260
F: 207.221.2266
Web: www.allied-eng.com

Allied Engineering
Structural Mechanical Electrical Commissioning

GRANT HAYS ASSOCIATES
ARCHITECTURE & INTERIOR DESIGN
P.O. BOX 6179 FALMOUTH MAINE 04105
207.871.9900 www.granthays.com

Date: -
Drawn By: PED
Checked By: JPM
Project Mgr: WPF
Project No: 15028
Card File: 15028S.rvt
Graphic Scale: 0" 1"

NEA N O R T H E A S T A I R
PORTLAND INTERNATIONAL AIRPORT
1011 WESTBROOK STREET PORTLAND, MAINE 04102
© COPYRIGHT 2015 ALLIED ENGINEERING, INC.

95% CD SET ~ 14 DECEMBER 2015 ~ NOT FOR CONSTRUCTION

A1 STRUCTURAL ~ GIRT FRAMING LAYOUT PLAN
1/8" = 1'-0"

SF-101

N:\projects\2015\15028 - Northeast Air Terminal Building\00 Drawing Files\201515028S.rvt