



COLUMN SCHEDULE	
MARK	SIZE
C-2	HSS5X5X1/16
C-3	HSS6X6X5/16
C-4	HSS6X6X3/8
C-5	HSS8X8X1/2
C-6	HSS10X10X1/2
C-8	HSS12X12X1/2
C-9	HSS12X12X5/8

1. W18 BEAMS NOTED SHALL BE CENTERED ON INCLINED COLUMNS AND ROTATED 10 DEGREES. TOP OF STEEL AT CENTERLINE = 16'-7 3/4" SEE B1/SF-500.
  2. PROVIDE GIRT FRAMING AS NOTED AT ELEVATIONS 8'-0", 16'-0" AND 24'-0" UNLESS OTHERWISE NOTED
  3. BEAM END REACTIONS SHALL BE 8k UNFACTORED, UNLESS NOTED.
- INDICATES MOMENT CONNECTION - SEE DTL C5/SF-501

**STRUCTURAL - GIRT FRAMING LAYOUT PLAN**

**A1** STRUCTURAL ~ GIRT FRAMING LAYOUT PLAN

1/8" = 1'-0"

**SF-101**

**NEA** NORTHEAST AIR  
PORTLAND INTERNATIONAL AIRPORT  
1011 WESTBROOK STREET PORTLAND, MAINE 04102

**GRANT HAYS ASSOCIATES**  
ARCHITECTURE & INTERIOR DESIGN  
P.O. BOX 6179 FALMOUTH MAINE 04105  
207.871.5900 gha@granthays.com

Date: 01-27-2016  
Drawn By: PED  
Checked By: JPM  
Project Mgr: WPF  
Project No: 15028  
Card File: 15028S.rvt  
Graphic Scale: 0" 1"

160 Veranda Street  
Portland, Maine 04103  
T: 207.221.2260  
F: 207.221.2266  
Web: www.allied-eng.com

**Allied Engineering**  
Structural Mechanical Electrical Commissioning

N:\projects\2015\15028 - Northeast Air Terminal Building\00 Drawing Files\201515028S.rvt