| Location of C | onstruction: Thompson's Point (Bldg | Owner: | | Phone: 9701 2 | Permit No: |
|---|--|--|---|--|--|
| Owner Address | | Leasee/Buyer's Name: | Phone: | BusinessName: : Ptld, RK 04102 | |
| Contractor Na | me: | Address: 774-6500 | Phone: | | PPERMIT ISSUED |
| Past Use: | | Proposed Use: | COST OF WORK: | PERMIT FEE: | FEB 4 1997 |
| | Secording/Rehearsal | Same | FIRE DEPT. ☐ App ☐ Den | I | |
| | | | Signature: | Signature: | Zoning Approval: |
| Proposed Proj | ect Description: | | | IVITIES DISTRICT (P.U.D |).) |
| | Interior Renovations | | | proved proved with Conditions: ied | □ Special Zone or Reviews: □ Shoreland □ Wetland |
| | Construct Exterior Sta | 2/12/97 | Signature: | Date: | ☐ Flood Zone ☐ Subdivision |
| Permit Taken | By: | Date Applied For: | 16 January 1997 | | ☐ Site Plan maj☐ minor ☐ mm ☐ |
| tion ma | y invalidate a building permit and sto Prime Arts Rehearsal Thompson's Point Box Portland, NE 04102 | Studio 27 | Turse informa | -9-2634 | ☐ Interpretation ☐ Approved ☐ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review |
| | and the second of | 2/12/14/ 1/2000 | | PERMIT ISSUED WITH REQUIREMENT | Action: |
| | | CERTIFICATION | | | ☐ Appoved |
| authorized b if a permit for areas covere | by the owner to make this application for work described in the application and by such permit at any reasonable h | ne named property, or that the proposed as his authorized agent and I agree to issued, I certify that the code official's nour to enforce the provisions of the co | conform to all applicable lay authorized representative s | ws of this jurisdiction. In addinal have the authority to entermit | ition, Denied |
| | OF APPLICANT | ADDICESS: | DAIE. | I HOINE. | |
| SIGNATURE | Also from the last of the last way again the last of t | . 100 | | e e | Marie and the second se |

COMMENTS

| 3/37/97 no me or site | |
|----------------------------------|--|
| 4/8/97 not available. | |
| 4-9-97 nessage to call here. | |
| 4.23.97 Interior framing Inope | ection of to insulate and sheetrock. |
| Electrical expection area tagged | pake to lesse in regards to the |
| necessited of him meeting with | of, muldougal to discuss the |
| styty and location of any by | (H) & energency lighting. also. |
| day fire extenglishers. | |
| A P | |
| | |
| | |
| | |
| | · |
| | |
| | |
| | |
| | |
| | |
| | Inspection Record Type Foundation: H/A Wishay Wald Framing: Intly 181 = NON-Waving Plumbing: H/A = All Wishing |
| | Plumbing: 4/Q: all Wistrag Final: |
| | Other: |

| ocation of Construction: | Owner: | Phone: 970123 | Permit No: |
|---|---|--|--|
| Thompson's Point (Bldg | | , , , , , | |
| wner Address: | Leasee/Buyer's Name: | Phone: Thompso Businessinessines | |
| | Prime Arts Rehearsal Studi | | Permit Issued: |
| ontractor Name: | Address: | Phone: | |
| Jeff Davison | 774-6500 | COOK OF MODIA | PERMIT ISSUED |
| ast Use: | Proposed Use: | COST OF WORK: PERMIT FEE: | Ministration of the state of th |
| | | \$ 500 2,500 ° \$35,00 25.00 | FEB 4 1997 |
| Recording/Rehearsal | Same | FIRE DEPT. LA Approved INSPECTION: | |
| Studio | | ☐ Denied Use Group: 1/3 Type: | |
| | | 1/1/1/2 BOCA 46 7/ 0/1 () | TACOM PURZOLANDOS |
| roposed Project Description: | | Signature: Signature: Huff | Zoning Approval: |
| Toposed Project Description. | | PEDESTRIAN ACTIVITIES DISTRICT (PM.D.) | _ |
| | has blans | Action: Approved | Special Zone or Reviews: |
| Interior Renovations - | as per plans so delited-see revised flow | Approved with Conditions: | ☐ ☐ Shoreland |
| Ida A Barras Cara | - Wifted a simple | Denied [| □ Wetland |
| yourtruct exterior step | 5 actiona-sellensee popular | | ☐ Flood Zone ☐ Subdivision |
| | 1/17/97 | Signature: Date: | ☐ Site Plan maj ☐ minor ☐ mm ☐ |
| ermit Taken By: Mary Gresik | Date Applied For: | January 1997 | a one rian majammora mina |
| rary Gresik | | January 1997 | Zoning Appeal |
| . This permit application doesn't preclude the A | Applicant(s) from meeting applicable State | e and Federal rules. | ☐ Variance |
| . Building permits do not include plumbing, se | * ** | | ☐ Miscellaneous |
| • | • | 71.10 | ☐ Conditional Use |
| . Building permits are void if work is not started | | nce. False informa- | ☐ Interpretation☐ Approved |
| tion may invalidate a building permit and sto | p all work | nce. False informa- | □ Denied |
| | | WITH REQUIREMENTS | La Berned |
| Prime Arts Rehearsal | | -MENT | Historic Preservation |
| Thompson's Point Box | 27 | | ☐ Not in District or Landmark |
| Portland, ME 04102 | | • | Does Not Require Review |
| | Also land addition of | ansts INCUITEL | ☐ Requires Review |
| All new plans submitted | 3/12/91 - additional | | Action: |
| | | | Action. |
| · | CERTIFICATION | | ☐ Appoved |
| I hereby certify that I am the owner of record of the | 1 | | |
| | | orm to all applicable laws of this jurisdiction. In addition | |
| | | norized representative shall have the authority to enter a | 1/19/92 |
| areas covered by such permit at any reasonable ho | our to enforce the provisions of the code(s) |) applicable to such permit | Date: |
| 2 | Des | 04102 759°2634 (P |) / <u>,</u> |
| ^ | PO. | | |
| 1/911. | | 16 Innuary 1007 IDA Com | |
| Myry Davison | Box 2) Thompsons Pt. | 16 January 1997 7746500 | - D. Andur R |
| IGNATURE OF APPLICANT Jeff Daviso | Box 2) Thompsons Pt. | 16 January 1997 774で500 DATE: PHONE: | - D. Andhus |
| , ,) | Box 27 Thompsons Pt. address: | DATE: PHONE: | - D. Audhus |
| IGNATURE OF APPLICANT Jeff Daviso | Box 2) Thompsons Pt. ADDRESS: | 16 January 1997 17746500 DATE: PHONE: PHONE: | - D. Auduus |
| ESPONSIBLE PERSON IN CHARGE OF WORK | Box 2) Thompsons Pt. ADDRESS: Owner K, TITLE | DATE: PHONE: SAME PHONE: | CEO DISTRICT 4 |
| ESPONSIBLE PERSON IN CHARGE OF WORK | Box 2) Thompsons Pt. ADDRESS: Owner K, TITLE | DATE: PHONE: | CEO DISTRICT 4 |

LAND USE - ZONING REPORT REASON FOR PERMIT: C-B-L: 201-A-005 DENIED: APPROVED CONDITION(S) OF APPROVAL During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained. The footprint of the existing _____ shall not be increased during maintenance reconstruction. All the conditions placed on the original, previously approved, permit issued on _____ 3. are still in effect for this amendment. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases. This property shall remain a single family dwelling. Any change of use shall require a 5. separate permit application for review and approval. Our records indicate that this property has a legal use of ____ units. Any change in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage. Separate permits shall be required for future decks and/or garage. Other requirements of condition 15 15 mdn Stood That The thereof e constructed is per your revised p - Phere's Any change to These pl ent shall be Applied Marge Schmuckal, Zoning Administrator,

Asst. Chief of Code Enforcement

BUILDING PERMIT REPORT

| DATE: 2/13/97 | ADDRESS: | ampsoni Point | |
|---------------------|-----------------|---|----------|
| REASON FOR PERMIT:_ | renavation | A STATE AND A | |
| BUILDING OWNER: | Van Wyck | | |
| CONTRACTOR: | Tephone Davison | A second | |
| PERMIT APPLICANT: | | APPROVAL: X Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z | <u> </u> |

CONDITION OF APPROVAL OR DESTAL

o sale il dilla especialità wales This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

Before concrete for foundation is placed, approvals from the Development Review coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

Precaution must be taken to protect concrete from freezing. 3.

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is

done to verify that the proper setbacks are maintained.

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA

National Mechanical Code/1993) UL 103.

6.

Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of building components located near the open sides of elevated described and the system of the system o ¥.7. walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.

Headroom in habitable space is a minimum of 7'6". 8.

Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group 9. minimum 11" tread. 7" maximum rise.

The minimum headroom in all parts of a stairway shall not be less than 80 inches. 10.

Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or 11. exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.

Each apartment shall have access to two (20 separate, remote and approved means of egress. A single exit is acceptable 12. when it exits directly from the apartment to the building exterior with no communications to other apartment units.

All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with 13. self closer's.

The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by

providing automatic extinguishment.

- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the 15. provisions of the City's building code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms

In all bedrooms

In each story within a dwelling unit, including basements In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and


I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. The Fire Alarm System shall be maintained to NFPA #72 Standard. 17. The Sprinkler System shall maintained to NFPA #13 Standard. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. 20. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 21. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 22. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office. 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code. 24. Mechanical or NATural Ventilation Must be MAM Taniney 6 of the Cities Mechanical Code. (The BOCA NATIONAL Mechanica, Charter 27. P. Samuel Hoffses, Chief of Code Enforcement

> medians de demonstrativel cards whater applying confilling been light to fit servet) eixo iniciael coeff que a com éco-

cc: Lt. McDougall, PFD Marge Schmuckal

J. 32, W

PRIME ARTIST REHEARSAL STUDIOS JEFF DAVISON 774-6500



Scale - 1/4"=1"

All rehearsal rootins 1-5 Have exterior Pretung Doors of wellow Door to looking sirea

Thereare no new DOORS ADDED doming from HALLWAY, TO Equipment Gooding over.

(eggived 2/12/97

Jessel Jaked 2/2/97 RAILINGS proposed CANDING WEATL EXIT SIM Emercenty Leaves BATH Studio Studio STAGE Exice Proposes 181126 Permit PRIME ARTIST REHEARSAL STUDIO scale 14'=1'