## STATE OF MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

PAUL R. LEPAGE GOVERNOR

DARRYL N. BROWN
COMMISSIONER



### ASBESTOS BUILDING DEMOLITION NOTIFICATION

### MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

Lead & Asbestos Hazard Prevention Program 17 State House Station, Augusta, Maine 04333



Maine law requires the filing of the ASBESTOS BUILDING DEMOLITION NOTIFICATION with the Department prior to demolition of any building except a single-family home.

Building owners are required to provide this notification of the demolition of a building to the DEP at least 5 working days prior to the demolition. This notification is **not** required before the demolition of a single-family residence or related structure (e.g., garage, shed, barn). It is also **not** required if previous notification of the demolition has been provided to the DEP as part of an asbestos abatement project notification. *Demolition* means the tearing down or intentional burning of a building or part of a building.

<u>Prior to demolition, building owners must determine if there is any asbestos-containing material(s) (ACM) in the building.</u> An "asbestos inspection" by a DEP-licensed Asbestos Consultant is required for all buildings except single-family homes and residential buildings with 2-4 units built after 1980. In lieu of an asbestos inspection, pre-1981 residential buildings with 2-4 units can be <u>surveyed</u> to identify possible ACM by someone knowledgeable about ACM, such as a code enforcement officer or building inspector. If materials that may contain asbestos are found, then you can either assume they are ACM or hire a DEP-licensed Asbestos Consultant to test the materials.

Whenever more than 3 square feet or 3 linear feet of ACM is identified, the ACM must be abated in accordance with the *Maine Asbestos Management Regulations* by a DEP-licensed Asbestos Abatement Contractor. This includes materials presumed to be ACM. Check **www.maine.gov** for a listing of asbestos contractors.

Prior to issuing a local demolition permit, the DEP requests that **municipalities** have applicants for municipal demolition permits complete this form and fax it to the DEP at 207-287-6220. Municipalities should not issue local demolition permits if the required asbestos inspection or survey has not been performed and identified ACM removed.

Were regulated asbestos-containing building materials found?  yes  no							
property address:	building description:						
1124 Westbrook Street	pre-1981 residential with 2-4 units						
Portland, Maine 04101	post-1980 residential with 2-4 units						
former budget Rental Car	other: Commerical						
asbestos survey/inspection performed by: (name & address)	asbestos abatement contractor						
Robert Rickett	N/A						
Abatement Professionals Corp							
590 County Rd, Westbrook, Maine							

AUGUSTA 17 STATE HOUSE STATION AUGUSTA, MAINE 04333-0017

BANGOR 106 HOGAN ROAD, SUITE 6 PORTLAND 312 CANCO ROAD PRESQUE ISLE
1235 CENTRAL DRIVE, SKYWAY
PARK
PRESQUE ISLE, MAINE 04679-2094

(207) 287-7688 FAX: (207) 287-7826 RAY BLDG., HOSPITAL ST.

BANGOR, MAINE 04401 (207) 941-4570 FAX: (207) 941-4584 PORTLAND, MAINE 04103 PRESQUE ISLE, MAINE 04679-209 (207) 822-6300 FAX: (207) 822-6303 (207) 764-0477 FAX: (207) 760-3143

Letter to (date)
Page 2 of 2

telephone:	telephone:
property owner: (name & address)	demolition contractor: (name & address)
Enterprise Holdings	Gorham Sand and Gravel
600 Corporate Park Drive	939 Parker Farm Road
St Louis, MO 63105	Buxton, ME 04093
	207-839-2442
	The state of the s
telephone:	telephone:
demolition start date:	demolition end date:
(mm/dd/yy)	(mm/dd/yy)

This demolition notification does not take the place of the Asbestos Project Notification if applicable

I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT

Robert Rickett Print Name: Owner/Agent President Title

Signature

207-773-1276 Telephone # 207-772-1203

11/21/2011

FAX#

Date

\* \* \* Communication Result Report ( Nov. 21. 2011 11:52AM ) \* \* \*

1) ABATEMENT PROFESSIONALS

Date/Time: Nov. 21. 2011 11:50AM

File No. Mode	Destination	Pg(s)	Result	Page Not Sent
2180 Memory TX	DEP	P. 5	OK	

Reason for error
E. 1) Hang up or line fail
E. 3) No answer
E. 5) Exceeded max. E-mail size

E. 2) Busy
E. 4) No facsimile connection



STATE OF MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

DARRYL N. BROWN



#### ASBESTOS BUILDING DEMOLITION NOTIFICATION

MAINE DEPARTMENT OF ENVIRONMENTAL PROTECTION

Lead & Asbestos Hazard Frevention Program

17 Stree Bross, Stakos, Augusta, Maine 84331



Maine law requires the filing of the ASBESTOS BUILDING DEMOLITION NOTIFICATION with the Department prior to demolition of any building except a single-family home.

Building owners are required to provide this notification of the demolition of a building to the DEP at least 5 working days prior to the demolition. This notification is not required before the demolition of a single-family residence or related structure (e.g., gaseg, stud, bam). It is also not required if previous notification of the denocition has been provided to the DEP as part of an assessor between project notification. Demolition mesms the tearing down or intentional burning of a building or part of a building.

Prior to demolition, building owners must determine if there is any asbestos containing material(s) (ACIN) in the building. An "asbestos inspection" by a DEP-ticensed Asbestos Consultant is required for all buildings except single-family homes and residential buildings with 2-4 units built after 1980. In lieu of an asbestos inspection, pre-1981 residential buildings with 2-4 units can be <u>surveyed</u> to identify possible ACIM by someone knowledgeable about ACIM, such as a code enforcement officer or building inspector. If materials that may contain asbestos are found, then you can either assume they are ACIM or thre a DEP-ticensed Asbestos Consultant to test the materials.

Whenever more than 3 square feet or 3 linear feet of ACM is identified, the ACM must be abated in accordance with the Meire Asbestos Management Regulations by a DEP-fenned Asbestos Abelement Contractor. This includes materia's presumed to be ACM. Check www.maine.gov for a listing of asbestos contractors.

Prior to issuing a local demotition permit, the DEP requests that municipalities have applicants for municipal demotition permits complete this form and fax it to the DEP at 207-287-6220. Municipalities should not issue local demotition permits if the required ashestos inspection or survey has not been performed and identified ACM removed.

Were regulated asbestos-containing building materials found? yes no

properly address: 1124 Westbrook Street Portland, Maine 04101 former budget Rental Car bulkling description:

pre-1981 residential with 2-4 units

post-1980 residential with 2-4 units
other: Commercial atherins survey/inspection performed by: (name & address)
Robert Rickett asbestos abalement contractor N/A Abatement Professionals Corp 590 County Rd, Westorook, Maine

AUGUSTA 17 STATE HOUSE STATION AUGUSTA, MAINE 0133-0017 (207) 237-7488 FAX: (287) 287-7826 RAY BLDG., HOSPITAL ST.

RANGOR 105 HOGAN ROAD, SUITE 6 BANGOR, MAINE 04401 (207) 941-4570 PAX: (227) 541-4514

web sites www.scaisse.gov/dep



## EMSL Analytical, Inc.

200 Route 130 North Cinnaminson, NJ 08077

Phone: (800) 220-3675 Fax: (856) 786-5974 Web: http://www.emsl.com Email:cinnasblab@EMSL.com

Attn: Robert W Rickett

Abatement Professionals Corporation

590 County Road

Suite #2

Westbrook, ME

Fax: (207) 772-1203

04092

Phone: (207) 773-1276 Proj: APC-2011-410 BUDGET RENTAL CAR

EMSL Order:

041130559

Customer ID:

ABAT52

Collected:

11/17/2011 12:00:00AM

Received:

11/18/2011

Su	mmary Tes	st Report for Asbestos Analysis via EPA 600/R-93/116 and/or EPA 600/M4	1-82-020
Client Sample ID:	B-1-A	Lab Sample ID:	041130559-0001
Sample Description:	r		

		Analyzed		Non-As	pestos			
TEST		Date	Color	Fibrous No	on-Fibrous	Asbestos	Comment	
PLM		11/21/2011	White	0%	100%	None Detected		
Client Sample ID:	B-1-B						Lab Sample ID:	041130559-0002
Sample Description:								
		Analyzed		Non-As	bestos			

		Analyzed		Non-A	Asbestos				
TEST		Date	Color	Fibrous	Non-Fibrous	Asbestos	Comment		
PLM		11/21/2011	White	0%	100%	None Detected			
Client Sample ID:	B-1-C						Lab Sample ID:	041130559-0003	

Sample Description:			

		Analyzed		Non-A	sbestos				
TEST		Date	Color	Fibrous N	lon-Fibrous	Asbestos	Comment		
PLM		11/21/2011	White	0%	100%	None Detected			
Client Sample ID:	B-2-A						Lab Sample ID:	041130559-0004	

onem campic ib.	
Sample Description:	

	Analyzed		Non-	Asbestos		
TEST	Date	Color	Fibrous	Non-Fibrous	Asbestos	Comment
PLM Grav. Reduction	11/21/2011	Gray	0.0%	100%	None Detected	

Clians	Com	nla	ID.	
Client	Saili	pre	ID:	

В	-:	2-	В

Lab Sample ID: 041130559-0005

### Sample Description:

	Analyzed		Non-Asbestos				
TEST	Date	Color	Fibrous	Non-Fibrous	Asbestos	Comment	
PLM Grav. Reduction	11/21/2011	Gray	0.0%	100%	None Detected		

### Client Sample ID:

B-2-C

Lab Sample ID: 041130559-0006

Sample Description:

	Analyzed		Non-A	Asbestos			
TEST	Date	Color	Fibrous I	Non-Fibrous	Asbestos	Comment	
PLM Grav. Reduction	11/21/2011	Gray	0.0%	100%	None Detected		



Attn: Robert W Rickett

Abatement Professionals Corporation

590 County Road

Suite #2

Westbrook, ME 04092
Proj: APC-2011-410 BUDGET RENTAL CAR

Summary Test Report for Asbestos Analysis via EPA 600/R-93/116 and/or EPA 600/M4-82-020

PLM: Cert #BA-0128 - BA0137

PLM EPA NOB: Cert #Ba-0128 - BA0137

Initial report from: 11/21/201108:18:29

### Analyst(s)

Johnny Yu	PLM	(2)
	PLM Grav. Reduction	(2)
Ted Young	PLM	(1)
	PLM Grav. Reduction	(1)

Stephen Siegel, CIH, Laboratory Manager or other Approved Signatory

Any questions please contact Steve Siegel.

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported above and may not be reproduced, except in full, without written approval by EMSL. This test report must not be used to claim product endorsement by NVLAP or any agency of the U.S. Government. EMSL bears no responsibility for sample collection activities or analytical method limitations. The laboratory is not responsible for the accuracy of results when requested to physically separate and analyze layered samples. PLM alone is not consistently reliable in detecting asbestos in floor coverings and similar NOBs

Samples analyzed by EMSL Analytical, Inc. Cinnaminson, NJ NVLAP Lab Code 101048-0, AlHA-LAP, LLC-IHLAP Lab 100194, NYS ELAP 10872, NJ DEP 03036

# 041/30559



EMSL Analytical, Inc Revised 07/07/99

CHAIN OF CUSTODY

**ASBESTOS** 

CMACT	Ren'	Denise
LIVIOL	IVP.	Dellino

Third Party Billing requires written authorization from third party

Your Company Name: Abatement Professionals Corp

590 County Rd Suite #2 Westbrook, Maine 04092 EMSL-Bill to: ABAT52

Fax Results: Robert Rickett Fax Number 207-772-1203 Telephone #: 207-773-1276

E-mail Results:

rrickett@abatementpros.com

Project Budget Rental Car Name/Number: APC-2011-410

Purchase Order # 140

				TURNA	ROUND	
	MATRIX		3 Hrs	□ 6 Hrs	☐ 12 Hrs *	□ 1 Day
□ Air	D 2011	Micro-Vac	1010	□ 3 Days	7 4 Days	☐ 5 Days
X Bulk	☐ Drinking Water		V.O.Davis			
□ Wipe	□ Waste Water	Chours There is a premiu	X 2 Days im charge for 3 hour	TAT; call 1-800-2	20-3675 for price pr	ior to sending

Please call ahead to schedule TEM AIR, 3 hours, 6 hours. There is a premium charge for 3 hour TAT; cal

You will be asked to sign an authorization form for this service
12 Hours must arrive by 11:00am Mon-Fri. Please refer to Price nust arrive by 11:00am Mon-Fri, Please refer to Price Quote

2 Hours must arrive by 11:00am Mon-Pri. Pie	ase feici to 1110			
PCM-AIR  NIOSH 7400 (A) Issue 2: August OSHA w/TWA Other:		TEM-AIR  ☐ AHERA 40 CFR, Part 763 Subpart E  ☐ NIOSH 7402 Issue 2  ☐ EPA Level II	TEM-WATER DEPA 100.1 DEPA 100.2 DNYS 198.2	
PLM-Bulk  X EPA 600/R-93/116-Test Till     EPA Point Count 400    NY Stratified Point Count    PLM NOB (Gravimetric) NYS 198.    NIOSH 9002    EMSL Standard Addition    SEM Air or Bulk    Qualitative    Quantitative		TEM-Bulk  □ Drop Mount (Qualitative)  □ Chatfield SOP-1988-02  □ TEM NOB (Gravimetric) NY 198.4  □ EMSL Standard Addition  PLM Soil  □ EPA Protocol Qualitative  □ EPA Protocol Quantitative  □ EMSL MSD 9000 Method fibers/gram	TEM Micro Vac/wipe  ASTM D 5755-95  Wipe Qualitative  XRD  Asbestos Silica NIOSH 7500  OTHER	
Client Sample # (s) B-1-A- Relinquished: Received: Relinquished: Received:	B-2-C	Total Sar  Date:	nple #: 6	in.

