



1 3rd FLOOR FRAMING PLAN
 S2.2 SCALE: 1/8" = 1'-0"

FLOOR FRAMING NOTES:

1. FLOOR FRAMING SHALL BE AS FOLLOWS:
 - A. TENANT, & UTILITY ROOM FLOOR FRAMING SHALL BE 22" DEEP PRE-ENGINEERED OPEN WEB TRUSSES @ 24" O.C.
 - B. CORRIDOR FRAMING SHALL BE 2X8 NO. 2 SYP JOISTS @ 24" O.C. TYPICAL.
 - C. STAIR MID-LANDING FRAMING SHALL BE 2X10 @ 16" O.C.
2. " 208-3 " INDICATES WOOD BEAM/HEADER DESIGNATION. SEE BEAM/HEADER SCHEDULE ON S2.0 FOR ADD'L INFO.
3. " C2 " INDICATES BUILT-UP COLUMN DESIGNATION. BUILT-UP COL DESIGNATIONS ON S2.1A AND S2.1B APPLY TO ALL FLOORS U.N.O. SEE COL SCHEDULE ON S2.0 FOR ADD'L INFO.
4. SEE S5 SERIES DWGS FOR ALL SHEAR WALL AND ANCHORAGE LOCATIONS.
5. SEE S7 SERIES DWGS FOR TYP FRAMING DETAILS AND INFO.
6. SEE ARCH DWGS FOR EXACT FINISHED FLOOR ELEVATIONS.
7. SEE GENERAL NOTES FOR LUMBER SPECIES AND GRADE REQ'S.
8. ALL COL'S, INCLUDING STUD PACKS, MUST ALIGN FLOOR-TO-FLOOR WITH SOLID BLOCKING OF THE SAME SIZE AND DIMENSION AS THE COL ABOVE, AT FLOOR CAVITY LOCATIONS. CONTINUE TO FDN OR BEAM SUPPORT BELOW.
9. ALL CONNECTOR TYPES REFER TO SIMPSON STRONG-TIE SPECIFICATIONS. SEE GEN NOTES FOR ADD'L INFO.
10. DENOTES CMU WALL. SEE GENERAL NOTES AND S9.1 FOR ADD'L INF & DESIGNATIONS.

PROJECT

**PORTLAND
 HILTON GARDEN
 INN ADDITION**

LOCATION

PORTLAND
 145 JETPORT BLVD
 PORTLAND, MAINE 04102

ARCHITECT



STAMP



ISSUED FOR: DATE:

REVIEW

PRICING JULY 20, 2012

PERMITTING JAN 30, 2013

CONSTRUCTION

REVISIONS

THIS DRAWING IS THE PROPERTY OF HC ARCHITECTURE, INC. AND IS NOT TO BE REPRODUCED OR COPIED IN WHOLE OR IN PART. IT IS ONLY TO BE USED FOR THE PROJECT SPECIFICALLY IDENTIFIED HEREIN AND IS NOT TO BE USED ON ANY OTHER PROJECT. IT IS TO BE RETURNED UPON REQUEST. SCALES AS STATED HEREIN ARE VALID ON THE ORIGINAL DRAWING. THE DIMENSIONS OF WHICH ARE 30x42 INCHES.

JOB NO.

0479.000

DRAWING TITLE

3rd FLOOR

FRAMING PLAN

SHEET NO.

S2.2