MINIMUM LOT SIZE:

10,000 S.F.

MIMIMUM FRONTAGE:

50 Fr.

MINIMUM SETBACKES:

25 FT.

FRONT YARD

25 FT.

REAR YARD SIDE YARD

25 FT.

12 FT.

1 1/2 STORY

12 Fr. 14 FT.

2 STORY

1 STORY

2 1/2 STORY

16 FT.

MINIMUM LOT WIDTH:

80 FT





U Stolfer Zoning

Design:	DER	Date:	JAN	2006
Draft:	CAH	Job No.:	148	4
Checked:	DER	Scale:	NTS	
File Name: 1484-SP.DWG				



THE WIDTH OF ONE (1) SIDE YARD MAY BE REDUCED ONE (1) FOOT FOR EVERY FOOT THAT THE OTHER SIDE YARD IS CORRESPONDINGLY INCREASED, BUT NO SIDE YARD SHALL BE LESS THAN EIGHT (8) FEET IN WIDTH.





DER File Name: 1484—SP.dwg

PO Box 1237, 26 Main Street Gray, ME 04039 207-657-6910

TIDE MILL ROAD, PORTLAND

1626186

ONE AND TWO FAMILY Soil type/Presumptive Load Value (Table R401.4.1)	PLAN REVIEW	CHECKLIST
STRUCTURAL	'O'' × ⊃O '	Findings Keyisions Date
Footing Dimensions/Depth (Table R403.1 & R403.1(1), (Section R403.1 & R403.1.4.1)		
Damp proofing	WED FABEROR	
Ventilation/Access (Section R408.1 & R408.3) Crawls Space ONLY	Fordoon	
Anchor Bolts/Straps, spacing (Section R403.1.6)	BANCTES DE GFRET O.C.	
ļ	3/2 Steey Conceette	
Girder & Header Spans (Table R 502.5(2))	3/2×14/4/	
Built-Up Wood Center Girder HEBOLL Dimension/Type	126.	
Sill/Band Joist Type & Dimensions		
1	5,018	
Dimensions and Spacing (Table R502.3.1(2)	100 XX 560C	
Second Floor Joist Species Dimensions and Spacing (Table R502.3.1(1) & Table R502.3.1(2)	(3" (T) (3" 60C.	
Attic or additional Floor Joist Species Dimensions and Spacing (Table R802.4(1) andR802.4(2))	D D	

Stantial Stant

