City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Permit No: 6 1 3 Owner: Phone: Owner Address: Lessee/Buyer's Name: Phone: BusinessName: 67 Tide Mill Rd., Portland. Contractor Name: Address: Phone: 8 2000 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: \$14.500.00 CITY OF PORTLAND FIRE DEPT. Approved INSPECTION: ☐ Denied Use Group: 4 Type: Single Family Single Family Zone: CBL: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT Action: Approved Special Zone or Reviews: Approved with Conditions: ☐ Shoreland Install 14' x 28" In-Ground Pool Denied ☐ Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: **Zoning Appeal** □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use ☐ Interpretation 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... ☐ Denied Historic Preservation □ Not in District or Landmark PERMIT ISSUED WITH REQUIREMENTS ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION □ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit SIGNATURE OF APPLICANT ADDRESS: PHONE: DATE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

COMMENTS 67 TIDE MILL Rd,

	Framing: Plumbing:
	Foundation:
d Date	Inspection Record
	Will call when corrected up.
nolations-	5/5/06 - Met rentor on site - went our outstanding
	8/28/02 Ceft voice mail message JB
	8/20/02 Called left message JB vovemail
& B	"have been fixed. He will call when alarms are installed
violations	1/9/02 Rick Cibby called - Alarms are on backorder - other vic
	7/8/02 left ince mail message JB
	7/3/02 left voice mail pressage JB
	tra keen
deliner	5/24 Fetter Redel- not accepted - hond
3	H/22for Mov. Sout 4/240
	(W) Good from howard not alumal
	B Jak met Seef Claim
	Ditately 60" against an culting OR
	4/14/62 @ Levent gape at bottom of fouce up t 7"
212-4-51)	COMMENIS

Other: _

Final: __

BUILDING PERMIT REPORT PERMIT APPLICANT: CONSTRUCTION TYPE: ___ CONSTRUCTION COST \$14500.00 PERMIT FEES: \$114,08 USE GROUP: RA The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) CONDITION(S) OF APPROVAL This permit is being issued with the understanding that the following conditions are met: $^{\kappa}/$ This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of 12" in diameter, T' into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts, Section 2305.17 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete from freezing. Section 1908.0 It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999) All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have

a height not less than than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 "and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 "maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).
 436. Swinning poul Shall meet the requirements of Section
 436. Jon The blag. Code. (See Attached)

P. Samuel Defess, Building Inspector
Ge: L. MaDougall, PFD
Marge Schmuckal, Zoning Administrator

PSH 1/2600

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00

**** All PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION114.0 OF THE BUILDINGCODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction (61 110E /	MILL RD. HOCICAMO, ME.	
Tax Assessor's Chart, Block & Lot Number Chart# 212 Block# A Lot# 05	1 RICHARD A. LIBBY	Telophone#: 879-6377
Owner's Address: 67 TIDE MILL RO.	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 14,500.00 \$ 114.0
Proposed Project Description:(Please be as specific as possi	•	
Contractor's Name, Address & Telephone SHAVN POOL CO AUC	WRN, UE.	Rec'd By:
•All construction must be conducted in con •All plumbing must be con	nducted in compliance with the State of Ma	ode as amended by Section 6-Art II. ine Plumbing Code.
-	ly with the 1996 National Electrical Code a onditioning) installation must comply with	
You must Include the following with yo	ou application:	
1) A Comment	Variable Development Cala A	

1) A Copy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan (Sample Attached)

If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to euter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit

odeo apposed to an periality			_
Signature of applicant:	Mulley	Date: 6-6-00	

212-4-051 Department of Human Sciences **PLUMBING APPLICATION** Division of Health Engineering **PROPERTY ADDRESS** Town or PORTLAND Plantation Street TIDE MILL RD PORTLAND TOWN COPY ubdivision Lot # **PROPERTY OWNERS NAME** Applicant Name: TIDE MILL Mailing Address of Owner/Applicant POLITICAAD, ME (If Different) **Owner/Applicant Statement** Caution: Inspection Required I certify that the information submitted is correct to the best of my I have inspected the installation authorized above and found it to be in knowledge and understand that any falsification is reason for the Local compliance with the Maine Plumbing Rules. Plumbing Inspectors to deny a Permit. Date Approved Signature of Owner/Applicant Date Local Plumbing Inspector Signature PERMIT INFORMATION This Application is for Type of Structure To Be Served: Plumbing To Be Installed By: 1. NEW PLUMBING 1. SINGLE FAMILY DWELLING 1. MASTER PLUMBER 2.

OIL BURNERMAN 2.

MODULAR OR MOBILE HOME 2. RELOCATED **PLUMBING** 3.

MFG'D. HOUSING DEALER/MECHANIC 3.

MULTIPLE FAMILY DWELLING 4. DUBLIC UTILITY EMPLOYEE 4. ☐ OTHER - SPECIFY 5. PROPERTY OWNER LICENSE # Hook-Up & Piping Relocation Column 2 Column 1 Type of Fixture Number Type of Fixture Maximum of 1 Hook-Up Number Hosebibb / Sillcock Bathtub (and Shower) HOOK-UP: to public sewer in those cases where the connection is not regulated and inspected by Floor Drain Shower (Separate) the local Sanitary District. Urinal Sink **Drinking Fountain** Wash Basin HOOK-UP: to an existing subsurface wastewater disposal system. **Indirect Waste** Water Closet (Toilet) PIPING RELOCATION: of sanitary lines, drains, and piping without Water Treatment Softener, Filter, etc. Clothes Washer new fixtures. Grease / Oil Separator Dish Washer Garbage Disposal **Dental Cuspidor** Laundry Tub Bidet OR Other: Water Heater TRANSFER FEE Fixtures (Subtotal) Fixtures (Subtotal) [\$6.00] Column 2 Column 1 Fixtures (Subtotal) Column 2 SEE PERMIT FEE SCHEDULE **Total Fixtures** FOR CALCULATING FEE Fixture Fee Transfer Fee Hook-Up & Relocation Fee **Permit Fee** Page 1 of 1 (Total) HHE-211 Rev. 6;94

TOWN COPY

ELECTRICAL PERMIT City of Portland, Me.

97F 212-A-051 A real

To the Chief Electrical Inspector, Portland Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance,

National Electrical Code and the following specifications:

SITE LOCATION: 67 TIDE MILL RD. PORTLAND

OWNER KICHARD A. LIBBY **TENANT** TOTAL EACH FEE OUTLETS Receptacles Switches 45 Smoke Detectors 80 134 **FIXTURES** incandescent 41 fluorescent Strips 8 49 SERVICES Overhead Underground TTL AMPS <800 15.00 Overhead Underground >800 25.00 Overhead Underground TTL AMPS **Temporary Service** 25.00 25.00 METERS (number of) 1.00 MOTORS (number of) 2.00 RESID/COM Electric units 1.00 HEATING oil/gas units Interior Exterior 5.00 **APPLIANCES** Ranges Wall Ovens Cook Tops 2.00 Insta-Hot Water heaters Fans 2.00 Dryers Disposals Dishwasher 2.00 Compactors Washing Machine 2.00 Spa Others (denote) 2.00 Air Cond/win MISC. (number of) 3.00 Air Cond/cent Pools 10.00 Thermostat HVAC **EMS** 5.00 Signs 10.00 Alarms/res 5.00 Alarms/com 15.00 Heavy Duty(CRKT) 2.00 Circus/Carny 25.00 Alterations 5.00 Fire Repairs 15.00 E Lights 1.00 E Generators 20.00 **PANELS** Service Remote Main 4.00 0-25 Kva TRANSFORMER 5.00 25-200 Kva 8.00 Over 200 Kva 10.00 TOTAL AMOUNT DUE 74.60 MINIMUM FEE/COMMERCIAL 35.00 MINIMUM FEE 25.00

INSPECTION:

Will be ready _____ Rickfibby

or will call

PHLO

CONTRACTORS I	NAME THE LIBBY
ADDRESS 36	SNOWBERN DR. 5

_ MASTER LIC. #

LIMITED LIC. # ____

homeway) 7

799-5178

SIGNATURE OF CONTRACTOR

Ma almy-homeowner