### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Phone: Permit No: Blane & Jennifer Riggle 775-3622 1181 Wastbrook Street 000033 Lessee/Buyer's Name: Owner Address: Phone: BusinessName: SAA Permit Issued: Contractor Name: Address: Phone: 11 Latham Street, South Portland, ME 04106 799-2208 \*\*Bruce D. Smith COST OF WORK: PERMIT FEE: Past Use: Proposed Use: \$ 3,000 \$ 42.00 FIRE DEPT. Approved INSPECTION: Same 1-Family ☐ Denied Use Group: A-3 Type: 5/3 CBL: Zone: BOCA 96 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (PA.D.) Interior renovation. Convert pantry to half bath on fisat Action: Approved Special Zone or Reviews: floor of single family home. Approved with Conditions: ☐ Shoreland Denied ☐ Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Date Applied For: Permit Taken By: 1-11-00 UB Zoning Appeal ☐ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use ☐ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... aasend to: □ Denied Bruce D. Smith 11 Latham St. Historic Preservation South Portland, ME 04106 ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 1-11-00 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

# COMMENTS

Type Foundation: Framing: Plumbing:					lose in
Inspection Record					plumbing with Dane/Jan/Jeanne - Ok to close in Thin

### DITT DING DEDMIT DEDODT

BULDING FERMIT REFORT
DATE: 12 January 2000 ADDRESS: 1181 WesTbrook ST. CBL: 213-F-605
DATE: 12 January 2000 ADDRESS: 1181 WesTbrook ST. CBL: 213-F-605 REASON FOR PERMIT: Interior renovation, Convert pantry To half bath.
BUILDING OWNER: R199/e
PERMIT APPLICANT:
use group: R-3 construction type: 5 B construction cost: \$3,000,000 permit fees \$42.40
The City's Adopted Building Code (The BOCA National Building code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: \(\frac{\dagger}{27,\dagger} \frac{\dagger}{32,\dagger} \dag
1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

X

Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

Precaution must be taken to protect concrete from freezing. Section 1908.0

- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of 1.2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the oopen sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A.B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30°, but not more than 38°). Handrait grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 "maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

19.	All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
20	In each story within a dwelling unit, including basements
20.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21.	The Fire Alarm System shall maintained to NFPA #72 Standard.
22.	The Sprinkler System shall maintained to NFPA #13 Standard.
23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & atties).
	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all
	electrical (min. 72 hours notice) and plumbing inspections bave been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening sehedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical
	Code/1993). (Chapter M-16)  To remain A Smela from Ly Dwelling, Please read and implement the attached Land Use Zoning report requirements. 15 Not an Approval for an Additional in Boring guiting and notching shall be done in accordance with Sections 2305 3, 2305 3, 1, 2305 4, 4 and 2305 5, 1 of the City's Building Code.
(31)	Please read and implement the attached Land Use Zoning report requirements. 15 Not an Apploval for an Additional u
~~.	Dorning and notening shall be done in decordance with Sections 2505.5.1, 2505.5.1, 2505.5.1 of the City of Danding Code.
	Bridging shall comply with Section 2305.16.
	Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
35.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1996).
:	

History Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 11/25/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

### THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

## **Building or Use Permit Pre-Application** Additions/Alterations/Accessory Structures To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the

	City, payment arrangement	is must be made before permits of any kind are	accepted.
Locat	ion/Address of Construction: (18) WESTB	LOOK ST. , PORTLAND	
Tax	Assessor's Chart, Block & Lot Number	Owner Blanke + Terrifer Riggle	Telephone#:
	#213 Block# F Lot# 005		, ,
Char	# 213 Block# F Lot# 005		175-3622
Омп	er's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work 1-cc
SA	ME		\$3,000 \$42
		ist about - interior	U Const.
Prope	osed Project Description:(Please be as specific as possible	) Ist floor - Mecros	o anse.
C	osed Project Description:(Please be as specific as possible CNVERT PANTRY TO H	ALF BATH 1- family	
Cont	ractor's Name, Address & Telephone	199 2208 Red	By: US
B	RUCE D SMITH 11 LATH	AM ST S. PORTRAMO, ME OHING	
	Separate permits are required for I	nternal & External Plumbing, HVAC and	Electrical installation.
•A	Il construction must be conducted in comp	liance with the 1996 B.O.C.A. Building Code as	amended by Section 6-Art II.
	•All plumbing must be cond	ucted in compliance with the State of Maine Plu	ımbing Code.
	·All Electrical Installation must comply	with the 1996 National Electrical Code as amer	nded by Section 6-Art III.
•	HVAC(Heating, Ventilation and Air Con-	ditioning) installation must comply with the 199	93 BOCA Mechanical Code.
You	must Include the following with you	application:	
	1) A Copy of You	our Deed or Purchase and Sale Agreem	ient
	2) A Copy of	your Construction Contract, if availab	le
		Plot Plan (Sample Attached)	
Ifth		omplete plot plan (Site Plan) must include	
11 (1)	The shape and dimension of the lot all a	existing buildings (if any), the proposed structure a	id the distance from the actual
		porches, a bow windows cantilever sections and ro	
	pools, garages and any other accessory s		ATT OF FORTLAND, ME
	Scale and required zoning district setbac		D
	•	1	D) Jel 1 2000
	4) Bı	uilding Plans (Sample Attached)	δL
A c	omplete set of construction drawings	showing all of the following elements of	construction I W E
		ding porches, decks w/ railings, and accessory stru-	
	Floor Plans & Elevations		
•	Window and door schedules		
•	Foundation plans with required drainage	e and dampproofing	
•		ical drawings for any specialized equipment such a	
	equipment, HVAC equipment (air band	ling) or other types of work that may require specia	at review must be included.

representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit. Date: || | 1

Certification I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1.000.00 construction cost thereafter.

Signature of applicant:

PLUMBING APPI		· 213- F-00	5 3	Department of Human Sciences Division of Health Engineering			
Town or Plantation Pulluma	RESS						
Net of the last	01/118/00	HELDER					
Subdivision Lot # Wes how !		PORTLAND		7139 TOWN COPY			
PHOPERIT OWNER	15 IVAIVIE	Permit Issued:	190 1	FEE Charged			
Last: Riggle First:	Blaine Jun	Note Plumbing Insec	or stature	L.P.I. # 01/1214			
Applicant Michael	CAPOTTA						
Mailing Address of Owner/Applicant D I BIV	1013 Pm	1 an					
Owner/Applicant S I certify that the information submitted is a knowledge and understand that any falsifi Plumbing Inspectors to deny a Permit.	correct to the best of my	I have inspected the		rized above and found it to be in			
Signature of Owner/Applican		Date Local Plumbing In	spector Signature	Date Approve			
	PER	MIT INFORMATION					
This Application is for	Type of Stru	cture To Be Served:	Plum	bing To Be Installed By:			
1. NEW PLUMBING 1.	SINGLE FAMILY D	WELLING	1. MASTI	ER PLUMBER			
2. RELOCATED PLUMBING	2.   MODULAR	OR MOBILE HOME		IL BURNERMAN			
PLUMBING 3.	MULTIPLE FAMILY	DWELLING		<ul><li>3. □ MFG'D. HOUSING DEALER/MECHANIC</li><li>4. □ PUBLIC UTILITY EMPLOYEE</li></ul>			
4.	OTHER - SPECIF	Υ		ERTY OWNER			
			LICENSE	# 13.75			
Hook-Up & Piping Relocation Maximum of 1 Hook-Up	Number	Column 2 Type of Fixture	Number	Column 1 Type of Fixture			
HOOK-UP: to public sewer		Hosebibb / Sillcock	1	Bathtub (and Shower)			
those cases where the coni is not regulated and inspec- the local Sanitary District.		Floor Drain		Shower (Separate)			
OR		Urinal		Sink			
HOOK-UP: to an existing si	ubsurface	Drinking Fountain	0 1	Wash Basin - Redestal Lan			
wastewater disposal systen	1.	Indirect Waste	0,1	Water Closet (Toilet)			
PIPING RELOCATION: of s lines, drains, and piping wit new fixtures.	anitary	Water Treatment Softener, Filter, etc.		Clothes Washer			
		Grease / Oil Separator		Dish Washer			
		Dental Cuspidor		Garbage Disposal			
YOR		Bidet		Laundry Tub			
		Other:		Water Heater			
TRANSFER (\$6.00		Fixtures (Subtotal) Column 2		Fixtures (Subtotal) Column 1			
	SEE PERMIT FEE		1,2	Fixtures (Subtotal) Column 2 Total Fixtures			
	FOR CALCULA	ATING FEE		Fixture Fee			
				Transfer Fee			
				Hook-Up & Relocation Fee			
Page 1 of 1 HHE-211 Rev. 6;94			24	Permit Fee (Total)			

# **ELECTRICAL PERMIT** City of Portland, Me.

Q/3 F005

To the Chief Electrical Inspector, Portland Maine:

The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance,

National Electrical Code and the following specifications:

SITE LOCATION:	1(8)	WESTBROOK	57

Date Permit #

OWNER RIGGLE	TENANT				
		TOTAL EACH FEE			

						T	DTAL	EACH FE	
OUTLETS	Receptacles /	Swit	tches	2	Smoke Detectors		3	.20	.60
FIXTURES	incandescent 2	_ fluo	rescent		Strips		2	.20	.40
SERVICES	Overhead	Uno	lerground	-	TTL AMPS	<800		15.00	
	Overhead		derground			>800		25.00	
Temporary Service	Overhead	Unc	derground		TTL AMPS	10	1 1/	/ 25.00	
,						-		25.00	
METERS	(number of)							1.00	
MOTORS	(number of)					1,0-		2.00	
RESID/COM	Electric units	- 1				-	1	1.00	
HEATING	oil/gas units	Inte	rior		Exterior			5.00	
APPLIANCES	Ranges	Coc	ok Tops		Wall Ovens			2.00	
	Insta-Hot	Wa	ter heaters	3	Fans		-	2.00	
	Dryers	Dis	posals		Dishwasher			2.00	
	Compactors	Spa			Washing Machine	100		2.00	
	Others (denote)	-		-				2.00	
MISC. (number of)	Air Cond/win							3.00	
	Air Cond/cent				Pools			10.00	
	HVAC	EM	S		Thermostat			5.00	
	Signs	+				W		10.00	
	Alarms/res			1				5.00	
	Alarms/com	_		1			-	15.00	
	Heavy Duty(CRKT)					1		2.00	
	Circus/Carny	-		1		1	1	25.00	
	Alterations							5.00	
	Fire Repairs			+				15.00	
	E Lights			1		1	1	1.00	
	E Generators							20.00	
PANELS	Service	Re	mote	+	Main	-	-	4.00	
TRANSFORMER	0-25 Kva							5.00	
	25-200 Kva							8.00	
	Over 200 Kva							10.00	
					TOTAL AMOUNT	DUE			
	MINIMUM FEE/COM	MERC	IAL 35.00		MINIMUM FEE	-	25.0	0	25.

INSPECTION:

**TELEPHONE** 

Will be ready 1/18

CONTRACTOR	S NAME
	00

**ADDRESS** 

SIGNATURE OF CONTRACTOR