

Location of Construction: 1566 Congress Street		Owner: McTiernan, Francis and Clair		Phone: 879-2614	Permit No:
Owner Address:	Leasee/Buyer's Name:		Phone:	BusinessName:	
Contractor Name:	Address:		Phone:		
Past Use: Single family dwelling	Proposed Use: same w/shed	COST OF WORK: \$ 900.00		PERMIT FEE: \$ 25.00	
Proposed Project Description: Construct shed as per plans		FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type:	
		Signature:		Signature:	
Permit Taken By: Vicki Dover		Date Applied For: 9/16/96		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.)	
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	
		Signature:		Date:	

**PERMIT ISSUED**  
 Permit Issued:  
 SEP 20 1996  
**CITY OF PORTLAND**

**Zone:** R-3    **CBL:** 220-B-2  
 Zoning Approval: 9/10/96  
**Special Zone or Reviews:**  
 Shoreland 100' or less  
 Wetland 5 min. to  
 Flood Zone  
 Subdivision  
 Site Plan maj  minor  mm

**Zoning Appeal**  
 Variance  
 Miscellaneous  
 Conditional Use  
 Interpretation  
 Approved  
 Denied

**Historic Preservation**  
 Not in District or Landmark  
 Does Not Require Review  
 Requires Review

**Action:**  
 Approved  
 Approved with Conditions  
 Denied

Date: 9/12/96

**CEO DISTRICT** #4  
 A. Powers

PERMIT ISSUED  
 WITH REQUIREMENTS

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT: Francis McTiernan    ADDRESS: 1566 Congress St., Portland 04102    DATE: 9/16/96    PHONE: 879-2614

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

COMMENTS

10-4-96 NO SHED YET.

11-18-96 SLAB BASE POURED

1-30-97 SHED NOT CONSTRUCTED YET.

3-11-97 Materials for shed on site.

4-14-97 shed constructed from raw materials, not a package shed as submitted. Size and location are ok.

Inspection Record

Type	Date
Foundation: _____	_____
Framing: _____	_____
Plumbing: _____	_____
Final: _____	_____
Other: _____	_____

Location of Construction: 1566 Congress Street		Owner: McTiernan, Francis and Clair		Phone: 879-2614		Permit No: <b>960928</b>
Owner Address:		Leasee/Buyer's Name:		BusinessName:		
Contractor Name:		Address:		Phone:		<div style="border: 1px solid black; padding: 5px; text-align: center;"> <b>PERMIT ISSUED</b>                  SEP 20 1996                  CITY OF PORTLAND             </div>
Past Use: Single family dwelling		Proposed Use: same w/shed		COST OF WORK: \$ 900.00 PERMIT FEE: \$ 25.00 FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied INSPECTION: Use Group: Type: <input type="checkbox"/> Signature: <i>[Signature]</i> Signature: <i>[Signature]</i>		
Proposed Project Description: Construct shed as per plans		PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.)		Action: Approved <input type="checkbox"/> Approved with Conditions: <input type="checkbox"/> Denied: <input type="checkbox"/> Signature: _____ Date: _____		Zone: R-5 CBL: 220-B-2 Zoning Approval: <i>[Signature]</i> 9/18/96 Special Zone or Reviews: <input type="checkbox"/> Shoreland 100' or less <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone 5' min. to side & rear lot line <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Permit Taken By: Vicki Dover		Date Applied For: 9/16/96				

1. This permit application doesn't preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

**Mail**

**CERTIFICATION**

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

*Francis McTiernan*  
 SIGNATURE OF APPLICANT Francis McTiernan ADDRESS: 1566 Congress St., Portland 04102 DATE: 9/16/96 PHONE: 879-2614

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE \_\_\_\_\_ PHONE: \_\_\_\_\_

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

**Permit Issued:**

**PERMIT ISSUED**  
 SEP 20 1996  
 CITY OF PORTLAND

Zone: R-5 CBL: 220-B-2

Zoning Approval: *[Signature]* 9/18/96

Special Zone or Reviews:

Shoreland 100' or less

Wetland

Flood Zone 5' min. to side & rear lot line

Subdivision

Site Plan maj  minor  mm

**Zoning Appeal**

Variance

Miscellaneous

Conditional Use

Interpretation

Approved

Denied

**Historic Preservation**

Not in District or Landmark

Does Not Require Review

Requires Review

**Action:**

Approved

Approved with Conditions

Denied

Date: *9/17/96*

*D. Andrews*

CEO DISTRICT #4

*A. Powers*

## BUILDING PERMIT REPORT

DATE: 19/Sept/96 ADDRESS: 1566 Congress St

REASON FOR PERMIT: To Construct shed

BUILDING OWNER: McTiernan

CONTRACTOR: owner

PERMIT APPLICANT: lc APPROVAL: \*/

DENIED: \_\_\_\_\_


### CONDITION OF APPROVAL OR DENIAL

1. Before concrete for foundation is placed, approvals from ~~the Development Review coordinator~~ and Inspection Services must be obtained. (A24 hour notice is required prior to inspection)
2. Precaution must be taken to protect concrete from freezing.
3. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
4. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 section 407.0 of the BOCA/1996)
5. Guardrail & Handrails-A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42"; except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
6. Headroom in habitable space is a minimum of 7'6".
7. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise.
8. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
9. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue, they shall

have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. feet.

10. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
  11. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with selfclosers.
  12. The boiler shall be protected by enclosing with on (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
  13. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's building code Chapter 9, Section 19, 919.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
    1. In the immediate vicinity of bedrooms
    2. In all bedrooms
    3. In each story within a swelling unit, including basements
- In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)
14. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
  15. The Fire Alarm System shall be maintained to NFPA #72 Standard.
  16. The Sprinkler System shall maintained to NFPA #13 Standard.
  17. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1996)
  18. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
  19. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
  20. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act, Title 5 MRSA refers, shall obtain a certification from a design professional that the plans of the facility meet the standards of construction required by this section. Prior to commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
  21. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's Office.

  
P. Samuel Hoffses, Chief of Inspection Services




SIZE SHOWN ABOVE: 10' x 14'. AT RIGHT: 10' x 10'

**CATALINA**  
10' x 10' x 8'  
10' x 14' x 8'  
10' x 18' x 8'

Featuring an 8' peak, 6' high side walls and 4'w x 6'h double doors, the Catalina offers plenty of space and is considered by many to be our most versatile storage building. Doors can be centered or offset and

can be placed on the eave side (as shown above) or the gable end (see inset photograph). With many sizes and options to choose from, you can customize your Catalina to suit your taste.

ASSEMBLY  
Video Included



SIZE SHOWN: 10' x 10'

**SIERRA**  
10' x 10' x 10'  
10' x 14' x 10'  
10' x 18' x 10'

4' wide double doors and 6' high side walls make Sierra the choice for the person who wants to maximize storage space and minimize construction costs. With its 10' overall height, the Sierra offers plenty of overhead room—perfect for a loft or for storing bulky items. It also features deep groove 8" o.c. Ultraside™ siding and pine trim.

ASSEMBLY  
Video Included